






# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale




T & N Electric Co., Inc.		Pine Bluff, AR • 878-534-8161	
HP	300	Customer PO#	
RPM	1775	Date Repaired	7 23 19
Frame	447TZ	HC #	49445
Volts	460	DT #	49429
Amps	340	Rewind	X
Phase	3	Clean Up	
Hertz	60		
Make	TOSHIBA		



T & N Electric Co., Inc.		Pine Bluff, AR • 878-534-8161	
HP	300	Customer PO#	
RPM	1775	Date Repaired	7 23 19
Frame	447TZ	HC #	49445
Volts	460	DT #	49429
Amps	340	Rewind	X
Phase	3	Clean Up	
Hertz	60		
Make	TOSHIBA		



# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale







# SLE 25-006 Electric Motor Sale



200 1770 60  
 VOLTS 440  
 FLAMP 249  
 RISE 60 CONT.  
 3 PHASE  
 AFBMA 95RN03  
 D6A2C5  
 5K824307529  
 2L8341117



WORLD ENERGY SERIES  
 3-PHASE INDUCTION MOTOR

MODEL NO.		
VOLTS	440	AMP
TYPE	CONT.	FLAMP
FORM		SERVICE FACTOR
POLES	4	RPM
CLASSES		MAX. AMB.
DESIGN	B	TIME RATING
EDGE	E	
Re	60	

USABLE ON 208V NETWORKS AT  
 USABLE ON 675V NETWORKS AS  
 REFER TO CONNECTIONS IN CONDUIT BOX



T & N Electric Co., Inc.  
 PINE BLUFF, AR • HOUSTON, TX

**T & N Electric Co., Inc.**  
 Pine Bluff, AR • 870-534-8161

HP	150	Customer PO #	
RPM	1770	Date Repaired	4-18-17
Frame	444T	HC #	47017
Volts	460	DT #	44659
Amps	177	Rewind	
Phase	3	Clean Up	X
Hertz	60		
Make	POSHIBA		



# SLE 25-006 Electric Motor Sale













# SLE 25-006 Electric Motor Sale



**MAX-PE™ PREMIUM EFFICIENCY SEVERE DUTY MOTOR** **NEMA Premium**

HP/kW	110/75	18/12.5	TYPE	
Hz	60	50	CAT. NO.	
VOLTS	230/460	190/380	FRAME	405TS
AMPS	214/107	258/129	ENCL.	TEFC
R.P.M.	3560	2950	RATING	CONT.
CODE	G	H	INS.	F
S.F.	1.15	1.0	PHASE	3
NOM. EFF.	95.5		AMB.	
MIN. EFF.	94.5		WEIGHT	63
DESIGN	B		DE 3RS	
SER. NO.	P1V723		CDE REF.	
USABLE ON	209	Y NETWORK AT	3LP	

**TECCO Westinghouse**  
MOTOR COMPANY ROUND ROCK, TEXAS



**TOSHIBA**

**EQP Global S.D.**

MODEL NO.	2FV100L192163		
SERIAL NO.	150202256		
HP	100	KW	75
RPM	3560		
VOLT	440	AMP	117
Hz	60	S.F.	1.15
P.F.	85.0	CODE	G
NEMA NOM EFF	95.0	MAX SAFE RPM	-


FRAME	1061Z	ENCL.	TEFC
TYPE	TKKH	NEMA	B
FORM	FCK1	INS.	F
IP	54	DUTY	CONT.
PH.	3	MAX. AMB.	40°C
WT.	627.7	kg	1381
D.S.	6313G3		
L.S.	6313G3		
MFG. DATE	03/15		
USABLE ON	Y AT		

LSF POLYUREA BASED GREASES

TOSHIBA INTERNATIONAL CORPORATION - HOUSTON, TEXAS  
MADE IN THE USA WITH DOMESTIC AND FOREIGN COMPONENTS






# SLE 25-006 Electric Motor Sale








# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale




<b>CROWN TRITON G2</b> Premium		Cat. No. HEE15-12-284T	
15HP 6P 230/460V	UL Model HLS284SR335V	End. TENV	Amps 39.6/19.8A
Frame 284T	Duty CONT	Code G	Hertz 60Hz
UL Type HLS	Drive 6310ZC3	Temp. F	NEMA Frame 284
	6310ZC3	S.F. 1.15	HD-P1
		RPM 1175	
		Amb. 40°C	
		3/4 Eff. 91.8%	
	Usable at 50Hz 15HP 380V 24.2A 970rpm	S.F.:1.0	Code:G
CSA Model HVO11353284H000A109KR00001	Temp. Code	Frame	
CLASS 1 Div. 2, Gr. A, B, C & D		Amb. 40°C	
CLASS 1, Zone 2, Gr. IIA, IIB, & IIC		Amb. 50°C	
22B006-E35-009	Date 2022.05.26	Weight	3600g
IM-130742	Made in Vietnam HM	<b>HYUNDAI ELECTRIC</b>	
MARINE DUTY IEEE45	Designed By HYUNDAI Korea		



CAT. NO.	CW2333T		
SPEC.	07H204X127H1		
HP	15		
VOLTS	230/460		
AMPS	38.4/19.2		
R.P.M.	1760		
FRAME	254TC	H2 60	PH 3
SER. F.	15	CODE R	DES B CLASS F
NEMA NOM. EFF.	91	% P.F.	80 %
RATING	40C AMB - CONT		
CC	U10A USABLE AT 208V N2A A		
BEARINGS	DE 6309	ODE 6307	
ENCL.	TENV SN F02112619Z		




# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale



<b>BRAKE SERIES</b>		<b>PREMIUM EFFICIENCY</b>		<b>EQP III</b>	
MODEL NO. B01048					
TYPE IKKH		VOLTS		RPM	
HP 10	FORM FBKI	FR. # 215T		AMP	
POLES 4	DUTY CONT.	GEF		MAX. OBTACE	
INS. CLASS F	MAX. AMB. 40 °C		E		W
NEMA DES. B	NOM. F.L. EFF 91.7		FF 88.5		MOTOR WT. 232 LBS.
CODE	MIN. F.L. EFF 91.0		FF 88.5		BRAKE TORQUE 50 FT-LB
SF 115	BRAKE VOLTS 230/460		TOSHIBA INTERNATIONAL CORPORATION		HOUSTON, TEXAS-MADE IN U.S.A.





<b>SIEMENS</b>		<b>ENERGY EFFICIENT</b>		<b>CC032A</b>		<b>CE</b>		<b>SP US</b>		<b>NEMA IE3</b>	
TYPE: SD100		PART Nr: 1LE23212AA214AA3		FRAME: 215T		IP55		3PH		TEFC NEMA B	
BEARINGS		SERIAL Nr: Q2-B23-T3007SE-45		CONTINUOUS DUTY		WEIGHT: 183 lbs.		EFFICIENCY		NOM. % MIN. %	
D.E. 40BC02JP3		INSUL. CLASS: F		kVA CODE: H		EFFICIENCY		NOM. % MIN. %		90.2 88.5	
O.D.E. 40BC02JP3		AMB. TEMP.: 40°C		T.RISE: CLASS B		EFFICIENCY		NOM. % MIN. %		89.2	
HP	kW	R.P.M	V	A	Hz	S.F.	S.F.A	EFFICIENCY		NOM. % MIN. %	
10	7.46	3515	230/460	23.0/11.5	60	1.15	26.5/13.2	EFFICIENCY		NOM. % MIN. %	
7.5	5.60	2933	200/400	20.2/10.1	50	1.15	23.2/11.6	EFFICIENCY		NOM. % MIN. %	
VFD COMPATIBLE		A 10 SF 20 PK 1 41 CL		SUITABLE FOR 208V		Class 1 Div. 2 GR A, B, C or D 13		Class 1 Zone 2 GR IIA, IIB or IIC 13		QR CODE	
LOW VOLTS		HIGH VOLTS		Made in Mexico by SIEMENS GDL							






# SLE 25-006 Electric Motor Sale






# SLE 25-006 Electric Motor Sale





# SLE 25-006 Electric Motor Sale



Cat No. 20C D 300 A 0 ANNBNO

UL TYPE 5071

**Powerflex 700H**

Normal Duty Power	400V	480V
Heavy Duty Power	180 kW	250 HP
Ambient Temp. ND/HD	132 kW	200 HP
	40/50 C	40/50 C

Input: 3 Phase 47-63Hz

AC Voltage Range	342-440	432-528
Amps ND/HD	302/247	290/247

Output: 3 Phase 0-320 Hz

AC Voltage Range	0-400	0-480
Base Hz (default)	50 Hz	60 Hz
Continuous Amps ND/HD	300/245	300/245
1 Min Overload A ND/HD	330/368	330/368
3 Sec Overload A ND/HD	450/490	450/490

Mfg In 2011/07/15

**Allen-Bradley**  
PRODUCT OF FINLAND FAC 1100

Series: A  
Original Firmware V: 5.002

UL LISTED  
IND. CONT.  
EQ. 5042

N223 Ex IGT  
TUV OF ATEX 1407

Frame: 9  
Serial Number: 16903101

**Field Installed Options**

Firmware \_\_\_\_\_ Comm \_\_\_\_\_  
 Firmware \_\_\_\_\_  
 HIM \_\_\_\_\_  
 I/O \_\_\_\_\_

16903101  
 20CD300A0ANNBNO  
 20CD300A0ANNBNO  
 FRAME: 9 SERIES: A

3001257132