



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 24-021**  
**Valve Sale**  
**Over 125 Lots Unused Valves!**  
**WCB, A105, CN7M, M35, CF8M & More!**

**Sealed Bid Sale**

**Bidder Information**

Company: \_\_\_\_\_

---

(Signature)	(Printed Name)	(Date)	(Phone Number)
-------------	----------------	--------	----------------

Inspected Surplus    Yes                       No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.  
Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**BID DUE: Wednesday, July 17<sup>th</sup>, @ NOON 12:00 PM**

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337  
Inspection Time 7:30 - 2:00 M-F  
Available for inspection Immediately thru Bid Close  
We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.



# SLE 24-021 Valve Sale

Company: \_\_\_\_\_  
 Bidder: \_\_\_\_\_  
 Phone: \_\_\_\_\_

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
MVCS 1	156	1"	1000 WOG	SCV	Thrd.	Ball Valve	316		Unused	\$
MVCS 2	56	1"	6000 CWP	SCV	Thrd.	Ball Valve	CF8M	Full Port	Unused	\$
MVCS 3	18	3"	6000 CWP	SCV	Thrd.	Ball Valve	CF8M	Full Port	Unused	\$
MVCS 4	14	2"	1500#	SCV	Thrd.	Ball Valve	CF3M	Full Port	Unused	\$
MVCS 5	Aprox 60	1"	1500#	SCV	Thrd.	Ball Valve	CF8M	Full Port	Unused	\$
MVCS 6	35	1"	800#	SCV	Thrd.	Globe	A105		Unused	\$
MVCS 7	15	2"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 8	12	1"	800#	SCV	Thrd.	Globe	A105		Unused	\$
MVCS 9	12	1"	800#	SCV	Thrd.	Globe	A105		Unused	\$
MVCS 10	11	1"	800#	SCV	Thrd.	Globe	A105		Unused	\$
MVCS 11	10	1-1/2"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 12	10	1-1/2"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 13	10	1-1/2"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 14	6	1"	800#	SCV	SW x Thrd.	Gate	A105		Unused	\$
MVCS 15	11	1"	800#	SCV	SW x SW	Gate	A105		Unused	\$
MVCS 16	20	1-1/2"	3750 WOG	SCV	SW x SW	3 pc. Ball Valve	LCC		Unused	\$
MVCS 17	24	3/4"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 18	25	3/4"	800#	SCV	Thrd.	Gate	A105		Unused	\$
MVCS 19	5	3/4"	800#	SCV	Thrd.	Gate	A105		Unused	\$
	1	1"	800#	SCV	Thrd.	Globe	A105		Unused	
MVCS 20	20	1"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 21	19	1"	800#	SCV	Thrd.	Gate	LF2		Unused	\$
MVCS 22	14	1"	800#	SCV	SW	Gate	A105		Unused	\$
MVCS 23	10	1"	800#	SCV	SW x Thrd.	Gate	A105		Unused	\$
MVCS 24	42	1/2"	150#	SCV	RF	2 pc. Ball Valve	CF8M		Unused	\$
MVCS 25	30	1/2"	150#	SCV	RF	2 pc. Ball Valve	CF8M		Unused	\$

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
MVCS 26	45	3/4"	800#	SCV	Thrd.	Globe	A105		Unused	\$
MVCS 27	24	1-1/2"	800#	SCV	Thrd.	Swing Check	A105		Unused	\$
MVCS 28	24	1"	1500#	SCV	Thrd.	Gate	A105		Unused	\$
CPT 29	1	4"	150#	Kitz	RF	Ball Valve	WCB		Unused	\$
CPT 30	1	3"	150#	Eaton	RF	Y-Pattern Strainer	WCB		Unused	\$
CPT 31	1	4"	150#	DSI	RF	Check	WCB		Unused	\$
CPT 32	1	3R	150#	Cameron	RF	TruSeal	WCC	General Valve Model 211RF	Unused	\$
CPT 33	1	3"	150#	DSI	RF	Globe	WCB		Unused	\$
CPT 34	4	1-1/2"	300#	Ladish	RF	Gate	CN7M		Unused	\$
CPT 35	2	4"	150#	Ladish	RF	Gate	CN7M		Unused	\$
CPT 36	1	3"	150#	Ladish	RF	Check	CF8M	Has Been Bolted	Unused	\$
CPT 37	2	1"	150#	Kitz	RF	Gate	CN7M		Unused	\$
CPT 38	1	1-1/2"	150#	Velan	RF	Globe	CN7M	with Graphite Packing	Unused	\$
CPT 39	2	2-1/2"	200 WOG	Milwaukee	Thrd.	Check	Brass		Unused	\$
	1	2"	300 WOG	Kitz	Thrd.	Gate	Brass		Unused	
	4	1"	300 WOG	Powell	Thrd.	Gate	Brass		Unused	
	2	1"	175 WOG	United	Thrd.	Firemain Gate	Brass		Unused	
	3	1"	300 WOG	Kitz	Thrd.	Gate	Brass		Unused	
	2	1"	250 WOG	Kitz	Thrd.	Lift Gate	Brass		Unused	
CPT 40	6	3/4"	600#	Apollo	Thrd.	Ball Valve	316		Unused	\$
	1	3/4"	1500#	Apollo	Thrd.	Ball Valve	316		Unused	
CPT 41	1	2"	150#	Velan	RF	Gate	CF8M		Unused	\$
CPT 42	4	2"	150#	Kitz	RF	Gate	CF8M		Unused	\$
CPT 43	12	2"	150#	OMB	RF	Gate	A105		Unused	\$
CPT 44	11	2"	150#	OMB	RF	Gate	A105		Unused	\$
CPT 45	13	1-1/2"	150#	OMB	RF	Gate	A105		Unused	\$
CPT 46	7	1-1/2"	150#	OMB	RF	Gate	A105		Unused	\$
	4	1"	150#	OMB	RF	Gate	A105		Unused	

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
CPT 47	1	1-1/2"	800#	Bonney	SW x Thrd.	Gate	A105		Unused	\$
	2	1"	800#	Bonney	SW x Thrd.	Gate	A105		Unused	
	1	3/4"	800#	Bonney	SW	Gate	A105		Unused	
	1	3/4"	800#	Bonney	SW x Thrd.	Gate	A105		Unused	
	2	1/2"	800#	Bonney	SW x Thrd.	Gate	A105		Unused	
	1	3/4"	800#	Bonney	SW	Check	A105		Unused	
	6	3/4"	800#	Bonney	SW x Thrd.	Take-Off Gate	A105	Welded Bonnet	Unused	
	5	1"	800#	Bonney	SW x Thrd.	Take-Off Gate	A105	Welded Bonnet	Unused	
	1	1/2"	800#	Bonney	SW x Thrd.	Take-Off Gate	A105	Welded Bonnet	Unused	
	2	1"	800#	Bonney	SW x Thrd.	Gate	A105		Unused	
CPT 48	3	2"	800#	Bonney	SW	Gate	A105		Unused	\$
	4	1"	800#	Bonney	SW x Thrd.	Take-Off Gate	316	Welded Bonnet	Unused	
	1	1/2"	800#	Bonney	SW x Thrd.	Take-Off Gate	316	Welded Bonnet	Unused	
CPT 49	1	1"	800#	Bonney	SW x Thrd.	Gate	316		Unused	\$
	1	1-1/2"	150#	Bonney	RF	Gate	A105		Unused	
CPT 50	1	1"	150#	Bonney	RF	Gate	A105		Unused	\$
	1	1-1/2"	150#	DSI	RF	Gate	A105		Unused	
CPT 51	1	1-1/2"	150#	Smith	RF	Gate	A105		Unused	\$
	2	1"	800#	Beric	SW	Gate	A105		Unused	
	4	1"	800#	DSI	SW x Thrd.	Gate	A105		Unused	
	1	1/2"	800#	DSI	SW x Thrd.	Gate	A105		Unused	
CPT 52	1	1/2"	800#	DSI	SW	Gate	A105		Unused	\$
	7	1"	800#	Bonney	Thrd.	3 pc. Ball Valve	A105		Unused	
CPT 53	4	1/2"	2000 WOG	Velan	Thrd.	3 pc. Ball Valve	WCB/316		Unused	\$
CPT 54	1	4"	125#	Nibco	FF	Gate	IBBM		Unused	\$
CPT 55	2	4"	125#	Kitz	FF	Gate	IBBM		Unused	\$
CPT 56	2	6"	150#	DSI	RF	Gate	WCB		Unused	\$
CPT 57	1	8"	150#	Kitz	RF	Gate	CF8M		Unused	\$
SHTC 57	1	1-1/2"	800#	Bonney	SW	Gate	A105	Bolted Bonnet	Unused	\$
	3	1-1/4"	800#	Bonney	SW	Gate	A105	Bolted Bonnet	Unused	
	2	1-1/4"	800#	Bonney	SW	Piston Check	A105		Unused	
	7	1/2"	800#	Bonney	SW	Gate	A105		Unused	
	1	3/4"	800#	Bonney	SW	Gate	A105		Unused	
	1	1/2"	800#	Bonney	SW	Piston Check	A105		Unused	
SHTC 58	4	1-1/2"	800#	Bonney	Thrd.	Gate	A105		Unused	\$
	2	1-1/2"	800#	Bonney	Thrd.	Swing Check	A105		Unused	
	1	3/4"	800#	Bonney	Thrd.	Gate	A105		Unused	
	1	1/2"	800#	Bonney	Thrd.	Gate	A105		Unused	
SHTC 59	1	1"	800#	Smith	Thrd.	Gate	A105		Unused	\$
	1	1"	800#	OVC	SW	Gate	A105		Unused	
	1	3/4"	800#	OVC	SW	Gate	A105		Unused	

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
SHTC 60	1	3/4"	800#	Vogt	SW	Take-Off Gate	A105		Unused	\$
	3	1/2"	800#	Vogt	SW	Gate	A105		Unused	
SHTC 61	2	1-1/4"	800#	Beric	Thrd.	Gate	A105		Unused	\$
SHTC 62	2	1/2"	800#	Bonney	SW	Gate	316L		Unused	\$
SHTC 63	1	1"	300#	Bonney	RF	Gate	A105		Unused	\$
	1	1/2"	300#	Bonney	RF	Gate	A105		Unused	
	1	1"	150#	Bonney	RF	Gate	A105		Unused	
TIC 64	2	2"	800#	William E Williams	Thrd.	Globe	A105		Unused	\$
	3	1"	800#	Bonney	Thrd.	Globe	A105		Unused	
TIC 65	9			Apache		Ball Valve Handles	CS		Unused	\$
TIC 66	1	4"	150#	Warren	RF	Ball Valve	CF8M		Unused	\$
TIC 67	3	1"	200 WP	Merit	Thrd.	Swing Check	316		Unused	\$
TIC 68	7	1/2"	10000 PSI	Noshok	F x M Thrd.	Needle Valve	316		Unused	\$
TIC 69	6	10"	150#	Apache	Lug	Butterfly	DI/316		Unused	\$
TIC 70	6	10"	150#	Apache	Lug	Butterfly	DI/316		Unused	\$
TIC 71	6	10"	150#	Apache	Lug	Butterfly	DI/316		Unused	\$
TIC 72	5	8"	150#	Apache	Lug	Butterfly	DI/316		Unused	\$
TIC 73	6	8"	150#	Apache	Lug	Butterfly	DI/316		Unused	\$
TBG 74	2	8"	150#	Kitz	RF	2 pc. Ball Valve	CF8M	Full Port	Unused	\$
TBG 75	2			AIT		Gear Op with Wheel	WCB	AITB207	Unused	\$
TBG 76	2	3"	300#	DSI	RF	Gate	WCB		Unused	\$
TBG 77	2	2"	300#	Kitz	RF	Gate	WCB		Unused	\$
TBG 78	1	2"	300#	Velan	RF	Gate	WCB	Dimet Coated	Unused	\$
	1	2"	300#	Kitz	RF	Globe	WCB	Has Been Bolted/Dimet Coated	Unused	
TBG 79	7	3/4"	800#	OMB	SW x Thrd.	Take-Off Gate	A105		Unused	\$
	1	1"	800#	OMB	SW	Gate	A105		Unused	
TBG 80	1	2"	300#	Velan	RF	Check	WCB		Unused	\$
TBG 81	1	4"	150#	Velan	RF	Gate	WCB	Painted	Unused	\$
TBG 82	1	2"	300#	OMB	RF	Gate	A105		Unused	\$
TBG 83	22	1/2"	800#	Sharpe	Thrd.	Gate	A105		Unused	\$
TBG 84	21	3/4"	150#	Crane	Thrd.	Gate	Brass		Unused	\$
PA 85	14			Rotork	Quarter Turn Manual Gearbox Model AB1250N			Type 14100811200533	Unused	\$

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
PA 86	1			Rotork	Quarter Turn Manual Gearbox Model AB6800N/SP4			Type T4101611200533	Unused	\$
	2			Rotork	Quarter Turn Manual Gearbox Model AB1950NHR			Type T4101011200533	Unused	
	2			Rotork	Quarter Turn Manual Gearbox Model AB1950N/SP4			Type T4101411200533	Unused	
PA 87	5			Rotork	Quarter Turn Manual Gearbox Model AB2000 FA16			Type AB2000 FA16	Unused	\$
	2			Rotork	Quarter Turn Manual Gearbox Model AB1950HR			Type T4101011200533	Unused	
PA 88	1			Rotork	Override Gearbox ILGS 6800/SP6				Unused	\$
PA 89	1	4"	600#	Newco	RF	Check	WCB		Unused	\$
PA 90	1	2"	150#	Newco	RF	Gate	WCB		Unused	\$
PA 91	1	2"	300#	Newco	RF	Check	WCB		Unused	\$
PA 92	1	2"	150#	Bonney	RF	Gate	WCB		Unused	\$
PA 93	3	2"	150#	Neway	RF	Globe	WCB		Unused	\$
PA 94	4	1-1/2"	150#	PK	RF	Gate	CF8M	Fig 150RF10SL-TFE	Unused	\$
PA 95	1	2"	150#	Neway	RF	Gate	CF8M	Fig G1RG10	Unused	\$
PA 96	1	3/4"	150#	Powell	RF	Gate	CN7M	Fig 2495	Unused	\$
	1	1"	150#	Powell	RF	Gate	CF8M	Fig 1.00 2491	Unused	
PA 97	1	2-1/2"	150#	Powell	RF	Gate	CF8M	Fig 2456	Unused	\$
PA 98	1	1"	300#	PK	RF	Gate	CF8M	Fig 300RF10SL-GRF	Unused	\$
PA 99	1	3/4"	150#	Warren	RF	Gate	CF8M	Fig 1156	Unused	\$
	1	3/4"	150#	PK	RF	Gate	CF8M	Fig 150RF10SL-GRF	Unused	
PA 100	1	3/4"	150#	Kitz	RF	Gate	CF8M	Fig 150UMAM-GRF	Unused	\$
	1	3/4"	150#	Kitz	RF	Gate	CF8M	Fig 150UMAM	Unused	
	1	1/2"	150#	Kitz	RF	Gate	CF8M	Fig 150UMAM-GRF	Unused	
PA 101	12	1"	150#	Ladish	Thrd.	Gate	Monel	53	Unused	\$
PA 102	7	1/2"	150#	Ladish	Thrd.	Gate	Monel	52	Unused	\$
PA 103	1	2"	300#	Ladish	Thrd.	Gate	Monel	51a	Unused	\$
PA 104	1	1/2"	300#	Ladish	Thrd.	Gate	Monel	51c	Unused	\$
PA 105	1	1"	600#	Ladish	Thrd.	Gate	Monel	51b	Unused	\$
PA 106	1	6"	150#	Blue	Lug	Butterfly	CS/Black Plastic	with Gear Op.	Unused	\$
PA 107	1	10"	150#	Centerline	Wafer	Butterfly	CI/Bronze	with Gear Op.	Unused	\$
PA 108	1	8"	DN 200	Ghibson Italy	Wafer	Butterfly	CF8M	with Gear Op.	Unused	\$
PA 109	1	3"	150#	Gar-Seal	Wafer	TFE Butterfly	CS		Unused	\$
	1	2"	150#	Gar-Seal	Wafer	TFE Butterfly	Fiber Cast	Model 400	Unused	
PA 110	15	3/4"	200#	RUB	Thrd.	Gate	Brass		Unused	\$

LOT	QTY	SIZE	CLASS	MFG.	CONNECTION	VALVE TYPE	MATERIAL	NOTES	CONDITION	LOT BID
PA 111	3	1"	1 PSI	Swagelok	Thrd.	Spring Loaded In Line Valve	SS		Unused	\$
	1	1/2"	1 PSI	Nupro	Thrd.	Spring Loaded In Line Valve	Monel		Unused	
PA 112	2	2"	150#	Powell	BW	Gate	WCB	Fig 1503 N W. E.	Unused	\$
PA 113	1	2-1/2"	125#	Fortune	FF	Gate	IBBM	Fig 553-F	Unused	\$
	1	2-1/2"	125#	Hammond	FF	Gate	IBBM	Fig IR1140A	Unused	
PA 114	1	2"	750 CWB	SRV	Thrd.	Spring Loaded In Line Valve	CF8M	Model 8374-RC214	Unused	\$
PA 115	1	2"	300#	Powell	RF	Gate	WCB	Fig 3003 N F. B.	Unused	\$
PA 116	1	1-1/2"	740#	Jamesbury	RF	Ball Valve	WCB/Hastelloy C	7300 - Chlorine	Unused	\$
PA 117	1	1/2"	150#	Cooper	Thrd.	Swing Check	CF3M	Y51SL5TAAA	Unused	\$
PA 118	1	2"	6000#	Daniel Chexter	Pivot Disc	Check	CF8M	Cat # 1605-C	Unused	\$
	2	3"	150#	Tyco	Wafer	Check	316	MB15-6041-SR	Unused	
	1	3"	3709 WP	Arrow	Wafer	Swing Check	CF8M	38109 / 0767A	Unused	
PA 119	1	1"	150#	PK	RF	Swing Check	CF8M	Fig 152RF10SL-GRF	Unused	\$
PA 120	1	2"	300#	Powell	RF	Swing Check	WCB		Unused	\$
PA 121	1	4"	300#	Crane	Double Disc Wafer	Check	WCB	Fig M300CCPYR	Unused	\$
	1	2"	150#	Crane Duo-Check II	Double Disc Wafer	Check	WCB	Fig G15SPF-9	Unused	
	1	3"	150#	KF	Wafer	Swing Check	CS/SS	7089-1139K21911	Unused	
PA 122	1	3"	300#	PK	RF	Swing Check	CF8M	Fig 302RF10SL-GRF	Unused	\$
PA 123	5	3"	150#	ITT Camtite	RF	Top Entry Ball Valve	CF8M	3-3011-1-T1-ST2-SL2	Unused	\$
PA 124	2	6"	150#	Warex	Wafer	Butterfly	Aluminum		Unused	\$
CPT 125	1	12"	150#	Neway	RF	Gate	WCB		Unused	\$
CPT 126	1	6"	125 CWP	ITT	RF	Diaphragm	WCB/Teflon	Actuated	Unused	\$
CPT 127	5	4"	600#	William E Williams	RF	Check	WCB		Unused	\$
CPT 128	1	4"	150#	Gmec	RF	Check	WCB		Unused	\$
CPT 129	1	4"	300#	4E	RF	Check	WCB		Unused	\$
CPT 130	1	8"	150#	Kitz	RF	Check	WCB		Unused	\$