



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 24-044
Electrical Sale
Over 60 Lots!
Breakers, Transformers, Fuses & More!
ABB, Eaton, Emerson, GE, Mersen, Siemens

Sealed Bid Sale

Bidder Information

Company: _____

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Wednesday, December 4th, @ NOON 12:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



Company: _____
 Bidder: _____
 Phone: _____

SLE 24-044 Electrical Sale

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID
IIP 1	7	Hubbell	Lightning Arrester, Station Class, Polymer Voltage Rating: 10Kv, Mcov: 8.4Kv Mounting Base: Down	EVP0009003001	Unused	\$
IIP 2	7	Hubbell	Lightning Arrester, Station Class, Polymer Voltage Rating: 10Kv, Mcov: 8.4Kv Mounting Base: Down	EVP0009003001	Unused	\$
IIP 3	8	Hubbell	Lightning Arrester, Station Class, Polymer Voltage Rating: 10Kv, Mcov: 8.4Kv Mounting Base: Down	EVP0009003001	Unused	\$
IIP 4	8	Hubbell	Lightning Arrester, Station Class, Polymer Voltage Rating: 10Kv, Mcov: 8.4Kv Mounting Base: Down	EVP0009003001	Unused	\$
IIP 5	1	Siemens	1600Af/1200A Rate Plug	Breakers	Unused	\$
IIP 6	1	Siemens	800Af/800A Rate Plug	Breakers	Unused	\$
IIP 7	1	Siemens	800Af/800A Rate Plug	Breakers	Unused	\$
IIP 8	1	Siemens	800Af/ 400A Rate Plug	Breakers	Unused	\$
IIP 9	1	Siemens	800Af/ 400A Rate Plug	Breakers	Unused	\$
IIP 10	1	Siemens	800Af/ 400A Rate Plug	Breakers	Unused	\$
IIP 11	1	Siemens	800Af/ 400A Rate Plug	Breakers	Unused	\$
IIP 12	1	ITI	Transformer,Control Power,Cast Coil,CptType Ctp5	CPTP5-95-5-1382B	Unused	\$
IIP 13	1	Siemens	Panelboard, Type P2, Surface Mounted/Nema 1, 250A Tin Plated Copper Main Bus, Copper Ground Bus, 225A Main Bkr (Type Qr2), Horizontal Main, 250/125Vdc, 1P, 2W, 40 Ckt Spaces, 10Kaic, Top Feed, Bolt On Branch Breakers, UI Listed	SM225MBDC4010T	Unused	\$
IIP 14	1	Siemens	Panelboard, Type P2, Surface Mounted/Nema 1, 250A Tin Plated Copper Main Bus, Copper Ground Bus, 225A Main Bkr (Type Qr2), Horizontal Main, 250/125Vdc, 1P, 2W, 40 Ckt Spaces, 10Kaic, Top Feed, Bolt On Branch Breakers, UI Listed	SM250MBDC490T	Unused	\$
IIP 15	1	Siemens	200A, Heavy-Duty, Fusible, Double Throw Switch, 600Vac Or 250Vdc, Type 1 Enclosure Indoor	DTF364	Unused	\$
IIP 16	1	Siemens	Panelboard, Type P1, Surface Mounted/Nema 1, 400A Tin Plated Copper Main Bus, Copper Neutral, Copper Ground Bus, 300A Main Bkr (Type 3Va), Horizontal Main, 240/120Vac, 1P, 3W, 42 Ckt Spaces, 22Kaic, Bottom Feed,	SM300MB1P3W4222 B	Unused	\$
IIP 17	8	SEL	Relay,Discrete,Control, Remote I/O Module Type	2505332XX	Unused	\$
	1	SEL	Remote I/O Module	2505464XX	Unused	
	1	SEL	Remote I/O Module	2505464XX	Unused	
IIP 18	6	General Electric	AUX Relay	HGA11A52F	Unused	\$
IIP 19	6	General Electric	AUX Relay	HGA11A52F	Unused	\$
IIP 20	4	Basler	Model Be1-25, Sync-Check Relay.	BE1-25M9EA6PA5N0F	Unused	\$
IIP 21	4	Amran	Voltage Transformer Ratio 4200/120V	V9.1-2-422FF	Unused	\$
IIP 22	1	Eaton	Circuit Breaker,Low Voltage,,Breaker/C-H,Mds608,Eo/Do,	MDS6083WEA081QAWAN6YNACAX	Unused	\$
IIP 23	1		50/60 Hz Transformer	PTW-3-1-SD02657	Unused	\$
IIP 24	1	SNC	Medium Voltage Control Transformer	P21848	Unused	\$

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID
IIP 25a	2	Siemens	Cb 480V 2P (3P Frame) 250Af/150At 35Ka Max 690Vac/500Vdc	3VA5215-5ED61-0AA0	Unused	\$
	2	Siemens	Cb 480V 3P 100A 25Ka With Lugs	3VA-3P-100A-WL	Unused	
	1	Siemens	Cb 480V 3P 100A 25Ka With Lugs	3VA-3P-100A-WL	Unused	
	2	Siemens	Cb 480V 2P (3P Frame) 400Af/250At 35Ka Max 600Vac/250Vdc	3VA5325-5EC61-0AA0	Unused	
	2	Eaton	Cb-Mc/W Series C 2P 50A	HFD2050	Unused	
	1	Weidmuller	15A One Pole, Branch Circuit Breaker UI 489, Din Rail Mounted, 240Vac 10Ka, C Curve, UI Listed	BR1C15UC	Unused	
IIP 25b	1	Mega Power	Test Switch, Uts14 Clear Cover, Screw Terminals Arrangement: C-C C-C C-C C-C P P P T T	CT40601	Unused	\$
	8	Mega Power	Test Switch, Mps, Uts1 Style, Black Cover, Screw Terminals, Arrangement T T T T T T T T T T	BT162	Unused	
	7	Mega Power	Test Switch, Mps, Uts1 Style, Black Cover, Screw Terminals, Arrangement T T T T T T T T T T	BT162	Unused	
IIP 26	6	Amran	Model Ct344 Single Ratio Current Transformer, 5.25" Window Diameter, Single Phase, 600V, 50:5A Ratio, 10Kv Bil, Frequency 50-400Hz, Relay Class C20, Approximate Weight 60Lbs.	CT344-500	Unused	\$
	7	Eaton	1200:1 Exteranl Ground Fault Sensor	9253C03H08	Unused	
	3	General Elecrtic	Transformer, Current, ITI Model 780	780-122-CERT	Unused	
	2	Eaton	Cpt/Ch,460-230/115V,	C0250E2AFB	Unused	
IIP 27	1	Shallco	Breaker Control Switch, Trip, Close, 4-Contacts	76202D-17846	Unused	\$
	1	Shallco	Lock-Out	7603D	Unused	
	8	Shallco	Lockout Relay, Coil: 125Vdc/120Vac, Shallco, 3 Deck, 6 N.O./6 N.C. Contacts, Manual Reset	7603D	Unused	
	1	Shallco	Selector Switch10 Deck, 8 Position, Multiple Selector Switch Adjustable Stops, Oval Handle	26310B	Unused	
	1	Shallco	24 Cb Switch/Es W/Pull To	2652D	Unused	
	2	Electroswitch	AUX Rly H-Rst 125Vdc 14No	7807D	Unused	
	1	Electroswitch	Electroswitch	78PB04D-005	Unused	
	2	Electroswitch	AUX Rly H-Rst 125Vdc 14No	7807D	Unused	
IIP 28	7	Shallco	Lor Lockout Relay W/Manual Reset125Vdc Coil, 4 Deck, 8No + 8Ne Dev 86 V=125Vdc	7604D	Unused	\$
	3	SEL	Cable,Commun/Data/Voice,Copper, Type C953, 20Ft Long.	C953-020	Unused	
	4		62.5/125 Micron Multimode Fiber-Optic Cable Heavy Duty Jacket 2 Fibers Lc/St Connectors	F2HDJ62.5LCST-025	Unused	
	2		C80404S11Xx Cable,Commun/Data/Voice,Fiber,Multimode Fiber Optic Arc Flash Detection(Afd) Sensor/	C804#8NJ2	Unused	
	6	SEL	C804 Arc Flash Detection Sensor	C80404S10XX	Unused	
	1	SEL	Cable,Commun/Data/Voice,Copper	C953-085	Unused	
	1	SEL	Cable,Commun/Data/Voice,Copper	C962-090	Unused	
	4		Cable,Commun/Data/Voice,Fiber	F2CLCSTMM-100	Unused	
	4		Cable,Commun/Data/Voice,Fiber	F2CLCSTMM-80	Unused	
	2	Corning	Cable,Commun/Data/Voice,Fiber	F2CSTSCMM-040	Unused	
	2		Cable,Commun/Data/Voice,Fiber	F2CSTSCMM-045	Unused	
	2		Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 8Ft Long.	C273A-008	Unused	
	2		Cable,Commun/Data/Voice,Fiber,Multimode Fiber Optic Afd Sensor, Jacketed Fiber Length - 3M, Bare Fiber Length - 16M, Splice Connection Type: St Connector	C80403S16XX	Unused	
	1		Cable,Commun/Data/Voice,Fiber,Multimode Fiber Optic Arc Flash Detection(Afd) Sensor/	C80403S17XX	Unused	
	1	SEL	Cable,Commun/Data/Voice,Fiber,Sel-C804 Arc Flash Detection Sensor	C80404S18XX	Unused	
1	SEL	Cable, Sel-C804 Multimode Arc-Flash Detection (Afd) Fiber-Optic Sensor, 20 Meter Point Sensor Fiber Length	C80420XXXXX	Unused		

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID
IIP 29	3	Mersen	Fuse Clf 4.8Kv 18R 390A	A480R18R-1	Unused	\$
	1		Clf/480T 4.8Kv/50Kaic,2E	A480T2E	Unused	
	3	Mersen	Fuse Clf 4.8Kv 5R 150A	A480R5R-1	Unused	
	3	Eaton	Fuse,Medium Voltage,,Bcls, Bolt-In Type, 8.3Kv Max, 4R - 130A, 50Ka Sym., Size D - 3" Ferrule Diameter, Single Barrel, Lenght - 19.25", Weight - 7Lbs.	7BCLS-4R	Unused	
	3	Shawmut	Fuse.Ferraz, 6AMP, Non Indicating	AJT6N	Unused	
IIP 30	2	ABB	Front Connected 10P Ft Switch, Black Cover, Black Handles. C-C C-C C-C C-C C-C Contact Arrangement. Requires Unistrut Adapter (P/N 9666A15H01) For Dinrail Mounting.	F498A020G01	Unused	\$
	1	ABB	Flexitest Test Switch,	C774B430G20	Unused	
	6		Iti Type Ft Test Switch	FT-099	Unused	
	4	ABB	Switch/Pushbutton,Test,/Testswitch	FT4A14T08CN4302	Unused	
	29	ABB	Flexitest Sw, 14-Pole, 10C/4P	FT4A14T04BN4200	Unused	
	1	ABB	Switch, Test, Flexitest Order By Arrangement, Type Ft-1 , Clear Cover, Screw Terminals, 0 Current 10 Potential, Arrangement: H G T T T T T T T T (P3 P5 P2 P2 P2 P2 P2 P2 P2) . Cutsheet Attached.	245282-08-00-212	Unused	
IIP 31a	5	Appleton	5 Sets - Gfi Factory Sealed Explosion Proof, Dust-Ignitionproof Ground Fault Circuit Interrupter	EFSC275A-2023GFI	Unused	\$
	4	Appleton	4 Sets - Gfi Receptacle	EFS275AC-2023GFI	Unused	
IIP 31b	1	ABB	Ft-19R Test Switch Assembly, 3Ru-Centered, Pos A-R129A501G01, Pos B-N/A, Pos C-R129A501G01, Individual Black Cover	FR3G001000001B	Unused	\$
	2	ABB	Ft-19R Test Switch Assembly, 3Ru-Centered, Pos A-R129A501G01, Pos B-R129A501G01, Pos C-R129A501G01, Individual Black Cover	FR3G001001001B	Unused	
IIP 32	12	Agastat	Relay	7012PB	Unused	\$
	1	Agastat	Timing Rel	7022AC	Unused	
	8	Agastat	Timing Rel	7012AB	Unused	
IIP 33	1	SEL	2488Praa1281Bx2Xx, Satellite Synchronizer Clock	2488#0401	Unused	\$
	2	SEL	241101A3A3A1A2B0641 -Relay,Protection,Multifunction,Schweitzer 2411	2411#Q5DX	Unused	
	1	SEL	Motor Protection Relay, Model -849, Power Supply 110-240 Vac/110-250 Vdc,	0849001003A0110	Unused	
	10	SEL	Relay,Protection,Multifunction,751A Feeder Protection Relay	751A01A0X0X71850200	Unused	
IIP 34	2	General Elecrtic	Multilin Motor Protection Relay	869EP5P5B5HSSALN GMPFB1ECNBN	Unused	\$
	1	General Elecrtic	Multilin Motor Protection Relay	869EP5P5B5HSSALN GMPFB1ECNBN	Unused	
IIP 35	2	SEL	Relay,Protection,Multifunction,Sel-487V Capacitor Bank Protection, Automation, And Control.	0487V0X6151XB2X4 352424X	Unused	\$
IIP 36	2	Mersen	Fuse Clf 5.5Kv 600E 63Ka	A055B2D0R0-600E	Unused	\$
	3	Mersen	Fuse Clf 5.5Kv 600E 63Ka	A055B2D0R0-600E	Unused	
	6	Mersen	Fuse Clf 5.5Kv 750E 63Ka	A055B3D0R0-750E	Unused	
	6	Mersen	Fuse Clf 5.5Kv 750E 63Ka	A055B3D0R0-750E	Unused	
IIP 37	6	Mersen	Fuse Clf 5.5Kv 450E 63Ka	A055B2D0R0-450E	Unused	\$
	6	Mersen	Fuse Clf 5.5Kv 600E 63Ka	A055B2D0R0-600E	Unused	
	2	Mersen	Clf/Ej01 15500V/120Kaic 2E Size-C 15 In. Clip Ctr.	9F60DMH002	Unused	
IIP 38	4	Siemens	Siprotec 5 Relay 7Sj85 Overcurrent Protection	P1J1229271	Unused	\$
IIP 39	3	SEL	Hi-Imp Diff Rly Sel587Z	0587Z0X225322XX	Unused	\$

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID
IIP 40	6	SEL	Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 35Ft Long.	C273A-035	Unused	\$
	8	SEL	Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 50Ft Long.	C273A-050	Unused	
	1	SEL	Cable,Commun/Data/Voice,Copper	C273A-055	Unused	
	1	SEL	Cable,Commun/Data/Voice,Copper,Electrical Data Cable. For Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Comm Processors (Data And Irig-B). 10Ft Long.	C273A-010	Unused	
	4	SEL	Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 20Ft Long.	C273A-020	Unused	
	4	SEL	Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 25Ft Long.	C273A-025	Unused	
	3	SEL	Cable,Commun/Data/Voice,Copper,For Connecting Sel-300/400/500/700 Series Products (Except Sel-321) To Sel Communications Processors (Data And Irig-B). 35Ft Long.	C273A-035	Unused	
IIP 41	2	Chicken Switch	Portable Actuator For Remotely Operating Pistol-Grip Circuit Breaker Control Switches. Arc Safe Cbs Cs Series-Remote Breaker Control/Actuator Switch Operator (Chicken Switch).	RSK-CS01-W	Unused	\$
IIP 42	3	Eaton	Surge Suppressor,Tvss,Surge Protective Device, Spd Series, 160Ka/Phase, 480V Delta, Status Indicator Lights On Each Phase, Form C Contact,	SPD160480D2B	Unused	\$
IIP 43	1	General Electric	Safety, 3-Pole	THN3366	Unused	\$
IIP 44	3	Eaton/Crouse Hinds	Light,Hazardous,Outdoor,Indoor/Outdoor Use, Fmv Led Series,	FMV11LCY/UNV176	Unused	\$
IIP 45	6	General Electric	Arrestor	9L11XPM030S	Unused	\$
	1	General Electric	Tranquell, Distribution Class, Polymer, 7.65Kv Mcov, Stud Mounted	9L20FXX009XHS	Unused	
	1		Surge Arrestor	USAA010008A085BB21	Unused	
IIP 46	8	Square D	Adder Deck For Square D 8501 Dc Control Relay 4 No Convertible Contacts Catridges	XB40	Unused	\$
	1	Square D	Relay,Discrete,Control, Order 8501Xo80V02,Ac Control Relay, Class 850A, 120V, 60Hz 8-No Contacts Convertible	8501X080V02	Unused	
	1	Square D	Nema Style, Class 8501, Ac Control Relay, Straight-Through Wiring, Convertible Contacts, 8501 - Control Relay, Xo80 - 8 No Contacts, V02 - 120V-60Hz/110V-50Hz Coil Voltage,	8501XO80V02	Unused	
	1	Square D	Nema Style, Class 8501 Type X, Ac Control Relay, Straight-Thro	8501XO1200V02	Unused	
IIP 47	1	Honeywell	Thermostat, Temperature Controller Model T675A, 1 Spdt Sw, Adjustable 3F To 10F Differential, 0 To 100 F Operating Temperature With 20Ft Capillary, 8A @ 120Vac, 5.1A @ 240V Ac, 4.2A @ 277Vac Ratings	T675A1045	Unused	\$
	1	Honeywell	Thermostat, Temperature Controller Model T675A, 1 Spdt Sw, Adjustable 3F To 10F Differential, 0 To 100 F Operating Temperature With 20Ft Capillary, 8A @ 120Vac, 5.1A @ 240V Ac, 4.2A @ 277Vac Ratings	T675A1045	Unused	
	1	Honeywell	Thermostat, Temperature Controller Model T675A, 1 Spdt Sw, Adjustable 3F To 10F Differential, 0 To 100 F Operating Temperature With 20Ft Capillary, 8A @ 120Vac, 5.1A @ 240V Ac, 4.2A @ 277Vac Ratings	T675A1045	Unused	
	1	Honeywell	Thermostat, Temperature Controller Model T675A, 1 Spdt Sw, Adjustable 3F To 10F Differential, 0 To 100 F Operating Temperature With 20Ft Capillary, 8A @ 120Vac, 5.1A @ 240V Ac, 4.2A @ 277Vac Ratings	T675A1045	Unused	
IIP 48	6	Magnelab	0-10A Split Core Cts, 600V Class, 8' Wire Length, 0.75" Ct Opening Size.	SCT-0750-010	Unused	\$
	5	Magnelab	0-30A Split Core Cts, 600V Class, 8' Wire Length, 0.75" Ct Opening Size.	SCT-0750-030	Unused	
	5	Magnelab	0-70A Split Core Cts, 600V Class, 8' Wire Length, 0.75" Ct Opening Size.	SCT-0750-070	Unused	
	5	Magnelab	0-150A Split Core Cts, 600V Class, 8' Wire Length, 0.75" Ct Opening Size.	SCT-0750-150	Unused	

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID		
IIP 49	1	Allen Bradley	Fuse Puller	17171P00030000	Unused	\$		
	2	Allen Bradley	Fuse Support	9F61ACB201	Unused			
IIP 50	6	Siemens	Relay Accessories/7Xv5662 Rtd Box	7XV5662-8AD10	Unused	\$		
IIP 51	1	Powell	480V Wye Hrg Components Kit With Integral Cpt Option And 6 Form C Contacts, Ethernet, 15Ft Harness	PWPL48YK0000XXX 1E-PLM138	Unused	\$		
IIP 52	74		Computer,Hardware,Media Converter,Connector,Bnc,T/ ***Obsolete Replaced By P/N Cbct343231 ***	FC115	Unused	\$		
	11		AMPhenol/Female Conn.	97-3102A-28-20-S	Unused			
	12		Terminal Block,Power,,4Pt, Marathon 1500 Series, Rated 600V, 30A Unprepared Wire, 75A When Wired With Listed Crimp Type Ring	1504STD	Unused			
	18		Burndy Crimp Term For Cu Cable #2 Awg	YA2C2N	Unused			
	1		Subassembly,Mechanical,,Padlockable	200-9463	Unused			
	3		600V, 300A, 3 Pol Terminal Block	CR2960SY139D3A	Unused			
	15		Toggle Sw/Carling Spst	2X464	Unused			
	15		Toggle Sw/Carling Spst	2X464	Unused			
	1		AMPhen Oc/Cable CIAMP	97-3057-1016	Unused			
	3		Relay, Struthers-Dunn 125Vdc, 4Pdt, Perm Magnet Blowout Contacts.	219XDX69P-125VDC	Unused			
	2		Sfp Transceiver	8109-01	Unused			
	26		Cable,Commun/Data/Voice,Copper,Sel Bnc Tee, Equipment Mount, 3 Way Splice, Female, Male, Female	240-1799	Unused			
	1	Siemens	Cb 3Va5 400A Steel Lugs, 4 Per Set, Awg 1/0 To 500 Kcmil	3VA9474-0JA13	Unused			
	7		Marathon 2P/60A 250V Fuse Block	F60A2S	Unused			
	63	Idec	Relay Socket	SH2B-05	Unused			
	75	Idec	General Purpose	RH2B-U-AC120V	Unused			
	1		Electrical Component, Ir Inspection Window, Exiscan 3 X 3 Inch Ir Window, 5 X 5 Inch Exterior Dimension, UI Recognized	XIR-A-3-H-2	Unused			
	2		Ct/Iti, Wound Pri., Model	189-005	Unused			
	14		Secondary Contact Block/	16-S1	Unused			
	4		C3 12Pt Terminal Block, 30A, 600V	HDTB-12	Unused			
	20	Phoenix	Contact	IEC 60947-7-2	Unused			
	4	Finder	Power Relay	66.82.9.024.0303	Unused			
	15	Eaton Bussman	Fuse Holder		Unused			
	IIP 53	3	Eaton	Kirk Key Interlock Kit In Magnum Ds Low-Voltage Circuit Breakers	2C12891G21		Unused	\$
		5		Switch/Pushbutton,Control,,Guard Attachment For 30Mm Devices, Accessory	PPGD		Unused	
		6		Switch/Pushbutton,Control,,Guard Attachment For 30Mm Devices, Accessory	PPGD		Unused	
		8		Roxtec Wedge Kit	AWK0001201018		Unused	
24		Roxtec	Rm 20 Sealing Module, 20 Mm X 20 Mm X 60 Mm, 0.157	RM00100201000	Unused			
24		Roxtec	Rm 30 Sealing Module, 30 Mm X 30 Mm X 60 Mm, 0.394	RM00100301000	Unused			
6		Roxtec	Rm 40 Sealing Module, 40 Mm X 40 Mm X 60 Mm, 0.846	RM00100401000	Unused			
2			Termination Kit/3M,	7624-T-110	Unused			
4			4-In-1 Receptacle CHM+F156	21254	Unused			
12		Pushbutton Cover/ C-H	MCOVH	Unused				

LOT	QTY	MFG	PRODUCT DESCRIPTION	NOTES	CONDITION	LOT BID
IIP 54	9		Interlock Rod	65448P01	Unused	\$
	4		Slimvac 27 Racking Shaft Sleeve "D" (Ers Design)	72711P24	Unused	
	1		Circuit Breaker,Accessory,Key Interlock	252569-02-00-115	Unused	
	1		Key Interlock, Kirk Key	252226-01-00-115	Unused	
	2		Jackshaft Rod	151054P9300	Unused	
	1	Kirk	Key Interlock, Key	253816-01-00-115	Unused	
	1		Superior Interlock. See Drawing 2528411100K01	252841-11-00-115	Unused	
	1	Kirk	Key Interlock, Key Interlock. See Interlock Data Sheet Dwg. 2518810200K01	251881-02-00-1	Unused	
	3		Hub Mod	49492P00000687	Unused	
	16		Wheel	40736P01	Unused	
	2		Sd Switch Js	150039P1535	Unused	
	1	Eaton	Contact,Medium Voltage, Door Modification Kit, For Use With AMPgard Remote Operator Part Number 87C0576G01,	87C0576G03	Unused	
	4		Drive Shaft	PV38	Unused	
	1		Winch P-BK, Strap Reel	WG2000	Unused	
IIP 55	2		Meter	021-75AA-LSLC-C7	Unused	\$
	2		Meter,Single Function,Analog,0-1200A, 0-5A Rms Input, 50/60Hz	007-05FA-LSSU-C7	Unused	
	1		Meter,Single Function,Analog,0-75A, 0-5A Rms Input, 50/60Hz, Ansi C39.1, Class 1 Accuracy, 240Deg Long Scale	007-05FA-LSPB-C7	Unused	
	1		Light, Indicator,	CR460XLDJ GREEN	Unused	
	1		Light, Indicator,	CR460XLDJ RED	Unused	
	1	Bard	Lead Lag Controller, Bard, For Use In Controlling From 2 To 4 Hvac Units, Up To 28 Day Cycle Control, Includes Provision For Remote Contact Input For Fire System Shutdown, 50/60Hz,	TEC40	Unused	
	2		Meter,Single Function,Analog,0-5A Scale, Self-Contained, 2-1/2 Case Size, Saxon Panel Type, 50/60 Hz, +/- 2% Accuracy, True Rms Reading, 3 Stud Config.	012-75AA-LSLC-C7-B3	Unused	
	3		Meter,Single Function,Analog,0-15Kv, 0-150V Rms Input, 50/60Hz, Ansi C39.1, Class 1 Accuracy, 240Deg Long Scale	007-05GA-PZWC-C7	Unused	
	2		Power Meter	METSEPM5563RD	Unused	
	1		N-Tron 708Tx-Hv - Eight 10/100 Base-Tx - Rj45 Copper Ports - High Voltage Option 40-160 Vdc	708TX	Unused	
IIP 56	1		Relay, Satellite-Synchronized Clock, Sel-2407,	240700033	Unused	\$
	1	SEL	Cable,Commun/Data/Voice,Copper,For Connecting 300/	C273A-003	Unused	
	1	SEL	2730M0Araa1111Aaaax1, Ethernet Switch, 2730M Managed Ethernet Switch Rack Mounted Type, Power Supply A: 125/250 Vdc Or Vac, Power Supply B: 125/250 Vdc Or Vac,	2730M#4B2H	Unused	
IIP 57	1	Corning	Enclosure,Indoor,Wall Mount,Wiegmann N1C Series - N1 Hinged 6X6X4	N1C060604	Unused	\$
	1	Stawlin	Fiberglass Reinforced Polyester, 8 X 4 X 4, Push Button Enclosure	CF3PB	Unused	
	1		Housing,Closet Conn,Fo, 12 Accepts Up To 12 Cch Panels Or Modules	CCH-04U	Unused	
IIP 58	852		Southwire 16Awg /10 Multi-Conductor Cable, 600V Ul Type Tc, -40C To 90C, 26 Strand, Od 0.454	569910	Unused	\$
IIP 59	1		Mcc Aftermarket Similar To Power Supply Bucket, Similar To Unit 2D In Freedom + Mcc Go Hupf316768-001 Fvc 07/22, Except To Be Bucket With Stab And 5081A10H03 Disconnect Only. Ref. Neg. No. Ep3N0825X2K6.	246247-05-00-2	Unused	\$
IIP 60	1	Hammond	Xfmr 3Kva, 1-Ph, 240X480V Pri, 120/240Vac Sec, 60Hz, Encapsulated, Ul. 11.25"H X 7"W X 6.5"D, Weight 15Lbs, N3R Enclosure.	C1F003XES	Unused	\$
IIP 61	1		480V Wye Hrg Components Kit With Two Form C Contacts	PWPL48YK0000XXX 1E-PLM107	Unused	\$
			480V Wye Hrg Components Kit With Two Form C Contacts	PWPL48YK0000XXX 1E-PLM138	Unused	