



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 25-013

MRO Sale

Over 100 Lots

**Rosemount, Micro Motion, Eaton, Honeywell, Foxboro,
 Allen Bradley, ABB, Anderson Greenwood,
 ASCO, Swagelok and Much More!**

Sealed Bid Sale

Bidder Information

Company: _____

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Wednesday, June 4th, 2025 @ 2:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 25-013 MRO Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 1	1	Flowserve	Apex 8000 Positioner	APEX800X80138A0T	Used	\$
	1	Flowserve	NT3000 Transducer	NT3002102SN1B00	Used	
	1	Flowserve	NTAPEX 8000 Positioner Transducer	APEX800X80138A0T	Used	
	1		Proximity Positioner Indicator Switch	12AD0	Used	
	1		Proximity Positioner Indicator Switch	12AD1-FSL	Used	
PA 2	2	Hecon	Counter	G04044645	Unused	\$
	1	Red Lion	Controls Counter	APLT0800	Used	
	1	Partlow	Mic 200 Process Controller	2111001	Unused	
PA 3	5	Pepperl + Fuchs	Solenoid Drivers	72046	Unused	\$
	2	Pepperl + Fuchs	Trans. ISO Repeater	71842	Unused	
	1	Pepperl + Fuchs	Switch Amplifier	340655	Unused	
	2	Pepperl + Fuchs	Safety Barrier	08303	Unused	
	1	Pepperl + Fuchs	Inductive Sensor	NJ2-11-SN-G	Unused	
	2	Measurement Tech	Shunt-Diode Safety Barrier	MTL778AC	Unused	
	1	Measurement Tech	Shunt-Diode Safety Barrier	MTL7778AC	Unused	
PA 4	1	AI Tech	Tech-Pac 30 Tachometer	T77530-10	Unused	\$
	1		Electromatic S-System	SCI95120	Unused	
PA 5	1	Micro Motion	Mass Flow Sensor 1" 300#	CMF100M329N4BAE2ZZ	Used	\$
PA 6	1	Micro Motion	Mass Flow Sensor 1/2" 300#	C25L-SS-A300	Used	\$
	1	Micro Motion	Flow Scale Unit	FS1R2AU (291261237978)	Used	
PA 7	2	Foxboro	P/I Converter	892-2	Unused	\$
	1	Foxboro	Pressure Transmitter	13A1-MK2	No Mfg. Tag	
	3	Foxboro	Pneumatic Relay	M40-G	Unused	
PA 8	2	ABB	Pilot Valve Assy Kit	5861B81G01	Unused	\$
PA 9	1	Rosemount	3051 Pressure Transmitter	3051CD2A22A1AB4E5L4M5	Unused	\$
	1	Rosemount	3051 Pressure Transmitter	3051CB2A22A1AB452	Unused	
	1	Rosemount	pH/ORP Sensor	399-05	Unused	
PA 10	1	Honeywell	ST3000 Smart Pressure Transmitter 3" 150#	CTR93B51A	Unused	\$
	1	Honeywell	Pres. Trol Pressure Controller	L91B1050/U	Used	
	1	Honeywell	Gas Detector	2108B2101N	Used	
	3	Honeywell	Micro Switch Exp. Switch	EX-AR30	Used	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 11	6	Potter & Brumfield	Relay 24VDC	KRP-11DG-24	Used	\$
	15	Potter & Brumfield	Relay 120V	KRP-11AG	Unused	
	2	Potter & Brumfield	Relay 120V	KRP-11A	Unused	
	2	IDEC	AC 220-240V Relay	RM25-U	Unused	
	1	IDEC	AC 120V Relay	RH3B-UL	Unused	
	2	IDEC	AC 240V Relay	RY2-S-U	Unused	
	3	IDEC	AC 120V Relay	RH4B-UL	Unused	
	6	Potter & Brumfield	110 VDC Relay	295KRP11DN	Unused	
	6	Magnecraft	120 VAC Relay	17A11-120	Unused	
	1	Ohio Simitronics	Transducer	ACT-050E	Unused	
	1	Top Work	Go Switch	73-1352-T-A2	Unused	
	4	Action Pak	120 VAC Relay	4501-322	Unused	
	9	Tyco	120 V Relay	KUP-14A45-120	Unused	
	7	Potter & Brumfield	Relay Coil	40BU	Unused	
	1	Action Instruments	120 VAC Relay	10802000	Unused	
	1	PQSI	Coil-Lock Relay	1002-120V	Unused	
	1	Allen Bradley	120 VAC Relay	700-HA22A1	Unused	
	5	Oven Ind.	Relay	1250	Unused	
4	Mallory	450 VDC Capacitor	FP-444	Unused		
PA 12	10	Norgen	Pilot	KAA	Unused	\$
	7	Norgen	Timer	M/1430	Unused	
	10	Norgen	In-Line Valve	K41DA00	Unused	
	3	Norgen	In-Line Valve	K71DA00	Unused	
	3	Norgen	5/2 Air Operating Valve	V60P5DDA-XP0200	Unused	
	1	Data Industries	Pressure Transducer 0 -100 PST	SA	Unused	
	3	Gems Sensor	Level Switch	LS-1755	Unused	
	1	WE Anderson	Level Switch	F7-SB/SS	Unused	
	2	Protent	Temperature Sensor 4" Probe	19073569	Unused	
PA 13	1	Custom Cable	20" SS Jacketed Cable with 3 socket Connections	043QF020BZ	Unused	\$
	1	Parker	Poly Flex 20 mm Cable Tube	TPU 4X0.75	Unused	
	1	Nycoil	100' 5mm OD x 3mm ID Clear Poly Tubing	730-50	Unused	
	1	NetGear	5 Port Ethernet Switch	F5605NA	Unused	
	1	Link Sys	8 Port Ethernet Swtich	EZXS88W	Unused	
	1	Power-IO	Solid State Contactor	DMA-6V25	Unused	
	1	Digitus	USB to Serial Converter	DA-70156	Unused	
	43	Pulse	Pulse Transformers	PE-2231X	Unused	
	3	Orion	Tube Axial Fan	0A109A-22 ITB	Unused	
	3	Analog Devices	945 MPD Series Module Power Supply	945	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
	2 Box	AMP Products	15 Pin Wire Connector	205287-1	Unused	Lot PA13
	13	AMP Products	9 Pin Cable Connector	205285-1	Unused	
	30	Dale	Resistors	CMF-65	Unused	
	1	Master Flex	Tygon Tubing 50' Size 16	640916	Unused	
	2	Panduit	19" horz Cable Mang.	WMPF1E	Unused	
	1	Panduit	19" horz Cable Mang.	WMPFSE	Unused	
PA 14	1	Nexus	Temperature Controller	70A	Unused	\$
	12	Omega	Thermo Couple Probe	TJ36-NNIN-316G-18	Unused	
	4	Omron	Proximity Switch	E2F-X1R5SE1	Unused	
PA 15	1	Omron	Photoelectric Switch	E3X-A11	Unused	\$
	6	Sandelius	Thermo Couple	1010PAEM	Unused	
	2	Sandelius	SS Thermo Couple Housing	EI60596	Unused	
PA 16	1	Conax	Thermo Couple Housing	C2058-10	Unused	
PA 16	19	Thermo Electric	1/2" x 3/4" Thermo Coupling Housing	Bath ZP/2617/07/16/00	Unused	\$
PA 17	5	Copper Hartlock	50 AMP Locking Receptacle	CS6369-N	Unused	\$
	3	Copper Hartlock	50 AMP Locking Receptacle	CS6364	Unused	
	1	Copper Hartlock	50 AMP Locking Receptacle	CS6365	Unused	
	6	HTS/AmpTek	Heavy Amox Insulated Duo-Tape 1.4" x 1/2"	A401-X4TE113-40	Unused	
	1	Electro Thermo	Heating Tape	1003935	Unused	
	3	Eaton	Standard Electric Receptacle	1876W	Unused	
	1	Cutler Hammer	60 AMP Ind. Circuit Breaker	HFD3060L	Unused	
	5	MTL	Shunt-Diode Safety Barrier	766AC	Unused	
	1	Square D	Contactors	8910DPA33V02	Unused	
	20	Bussmann	Fuse 25 AMP	170M1361	Unused	
	20	Bussmann	Fuse 35 AMP (IR35A)	GMA-1-R	Unused	
25	Bussmann	Fuse IR100A	GMA-2-R	Unused		
PA 18	1	Stancor	Filament Transformer	P-8357	Unused	\$
	1	Stancor	Filament Transformer	P-3024	Unused	
	1	Stancor	Filament Transformer	P-3062	Unused	
	1	Stancor	Filament Transformer	P-6308	Unused	
	1	Stancor	Interstage Transformer	A-73-C	Unused	
	1	Stancor	Interstage Transformer	A-53	Unused	
	4	Stancor	Interstage Transformer	A-53-C	Unused	
	3	Stancor	Audio Transformer	A-53-C	Unused	
	1	Triad-Utrad	Interstage Transformer	A-31X	Unused	
	1	Triad-Utrad	Interstage Transformer	F-1X	Unused	
	2	Plastic Capacitors	400 VDC Capacitor	P64-104	Unused	
	2	Allied Radio	Power Transformer	6K-63VBR	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
	1	Thordarson	Transitor Output Transformer	TR58	Unused	Lot PA18
	1	Thordarson	Transitor Output Transformer	TR60	Unused	
	7	MTL	Shunt-Diode Safety Barrier	MTL164	Unused	
	100	Herman H Smith	Rubber Bumpers	2461	Unused	
	2	Micron Control	Transformer	B150BTZ13JKF	Unused	
	50	Herman H Smith	Rubber Bumpers	2199	Unused	
	50	Herman H Smith	Carbon Steel Plugs	654	Unused	
	10	TRW	Cinch Connectors	DA51225-1	Unused	
	2	Allen Bradley	Emergency Stop Device	800T-FXP16RA1	Unused	
PA 19	1	Killark	100 W Aluminum Base Light Fixture	EMH100	Used	\$
	1	Eaton	100W LED Light Fixture	VMVL-5-UNV1	Unused	
	6	Halo	6" Aluminum Recessed Lighting Housing	H7ICT	Unused	
	5	Halo	6" Black Bafel Recessed Lighting Housing	6101BB	Unused	
PA 20	1	Dwyer	Continous Level Transmitter (Missing Tag)	CLT	Unused	\$
	1	Jogler	Magnetostrictive Level Transmitter with 4" 150# Flange	2012291-01	Unused	
	1	Asahi	120 PSI Air to Spring Actuator	CP79PS	Unused	
	1	QTRCO	316 SS 150 PSI Rack & Gear Actuator	QB03SR60-S1	Unused	
	1	Eagle Eye	DP/Flow Meter	EPQ-F1	Unused	
	1	Wallace & Tiernan	0 - 100 Flow Meter	5510A02203XXE	Unused	
	1	US Filter	0 - 2.5 SCFH Purge Meter	32E08SSXX2X	Unused	
PA 21	1	Dwyer	Visi-Float 0 - 10 SCFH Flow Meter	VFA-4-SSU	Unused	\$
	1	Dayton	1/20 HP, 1550 RPM Shaded Pole Motor	3M778D	Unused	
	1	Sullair	Starter Relay	407567	Unused	
	1	Frick	Shaft Seal TDS233	534C0701H03	Unused	
	1	ITT	Adjustable Pressure Swtich	130P42C6BH	Unused	
	1	ITT	Conoflow Pressure Regulator	GH10XTKAAXXE	Unused	
	1	Sporlan	Element Assy. for Thermostatic Expansion Valve	KT-Y832-12	Unused	
	4	Chemoil	6000 PSI 1/2" MNPT x 1/2" FNPT Needle Valve	CPV8M8FV	Unused	
	2	Kenco	1/2" FNPT Valve	Z502	Unused	
	3	Streamline	Packed Angle Valve	A-13978	Unused	
	2	Henry	300 PSI 1/2" MNPT x 1/2" FNPT Relief Valve	5204N1/2	Unused	
2	German-Rupp	75 PSI 1/2" MNPT x 1/2" FNPT Relief Valve	26662-005	Unused		
PA 22	5	EEP	3/4" NPT SS Sight Flow Indicator	100S-3/4C	Unused	\$
	1	Watson McDaniel	3/4" Carbon Steel Bucket Steam Trap	1402	Unused	
	1	Armstrong	400 PSI SS Steam Trap	2011	Unused	
	2	Leeson	3/4" Outlet Box for Hazardous Locations	#080362	Unused	
	4		1" Outlet Box for Hazardous Locations	93168	Unused	
	2		1" Outlet Box for Hazardous Locations		Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 23	5	Emerson	Level Gage Illuminator	IDSF16PS	Used	\$
	1	Corbin Russwin	Push-Pull Latch Assy.	Series HL10	Unused	
	25	Don-Jo	Solid Brass Magnetic Catch	1720-605	Unused	
	5	Dixon	2" Cam & Groove Dust Cap	DC200	Unused	
PA 24	1	Allen Bradley	Heavy Duty Enclosure Base	800H-1HVX7	Unused	\$
	1	Allen Bradley	Heavy Duty Enclosure Cover	800H-NP30	Unused	
	1	Allen Bradley	Pressure Control Bulletin	836	Unused	
	1	Allen Bradley	Temperature Switch Bulletin	837	Unused	
	1	Allen Bradley	Motor Protection Trip Block	190-P010	Unused	
	1	Allen Bradley	24-28 VDC Power Supply	1606-XLP	Unused	
	7	Allen Bradley	Auxiliary Contact	1495-F1	Unused	
	4	Allen Bradley	Surge Suppressor	199-FSMA1	Unused	
PA 25	1	Allen Bradley	Panel View 550 Keypad & Touch Screen	2711-B5A5	Unused	\$
	1	Allen Bradley	Third Overload Relay Kit	1415-N50	Unused	
	1	Allen Bradley	Oil Tight Limit Switch	802T-ALW5	Unused	
	6	Allen Bradley	Heater Element	W28	Unused	
	1	Allen Bradley	Distributor Pack	JAIN200P102UA	Unused	
	10	Allen Bradley	Push Button	800T-B6D2	Unused	
	11	Allen Bradley	Overload Heter Element	N8	Unused	
	6	Allen Bradley	Overload Heter Element	N7	Unused	
	2	Allen Bradley	Overload Heter Element	N46	Unused	
	10	Allen Bradley	Heater Element	W44	Unused	
	3	Allen Bradley	Photoswitch	42DTB-5500	Unused	
	2	Allen Bradley	Photoswitch	42DRU-5700	Unused	
PA 26	6	Cooper	Explosion Proof Horn Signal	ETH2416	Used	\$
	1	Ametek/Panalarm	Novatone Alarm Horn	NT2-24D	Unused	
	1	Gaitronics	16 ohm Loudspeaker	1338-002	Unused	
	1	Allen Bradley	Combined Sounder/Bedcon	855XC-BND24A5	Unused	
PA 27	1	Enmet	Methane Detection System	10040-008	Unused	\$
	2	Enmet	% LEL Gage 0-50	N2795-D12352-00	Unused	
	1	Enmet	Gas Detection System	ISA-44	Unused	
PA 28	3	Versa	5 Way Solenoid Valve	VGG-4322-XX-A120	Unused	\$
	2	Versa	5 Way Solenoid Valve	V0E-23Z00HT0CM	Unused	
	3	Versa	5 Way Solenoid Valve (Tag Missing)	VGG-4322-XX-A120	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 29	1	Versa	5 Way Solenoid Valve	VSA-4422-561014B	Unused	\$
	2	Versa	3 Way Directional Valve	VKL-3201	Unused	
	2	Versa	5 Way Directional Valve	VBL-4403	Unused	
	1	Versa	5 Way Directional Valve	VKL-4202	Unused	
	2	Westlock	Pneumatic Valve	VA30668-004	Unused	
PA 30	2	G.W. Lisk	110V 50Hz Solenoid	K12-594E-50A	Unused	\$
	5	Versa	Series B Solenoid Valve	V0EL-3232-NB1-LB-PC-XX-D024	Unused	
	4	Automatic Valve	3/2 Solenoid Valve	7019-9DAY	Unused	
PA 31	15	Asco	Solenoid Coil	250031-738	Unused	\$
	1	Asco	Solenoid Coil	274714-006-D	Unused	
	1	Asco	4 Way Solenoid Valve	EF8003G1/EF8320G204	Unused	
	2	Asco	3 Way Solenoid Valve	WPIS8003A300/WPIS834A301	Unused	
	1	Asco	2 Way Solenoid Valve	EF8003G1/EF8220G408	Unused	
	5	Asco	2 Way Solenoid Valve	8210G002	Unused	
	1	Asco	2 Way Solenoid Valve	EF8320G204	Unused	
PA 32	1	Asco	2 Way Solenoid Valve	8210G002	Unused	\$
	3	Asco	2 Way Solenoid Valve	8210G003	Unused	
	1	Asco	2 Way Solenoid Valve	8210G054	Unused	
	1	Asco	2 Way Solenoid Valve	8210G35	Unused	
	1	Asco	3 Way Solenoid Valve	EF8003G1/EF8344G070M0	Unused	
	3	Asco	4 Way Double Solenoid Valve	8342G020	Unused	
	2	Asco	Solenoid Valve	EF8551A001MS	Unused	
PA 33	1	MAC	Directional Solenoid Valve	PID-11BAAA/55B-12-PI-111BA	Unused	\$
	2	SMC	Pneumatic Cylinder	NCMR075-0050C	Unused	
	4	Bimba	Pneumatic Cylinder	022-DV	Unused	
	2	Bimba	Pneumatic Cylinder	MRS-091.5 DXPB	Unused	
	1	Brand	Hydraulic Valve	PC37C	Unused	
	2	Festo	Gate Pneumatic Valve 1 to 10 BAR	66810S18B	Unused	
	1	Heli-Cal	Flexible Aluminum Coupling	9316-12-12	Unused	
	1	Chief	2500 PSI 22" Stroke Hydro Cylinder	215193	Unused	
	1	Eaton	3/4" M x M Brass Coupling Hose 15" length	ECGJH215	Unused	
	5	Eaton	3/4" M x F Brass Coupling Hose 15" length	ECLK215	Unused	
	1	Packless	1-1/8" Copper Flexible Hose 13" Length	P9	Unused	
	2	IRE	1-1/8" Copper Flexible Hose 13" Length	118VS	Unused	
	1	Simpson	0 to 250 DC Millamp Panel Meter	6819	Unused	
	1	Simpson	0 to 10 DC AMPS Panel Meter	2559	Unused	
	1	Simpson	0 to 250 AC Volts Panel Meter	17732	Unused	
	1	Simpson	0 to 10 DC Volts Panel Meter	9560	Unused	
3	API	0 to 500° F or 0 to 250° C Shielded Meter	261C	Unused		

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 34	2	Stewards	3-1/2" Face 0 to 400 PSI 1/4" Back Mount Filled Gauge	40S-400-FP	Unused	\$
	1	Marshall	0 to 300 PSI 2-1/4" Face 1/8" Back Mount Filled Gauge		Unused	
	1	Marsh	0 to 200 PSI 2-1/4" Face 1/8" Center Back Mount Gauge		Unused	
	7	Weston	0 to 10 DC Panel Meter	111	Unused	
	1	Beckman	100 to 130 AC Expanded Scale Meter	026-3105-3	Unused	
	1	Beckman	110 to 120 Volts AC Expanded Scale Meter	026-31-07-3	Unused	
	1	Stewards	0 to 30 WC 2-1/4" Face 1/4" Bottom Connection Gauge	25-30WC	Unused	
	1	Yokogawa	0 to 600 AC Volts Panel Meter		Unused	
	1	Weston	0 to 5 AC AMPS Panel Meter	476	Unused	
	1	Sim-Ply-Trol	0 to 1500° F or 0 to 800°C Pyro Meter		Unused	
	5	Stewards	0 to 30 PSI 2" Face 1/4" Bottom Mount Gauge		Unused	
	1	Mercoid	Pressure Switch	DA-31-2-9	Unused	
	4	Marsh	0 to 100 PSI 2" Face 1/4" Bottom Mount Gauge		Unused	
	1	Stewart	Range 30"Hg 0 to 100 PSI 2-1/2" Face 1/4" Bottom Mount Gauge	25B-C100	Unused	
	5	Stewart	Range 30"Hg 0 to 200 PSI 2" Face 1/8" Bottom Mount Gauge		Unused	
	1	Stewart	0 to 160 PSI 2" Face 1/4" Bottom Mount Gauge		Unused	
	1	Stewart	0 to 160 PSI 1-1/2" Face 1/8" Back Mount Gauge		Unused	
	1	Wika	0 to 60 PSI 1-1/2" Face 1/4" Back Mount Gauge		Unused	
	1	Ashcroft	0 to 1500 PSI 2-1/2" Face 1/4" Back Mount Gauge	133HT02	Unused	
PA 35	3	Watts	Air Filter Regulator	B35-01AHB	Unused	\$
	1	Parker	Regulator 300 MX PSI 3/8" Ports	R10-03C/M3	Unused	
	1	Speed Aire	Filter Regulator 250 PSI M x 3/8" Ports	4ZL47	Unused	
	3	Trico	Watchdog Lubricator 1" NPT 4 oz	BT58529CPS	Unused	
	2	Alwitco	R Valve Muffler 3/4" M NPT	X07	Unused	
	5	Altronic	3/8" NPT 02 Sensor	958111	Unused	
	3	MSA	1/2" NPT Air Line Filter	81857	Unused	
	3	3M	Flexable Power Cable Splice Kit	82-F1	Unused	
	1 Box	3M	Cold Shrink Termination Insulation Mix Kit	7622-S-2/8425-8	Unused	
1	Welker	Gas Heating Panel with Caloritech Ele. Heater and Shakopee Rosemount Temp. Assy	5798910	Unused		
PA 36	1	Micro	Pump with Baldor Electric Motor .5 HP 3450 RPM 115/230 Volts	220/56C	Used	\$
PA 37	1	Milton Roy	Metering Pump with Reliance Motor 07918255N-LF	77FRSESEM1NN	Used	\$
PA 38	1	Milton Roy	Metering Pump with Reliance Motor 07918255N-LF	77FRSESEM1NN	Used	\$
	48	Swagelok	Union Cross Fitting 1/2" 316	4GM	Unused	Lot PA39
	40	Swagelok	1/2" Tubing Nipple 316	LA4	Unused	
	20	Swagelok	3/4" Nipple 316	MP9	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 39	20	Swagelok	1/2" Nipple 316	ZDL	Unused	\$
	22	Swagelok	1/2" Plug 316	3RN	Unused	
	6	Swagelok	1/2" Mud Dobber Vent Breather	XZL	Unused	
	3	Swagelok	1/4" Mud Dobber Vent Breather	WTG	Unused	
	18	Swagelok	3/8" Mud Dobber Vent Breather	9X2	Unused	
	9	Swagelok	3/4" Female Connector	XET	Unused	
PA 40	6	KF	1/2" SS 10,000 PSI 200°F Needle Valve	N22-125	Unused	\$
	7	Tescom	1/2" NPT 316 Mainfold Valve	M1VIS-4	Unused	
	1	Tescom	3 Way Manifold Valve	M4AVIS	Unused	
PA 41	55	Tescom	3/4" M x 1/2" F Needle Valve 316	M5VIS-46	Unused	\$
	1	Tescom	1/2" Needle Valve 316	M5VIS-44	Unused	
PA 42	4	E2S	Warning Signals Alarm Horn Sounder	S0NF1	Unused	\$
	3	BS & B	Safety Barrier	BDM-SB1	Unused	
	1	Tri-Conex	Analog Cable Assy	400-103-510	Unused	
	2	Turck	Multi Module Insulated Switch	MK1-22-UN-EX0	Unused	
	6	Turck	2 Pin Automation Cable	RSV-RKV-28A-4M	Unused	
	7	Woodhead	5 Pin Automation Cable	105002A01F060	Unused	
	3	Turck	Actuator & Sensor Cable	PKW3Z-6/S90	Unused	
	2	Turck	Actuator & Sensor Cable	RK4.4T-2	Unused	
	2	Allen Bradley	Inductive Proximity Sensor	871TM-DR5NE18-H2	Unused	
	4	Turck	Sensor	BIM-PST-Y1X-0.2M-RS4.21TW	Unused	
7	Turck	Actuator Sensor Cable	RK4.21T-6	Unused		
PA 43	8	Chemineer	Agitator Mixer Parts with Motor		Unused	\$
PA 44	9	Chemineer	Agitator Mixer Parts with Motor		Unused	\$
PA 45	1	Chemineer	Turbine Agitator 5HP 1800 RPM	1GTA-5	Unused	\$
PA 46	1	Chemineer	Turbine Agitator 2HP 1800 RPM	GTD-2	Unused	\$
PA 47	1	Chemineer	Turbine Agitator 7.5HP 1800 RPM	21GTD-7.5	Unused	\$
	1	NTN	Bearing	6308LLBC3-5C	Unused	Lot PA48
	4	NTN	Bearing	1209SKC3	Unused	
	3	NTN	Bearing	6208	Unused	
	2	NTN	Bearing	6007LLUC3/EM	Unused	
	4	Consolidated	Bearing	22211E-KSC/3	Unused	
	2	Consolidated	Bearing	H-311X1-15/16	Unused	
	2	Consolidated	Bearing	LER-24	Unused	
	2	Consolidated	Bearing	1209-KC/3	Unused	
	8	Barden	Bearing	212HCDUM	Unused	
	2	Barden	Bearing	212HCUM	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
PA 48	1	Delco	Bearing	55512	Unused	\$
	2	Bower/BCA	Bearing	P3112-XDC	Unused	
	2	Nachi	Bearing	67304	Unused	
	1	NTN	Bearing	5215	Unused	
	1	URD	Bearing	NUP314EC3	Unused	
	2	Micail	Bearing	MR24S	Unused	
	4	Consolidated	Pillow Block Housing/Bearing	SAF511	Unused	
	1	Browning	Pillow Block Bearing	VPS-227	Unused	
	1	NDH	Bearing	43206	Unused	
	1	ORS	Bearing	62062RSNRC3	Unused	
	1	Crane	Seal Assembly	27097	Unused	
	4	Crane	Seal Assembly	27089	Unused	
	1	Crane	Mating Ring Assembly Size 1	V240-08	Unused	
	1	Crane	Seal Assembly Size .5	M116328	Unused	
	2	Crane	Seal Assembly Size .5	M112554	Unused	
VTC 49	111	Snap-It	JR Pro Plug CS 1000 PSI	ST-JR-584-C	Unused	\$
	1	USA	Exchanger Plug Tool Size 2 6 Brushes	ST-PP-584	Unused	
	1	Curtis Wight	Exchange Tool	PA 735	Unused	
	6	CPI	Exchanger Plug Hastelloy C276	853HC	Unused	
SHSR 50	2	Spirax Sarco	Pressure Reducing Regulator 1/2" Port	54805-B	Unused	\$
WBA 51	1	Rosemount	3051 Smart Family Trans. With Diaphragm	3051CD1A22AAS2B4E5M5	Unused	\$
	1	FCI	Flow Switch 3/4" Ports	FH93L-3A1DA1A0100	Unused	
WBA 52	1	Chemoil	0 to 200 PSI 4" Face 1/2" Bottom Mount Filled Gauge		Unused	\$
	1	Chemoil	0 to 1000 PSI 4" Face 1/2" Bottom Mount Filled Gauge		Unused	
	1	Stewarts	0 to 5000 PSI 4" Face 1/2" Monel Bottom Mount Filled Gauge		Unused	
	1	Chemoil	0 to 100 PSI 2-1/2" Face 1/4" Brass Bottom Mount Filled Gauge	COP200L-254E	Unused	
	1	Chemoil	0 to 30 PSI 2-1/2" Face 1/4" Bottom Mount Filled Gauge	COP300L-254E	Unused	
	2	Chemoil	0 to 160 PSI 2-1/2" Face 1/4" Bottom Mount Filled Gauge	COP310L-254E	Unused	
	4	Chemoil	0 to 100 PSI 2-1/2" Face 1/4" Brass Internal Bottom Mount Filled Gauge	TCOP200L-254EB	Unused	
	1	Chemoil	0 to 5000 PSI 2-1/2" Face 1/4" Bottom Mount Filled Gauge	COP310L-254R	Unused	
	1	Chemoil	0 to 200 PSI 2-1/2" Face 1/4" Bottom Mount Filled Gauge		Unused	
	1	Chemoil	0 to 100 PSI 2-1/2" Face 1/4" Bottom Mount Filled Gauge		Unused	
	1	Parker	Pressure Regulator 1/4" Port	IR4002SK3PX4D	Unused	
	1	Parker	Pressure Regulator 1/4" Port with Pressure Gauges 0 to 400 PSI and 0 to 3000 PSI	IR4004SK4P304B	Unused	
4	GO	Steam Heated Pressure Regulator 0 to 100 PSI	H2-1X55B3G211	Unused		

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 53	1	Winters	0 to 30 VAC 2-1/2" Face 1/4" Bottom Mount Filled Gauge	PF0820R1	Unused	\$
	5	Winters	0 to 30 VAC/KPA 2-1/2" Face 1/4" Brass Bottom Mount Filled Gauge	BFQ801	Unused	
	4	Winters	0 to 60 VAC 3-1/2" Face 1/2" Back Mount Filled Gauge	PFP2318	Unused	
	1	Midwest Inst.	Diff. Pressure Gauge 300 PSI Max	130PC-43-GO	Unused	
	1	Winters	0 to 200 PSI 2-1/2" Face 1/4" Bottom Mount Digital Pressure Gauge	DPG-216	Unused	
	2	Winters	0 to 60 PSI 2" Face 1" Back Mount Gauge		Unused	
	14	Winters	0 to 60 VAC 3-1/2" Face 1/2" Brass Bottom Mount Gauge		Unused	
	3	Winters	0 to 30 PSI 4" Face 1/2" Bottom Mount Filled Gauge		Unused	
	1	Winters	0 to 200 PSI 4" Face 1/2" Bottom Mount Gauge (was Filled)		Unused	
WBA 54	6	Asco	2 Way Solenoid Valve SS 3/4" Port	EF8003G2/EF8210G088B	Unused	\$
	2	Asco	4 Way Solenoid Valve Brass 1/4" Port	EF8003G1/EF8344G074	Unused	
	1	Asco	3 Way Solenoid Valve SS 1/4" Port	EF8003G1/EF8320G200	Unused	
	1	Asco	2 Way Solenoid Valve Brass 1/4" Port	EF8016G1/EF8210G1	Unused	
	1	Asco	3 Way Solenoid Valve SS 1/4" Port	EF8007G1/EF8317G036	Unused	
	1	Asco	3 Way Solenoid Valve Brass 1/4" Port	EF8016G1/EF8321G2	Unused	
	1	Asco	3 Way Solenoid Valve Brass 1/4" Port	EF8003G1/EF8320G186	Unused	
	5	Asco	3 Way Solenoid Valve Brass 4/4" Port	EF8003G2/EF8320G174	Unused	
WBA 55	2	Asco	3 Way Solenoid Valve SS 1/4" Port	EF8003G2/EF8320G200	Unused	\$
	1	Asco	3 Way Solenoid Valve SS 1/2" Port	EV8007G/EV8316G084	Unused	
	1	Asco	3 Way Solenoid Valve Brass 1/4" Port	OFKF8320G184MS	Unused	
	1	Asco	2 Way Solenoid Valve SS 3/4" Port	8210G95	Unused	
	1	Asco	2 Way Solenoid Valve Aluminum 3/4" Port	EF8016G1/EF8353G226	Unused	
	2	Asco	Solenoid	EF8016G1	Unused	
	1	Asco	3 Way Solenoid Valve Brass 3/8" Port	EF8016G1/EF8321G2	Unused	
	1	Asco	3 Way Solenoid Valve Brass 1/4" Port	EF8003G1/EF8320G184	Unused	
	1	Asco	3 Way Solenoid Valve Brass 1/4" Port	EF8003G2/EF8320G174	Unused	
	1	Asco	4 Way Solenoid Valve Brass 1/2" Port	EF8003G1/EF8344G074	Unused	
WBA 56	4	Dwyer	Explosion Proof Pressure Switch	1950G-00-B-24-NA	Unused	\$
	3	Dwyer	Explosion Proof Pressure Switch	1950G-0-B-120-NA	Unused	
	1	Dwyer	Magnehelic Pressure Switch 0 to 25" Water	2025	Unused	
	1	Dwyer	Magnehelic Pressure Switch 0 to 60" Water	2060	Unused	
	1	Dwyer	Magnehelic Pressure Switch 0 to 60" Pascals	2000-0	Unused	
	1	Dwyer	Magnehelic Pressure Switch 0 to 6" H2O	2000-6	Unused	
	1	Dwyer	Magnehelic Pressure Switch 0 to 2" H2O	2000-2	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 57	16	Brooks	Purge Meter 0 -2 SCFH Air	2-65-AS925C160WAA	Unused	\$
	6	Her-Yih	Hydraulics Fluid & Temp. Gauge	TS-3	Unused	
	1	Wallace & Tiernan	Purge Meter 0 - 6 SCFH	32E091SSXX2X	Unused	
	1	Brooks	Purge Meter 0 - 40 SCFH	1350EGVULNG1A	Unused	
	3	Brooks	Purge Meter 0 - 2 SCFH	1350EVA7HJV5900D3J2B1AC	Unused	
WBA 58	4	Parker	AVR 4 Series Regulator 1 - 60 PSI	AVR4SK2240CLX3G	Unused	\$
WBA 59	20	Brooks	Purge Meter 0 - 5 SCFH	1350ECA4CNE1A	Unused	\$
	4	Dwyer	Flow Meter 0 - 3 SCFH	BFB-50-SSB	Unused	
	3	Dwyer	Flow Meter 0 - 5 SCFH	BFA3	Unused	
	3	Key Instr.	Flow Meter 0 - 50 SCFH	FR2A065VVT	Unused	
	2	ABB	Purge Meter 0 - 13 SCFH	10A6131AB1B1X0	Unused	
	4	Wallace & Tiernan	Purge Meter 0 - 5 SCFH	34E143SSXX2X	Unused	
	2	Brooks	Purge Meter 0 - 11 SCFH	5-925C-309WAA	Unused	
	2	Brooks	200 PSI / 250°F	1350EZ205	Unused	
WBA 60	1	Siemens	Purge Meter 0 - 100 SCFH	32D103SSXX3X	Unused	\$
	20	Brooks	Purge Meter 0 - 5 SCFH	1350ECA4CNE1A	Unused	
	5	Dwyer	Flow Meter 0 - 35 SCFH	VFB-50-SSV	Unused	
	4	Dwyer	Flow Meter 0 - 20 SCFH	VFA-5-BV	Unused	
	3	ABB	Purge Meter 0 - 135 SCFH	10A6131AB1B1X0	Unused	
	2	Key Instr.	Flow Meter 0 - 50 SCFH	FR2A06SEVT	Unused	
	2	Wallace & Tiernan	Purge Meter 0 - 2.5 SCFH	32E083SSXX2X	Unused	
	1	Wallace & Tiernan	Purge Meter 0 - 100 SCFH	34C133SSXX2X	Unused	
	2	Brooks	Purge Meter 0 - .95 SCFH	1350ELB6LFE1A	Unused	
	2	Brooks	Flow Meter 200 @ 250°F	1350EZ205	Unused	
WBA 61	2	Wallace & Tiernan	Purge Meter 0 - 1 SCFH	32E071SSXX2	Unused	\$
	1	Siemens	Purge Meter 0 - 30 SCFH	34E133SSXX2X	Unused	
	21	Brooks	Purge Meter 0 - 5 SCFH	1350ECA4CNE1A	Unused	
	4	Dwyer	Flow Meter 0 - 3 SCFH	VFB-50-SSV	Unused	
	4	Dwyer	Flow Meter 0 - 10 SCFH	167060-00	Unused	
	2	Key Instr.	Flow Meter 0 - 50 SCFH	FR2A06SVVT	Unused	
	2	ABB	Purge Meter 0 - 13 SCFH	10A6131AB1B1X0	Unused	
	2	Brooks	Purge Meter 0 - .95 SCFH	1350ELB6LFE1A	Unused	
WBA 62	4	Wallace & Tiernan	Purge Meter 0 - 100 SCFH	34C133SSXX2X	Unused	\$
	1	Siemens	Purge Meter 0 - 15 SCFH	32E073S1XX2X	Unused	
	1	PGI	1/2" 316 Manifold Valve	M650SCI	Unused	
	3	Anderson Greenwood	1/2" 316 Manifold Valve	M4TVDS-4-59	Unused	
	5	Anderson Greenwood	1/2" 316 Manifold Valve	M4TPVDS-4-R3V	Unused	
	5	Anderson Greenwood	1/2" 316 Manifold Valve	M4TPVKS-4	Unused	
	5	Anderson Greenwood	1/2" 316 Manifold Valve	M4TPVPS-4	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 63	6	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-4	Unused	\$
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-S9	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TLVI-4SG	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVKS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TLVIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - Monel	M4TVIM-4	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4-SSC	Unused	
WBA 64	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MP2VIS	Unused	\$
	1	Anderson Greenwood	1/2" x 3/4" Valve Manifold - 316 S/S	MC2VIS-4	Unused	
	1	Anderson Greenwood	1/4" Valve Manifold - 316 S/S	MT2VIS-2	Unused	
	2	Anderson Greenwood	Flange x Flange Valve Manifold - 316 S/S	M4AVIS	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVKS-4	Unused	
	1	Parker	R-Max Stream Switching System	2F-RNOK-V-SS-2	Unused	
WBA 65	6	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4-AMS-SSG-SSC	Unused	\$
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4-AMS-SSC	Unused	
WBA 66	4	Anderson Greenwood	1/2" x 1/2" x 1/4" Valve Manifold - 316 S/S	M25BHS-4-MB51S	Unused	\$
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4-SSC	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THLHS-4-AMS-SG-SSC	Unused	
WBA 67	8	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4-AMS-SG-SSC	Unused	\$
WBA 68	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4-SSC-T	Unused	\$
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVES-4-SG-SSC	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4	Unused	
	9	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4	Unused	
WBA 69	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVKS-4	Unused	\$
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M\$TPVDS-4RDV	Unused	
	4	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-4	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TLVIS-4	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THP-5-4XP	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4	Unused	
	3	Anderson Greenwood	Flange x Flange Valve Manifold - 316 S/S	M4AHIS	Unused	
WBA 70	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TLVIS-4-SG	Unused	\$
	5	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-4	Unused	
	4	Rosemount	1/2" Valve Manifold - 316 S/S	C304031210-0000	Unused	
	2	Rosemount	Valve Manifold - 316 S/S	01151-0150-0002	Unused	
	1	Rosemount	1/2" Valve Manifold - 316 S/S	01166-0021	Unused	
	1	Sami Instruments	Valve Mainfold - 316 S/S	W245MRTT	Unused	
	1	Kenmac	1/2" Valve Manifold - 316 S/S	MSTB4NAT	Unused	
	2	PGI	1/2" Valve Manifold - 316 S/S	M65OSCT	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 71	1	D/A	1/2" Valve Manifold - 316 S/S	GP2PTM-G-SS	Unused	\$
	1	D/A	Valve Mainfold - 316 S/S	CP2PTMFU-G-SS	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVS	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIW-4	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4	Unused	
	2	PGI	1/2" Valve Manifold - 316 S/S	M-650SCT	Unused	
	1	Century Valve	5-Valve Metering Manifold	CM2051F9CDN161	Unused	
WBA 72	8	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TPVIS	Unused	\$
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M6TVIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4	Unused	
	2	D/A	1/2" Valve Manifold - 316 S/S	SF3TC-G-SS-SS-BH304-DUFS	Unused	
	1	Hy-Pro	1/2" Valve Manifold - 316 S/S	M3V1FTV8NCOG	Unused	
WBA 73	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M25HIS-4	Unused	\$
	3	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS44SG7000000346	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS44CSGU65606002	Unused	
	3	No-Shok	1/2" Needle Valve - 316 S/S	504FFS	Unused	
	1	SafeLok	1/2" Needle Valve - 316 S/S	IV2N-PM-SS	Unused	
	2	Colson	1/2" Needle Valve - 316 S/S	NLGSP0515NM15NFS-EXT2	Unused	
	26	Chemoil	1/2" Needle Valve - 316 S/S	SPV8M8FVB	Unused	
	11	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M51VIS447000005711	Unused	
	5	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5KHIS46P110016008	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIW44LC022490506	Unused	
	3	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIS44L022490-003	Unused	
	2	Magnum	1/2" Needle Valve - 316 S/S	MF500SS	Unused	
	1	Wika	1/2" Needle Valve - 316 S/S	4339755	Unused	
	1	Nace	1/2" Needle Valve - 316 S/S		Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M51VIS44SG7000005716	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VES46022159-585	Unused	
	2	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIS44CSGU61798001	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIS44022165003	Unused	
2	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5AHSS448L022260034	Unused		
Lot WBA 74	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VVS46SG7000001083	Unused	Lot WBA 74
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VIS46SG7000000347	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS446G021259504	Unused	
	4	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5AVSS-4G7000001369	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VDS44C022159613	Unused	
	5	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5KHIS46P110016008	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 74	21	Chemoil	1/2" Needle Valve - 316 S/S	SPV8M8FV	Unused	\$
	9	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M51VIS447000005711	Unused	
	4	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VIS46LSG7000000337	Unused	
	5	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VES44SG02215959A	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VES46022159-585	Unused	
	2	Nace	1/2" Needle Valve - 316 S/S		Unused	
	1	Magnum	1/2" Needle Valve - 316 S/S	MF500SS	Unused	
	1	No-Shok	1/2" Needle Valve - 316 S/S	504-MFS	Unused	
	3	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5AVDS44SG022260015	Unused	
	1	Nace	1/2" F x 1/2" F Needle Valve - 316 S/S		Unused	
	1	Safelok	1/2" Needle Valve - 316 S/S	IV2N-PM-SS	Unused	
	2	Colson	1/2" Needle Valve - 316 S/S	NLGSP0515NM15NFS-EXT2	Unused	
WBA 75	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MP1VIS4021635-510	Unused	\$
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MP1VI4AMS	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M2HS	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MC3HIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVED-4-SG	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TLVIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MLVIS-4	Unused	
WBA 76	12	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4	Unused	\$
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THIS-4-SSC	Unused	
	2	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4-T	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4TVIS-4	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M4THPS-4XP	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M1VIS-4	Unused	
WBA 77	7	PGI	Valve Mainfold - 316 S/S	M-750SCT	Unused	\$
	11	PGI	1/2" Valve Manifold - 316 S/S	M-650SCT	Unused	
WBA 78	6	PGI	1/2" Valve Manifold - 316 S/S	M-650SCT	Unused	\$
	1	Anderson Greenwood	Valve Manifold - C/S	M66ARDCR3V	Unused	
	1	PGI	Stabilized Connector Flange Kit (no gasket)	AK-024-CO-MN	Unused	
WBA 79	3	No-Shok	1/2" Needle Valve - C/S	504MCS	Unused	\$
	3	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - C/S	M5VIC46021259-501	Unused	
	1	PGI	1/2" Needle Valve - C/S	507CDT	Unused	
	1	Anderson Greenwood	1/4" Mini Hand Valve - C/S	H5P18-22A	Unused	
	1	Anderson Greenwood	1/2" Meter Plug Valve - C/S	V6VDC-4	Unused	
	13	Anderson Greenwood	1/2" Needle Valve - C/S	M5VIC44021259-500	Unused	
	6	Anderson Greenwood	1/2" Needle Valve - C/S	M5VDC44022159580	Unused	
32	Anderson Greenwood	1/4" Block & Bleed Valve - C/S	H5VDC-22	Unused		

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 80	12	Anderson Greenwood	1/4" Needle Valve - C/S	H5RIC-2	Unused	\$
	3	Parker	1/2" Flow Control Valve - Brass	PF800B	Unused	
	24	Anderson Greenwood	1/2" Needle Valve - C/S	M5VIC44021259-500	Unused	
	12	Anderson Greenwood	1/4" Needle Valve - C/S	H7B1C2021270-001	Unused	
WBA 81	35	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5TVIS-447000005711	Unused	\$
	30	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5HIS46LAL02249005	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5AVSS4LC7000001421	Unused	
	2	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS44700000344	Unused	
WBA 82	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5HIW46L7000009395	Unused	\$
	4	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VDS44K022159623	Unused	
	2	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIS44CSGU61798001	Unused	
	6	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5HIS44022165-003	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VDS44SG02159566	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VDS447000001019	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5AKHSS447000010239	Unused	
	6	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M51VIS-447000005711	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VDW-46L	Unused	
WBA 83	3	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5HIW-46D24404.001	Unused	\$
	1	Anderson Greenwood	1/2" Instrument Gauge Valve - 316 S/S	M25HIS-44F	Unused	
	7	Rosemount	1/2" Valve Manifold - 316 S/S	C30610-1125	Unused	
	1	PGI	1/2" F Valve Manifold - 316 S/S	V-626SCT-P9	Unused	
	1	General	3/4" M x 1/2" F Valve Manifold - 316 S/S	4-572SCT-W	Unused	
	1	Hex	3/4" M x 1/2" F Needle Manifold - 316 S/S	HG481U413-413	Unused	
	2	Rosemount	1/2" Valve Manifold - 316 S/S	C30610-1126	Unused	
	14	Schneider	1/2" Valve Manifold - 316 S/S	PN420DN6	Unused	
	13	Pentair	3/4" M x 1/2" F Needle Manifold - 316 S/S	M5VVS-46	Unused	
WBA 84	9	Kerotest	1/4" Needle Valve - 316 S/S	N1512	Unused	\$
	10	Tyco	3/4" M x 1/2" F Needle Manifold - 316 S/S	M5VIS46LSG	Unused	
	4	Tyco	3/4" M x 1/2" F Needle Manifold - 316 S/S	M5BIS46L	Unused	
	3	Tyco	1/2" Needle Valve - 316 S/S	M5VIS44LSG	Unused	
	2	Tyco	1/2" Needle Valve - 316 S/S	M51VIS44SG	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS44LSG	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Instrument Gauge Valve - 316 S/S	M25VIS-46	Unused	
	1	PGI	1/2" Valve Manifold - 316 S/S	V-626SCT-P9	Unused	
	6	Tyco	3/4" M x 1/2" F Needle Valve - 316 S/S	M5AVSS46	Unused	
Lot WBA 85	11	Tyco	1/2" Needle Valve - 316 S/S	H1VES-44Q	Unused	\$
	3	Warren	1/2" Needle Valve - 316 S/S		Unused	
	7	Tyco	1/2" Valve Manifold - 316 S/S	PTMVDS4	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 85	1	Anderson Greenwood	1/4" Instrument Valve	M19S7000002614	Unused	\$
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIW46CSGS73381003	Unused	
	1	PGI	1/2" Valve Manifold - 316 S/S	M-517SDT	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	M6TWVDS-4	Unused	
	2	Tyco	1/2" Valve Manifold - 316 S/S	PT7VIS-4	Unused	
	30		Flange Adapter		Unused	
WBA 86	2	Panam	1/2" Needle Valve - 316 S/S	Z5090	Unused	\$
	2	PGI	1/2" Needle Valve - 316 S/S	V-508S6G	Unused	
	1	Hy-Pro	1/2" Valve Manifold - 316 S/S	M2VTV8NO7J	Unused	
	4	HyLok	1/2" Valve Manifold - 316 S/S	M2VTV8NHM6	Unused	
	1	HyLok	1/2" Valve Manifold - 316 S/S	M2VTV6NJRB	Unused	
	2	HyLok	1/2" Valve Manifold - 316 S/S	M2VTV8NKXL	Unused	
	3	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PTMVIS4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PTMVDS4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PTMVKS4	Unused	
	4	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PTMVDS4	Unused	
	4	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PT7HIS-4	Unused	
	4	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	PT7VIS-4	Unused	
	1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	VVS-4	Unused	
	1	Anderson Greenwood	1/4" Instrument Valve	M19S7000002614	Unused	
	1	PGI	Manifold Valve - 316 SS	V-626SCT-P9	Unused	
	1	Tyco	Manifold Valve - 316 SS	MT3VIS-2	Unused	
33		Flange Adapter		Unused		
WBA 87	40		Misc. Thermowells - 316 S/S		Unused	\$
WBA 88	7	Parker	1/2" Brass Ball Valve	8F-B8LJ-BP-R	Unused	\$
	1	Parker	R-Max Stream Switching System	2F-R2K-V-SS-4	Unused	
	2	PGI	1/2" Valve Manifold - 316 S/S	M-616SCT-AG9CB	Unused	
	1	Anderson Greenwood	1/2" x 1/4" Valve Manifold - 316 S/S	MC5PHPS-4	Unused	
	1	PGI	1/4" Valve Manifold - 316 S/S	M3-875SLTMYW9	Unused	
	5	PGI	1/2" Valve Manifold - 316 S/S	M-694SCT-AG9CBXX	Unused	
WBA 89	1	PGI	1/2" Valve Manifold - 316 S/S	M-658SCT-W9	Unused	\$
	8	Parker	1/2" Brass Ball Valve	8F-B8LJ-BP-R	Unused	
	1	Parker	R-Max Fluid Switching System	2F-R2K-V-SS-4	Unused	
	1	Parker	R-Max Fluid Switching System	2FR2KVSS2	Unused	
	1	PGI	1/2" Valve Manifold - 316 S/S	M-616SCT-AG9CB	Unused	
	1	PGI	1/4" Valve Manifold - 316 S/S	M3-875SLT-MYW9	Unused	
	7	PGI	1/2" Valve Manifold - 316 S/S	M-650SCT	Unused	
	1	PGI	1/2" Valve Manifold - 316 S/S	M-6588CT-W9	Unused	
1	Anderson Greenwood	1/2" Valve Manifold - 316 S/S	MC3VIS-4	Unused		

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 90	1	KF	3/4" Needle Valve - S/S	N14-34HT	Unused	\$
	2	Colson	1/2" Needle Valve - 316 S/S	NLGSP0515NM15NFS-EXT2	Unused	
	2	KF	1/2" Needle Valve - 316 S/S	000N16-125	Unused	
	2	KF	3/4" M x 1/2" F Needle Valve - 316 S/S	N12-12345	Unused	
	1	Panam	1/2" Needle Valve - 316 S/S	K7047	Unused	
	6	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M51VIS44	Unused	
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	M5VIS44LALSG	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5KHIS46	Unused	
	1	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - 316 S/S	M5VIS4ULSG	Unused	
	43	Chemoil	1/2" Needle Valve - 316 S/S	SPV8M8FV	Unused	
WBA 91	2	Anderson Greenwood	1/2" Needle Valve - 316 S/S	H1VDS44QSG	Unused	\$
	1	Anderson Greenwood	1/2" Needle Valve - 316 S/S	H7VIS44QSG	Unused	
	6	Tyco	1/2" Needle Valve - 316 S/S	H7HIS44Q	Unused	
	2	Tyco	1/2" Needle Valve - 316 S/S	H1VDS4Q	Unused	
	7	Anderson Greenwood	1/2" M x 1/4" F Needle Valve - 316 S/S	H1VDS24	Unused	
	1	Anderson Greenwood	1/4" Needle Valve - 316 S/S	H1VDS22	Unused	
	3	PGI	1/2" Needle Valve - 316 S/S	V-506SCT	Unused	
	1	KF	1/2" Needle Valve - 316 S/S		Unused	
	5	Tyco	1/2" Needle Valve - 316 S/S	H7HIS44Q	Unused	
	10	Anderson Greenwood	1/2" Needle Valve - 316 S/S	H1VDS-44QR	Unused	
50	Chemoil	1/2" Needle Valve - 316 S/S	TNSPV8M8FV	Unused		
WBA 92	1	Tyco	1/4" Valve Manifold	MM1RDB2	Unused	\$
	5	Tyco	1/2" Needle Valve - C/S	M5HIC4LC	Unused	
	12	Tyco	1/2" Valve Manifold - C/S	MP1VI-4	Unused	
	10	Tyco	1/2" Needle Valve - C/S	M5VIC44	Unused	
	1	Tyco	1/2" Needle Valve - C/S	M5VDC44	Unused	
	1	Anderson Greenwood	1/2" 5-Valve Manifold - C/S	M6AVDC-4	Unused	
WBA 93	1	Anderson Greenwood	1/4" Mini Hand Valve - C/S	H5RIC-2	Unused	\$
	1	Anderson Greenwood	1/2" Needle Valve - C/S	H7HIC44Q	Unused	
	3	Tyco	1/4" Valve Manifold - Brass	MM1RDB-2	Unused	
	7	Tyco	1/2" Needle Valve - C/S	M5VIC44	Unused	
	1	Anderson Greenwood	1/2" 5-Valve Manifold - C/S	M6AVDC-4	Unused	
	4	Anderson Greenwood	3/4" M x 1/2" F Needle Valve - C/S	M5AVDC46	Unused	
	13	Tyco	1/2" Valve Manifold - C/S	MP1VI-4	Unused	
WBA 94	29	United Filtration System	1/4" Port, 200 PSI Filter Regulator	FRAT-066-1/4 30R	Unused	\$
WBA 95	29	United Filtration System	1/4" Port, 200 PSI Filter Regulator	FRAT-066-1/4 30R	Unused	\$
WBA 96	29	United Filtration System	1/4" Port, 200 PSI Filter Regulator	FRAT-066-1/4 30R	Unused	\$

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 97	29	United Filtration System	1/4" Port, 200 PSI Filter Regulator	FRAT-066-1/4 30R	Unused	\$
WBA 98	1	Lokring	2" Coupling S/S	SS40-CPL-P32	Unused	\$
	1	Lokring	1/2" Coupling S/S	SS40-CPL-P08	Unused	
	1	Lokring	1" Coupling S/S	MAS-3000-CPL-E16	Unused	
	2	Lokring	2" Thd x 2" Flange C/S	MAS-3000-FLNG-300-P32	Unused	
	3	Lokring	2" Coupling C/S	MAS-3000-CPL-P32	Unused	
WBA 99	1	Lokring	3/4" Coupling S/S	M1030A19-3/4	Unused	\$
	1	Lokring	1" Coupling C/S	MAS-3000-CPL-P16	Unused	
	1	Lokring	1/2" Coupling C/S	MAS-3000-CPL-08	Unused	
	1	Lokring	1" Thrd x 1" Flange 150# Adapt C/S	MAS-3000-FLNG-300-P16	Unused	
	1	Lokring	2" Thrd x 2" Flange 150# Adapt C/S	MAS-3000-FLNG150-P32	Unused	
	4	Lokring	2" Coupling C/S	MAS-3000-CPL-P32	Unused	
WBA 100	3	Fairchild	Pneumatic Precision Regulator .2-150PSI	4064A	Unused	\$
	1	Fairchild	Pneumatic Precision Regulator .5-30PSI	10232	Unused	
	3	Norgren	Filter Regulator 200PSI	F73C-2AD-ADO	Unused	
	2	Norgren	Filter Regulator 150PSI	F729-3AS-001	Unused	
	2	Balston	Filter Regulator 150PSI	A912-DX	Unused	
	1	Control Air	Pressure Regulator 260PSI	300-BB	Unused	
WBA 101	2	Fairchild	Regulator 250PSI	4066A	Unused	\$
	1	Fairchild	Regulator 250PSI	4074A	Unused	
	1	Control Air	Pressure Regulator 0-60PSI	Type 400	Unused	
	4	Norgren	Filter Regulator 150PSI	F72G-3AS-001	Unused	
	2	Fairchild	Pressure Regulator 250PSI	20812	Unused	
	2	Fairchild	Pressure Regulator 250PSI	20813I	Unused	
WBA 102	2	Pennant	Thermo Dynamic Steam Trap	PT16	Unused	\$
	10	TLV	1/2" Power Dyne Steam Trap	P46SRN/A	Unused	
WBA 103	11	Sigma	1/4" Quick Exhaust Valve 150PSI	28503	Unused	\$
	5	Genie	1/4" Membrane Separator	130M	Unused	
WBA 104	40	TLV	1/2" Power Dyne Steam Trap	P46SRN/A	Unused	\$

A D D E D L O T S - Next Page

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
A D D E D L O T S						
WBA 105	1	Endress-Hauser	CeraBar Pressure Transmitter with 2" 150# Flange	PMC731-061PTM 1KJ1	Unused	\$
	1	Endress-Hauser	Multi Cap Level Transmitter with 1" 150# Flange	11TAS-KM1355AMS1	Unused	
	1	Endress-Hauser	Mypro 2-Wire Transmitter	CLM431-05B2CA	Unused	
	1	Endress-Hauser	CeraBar S Pressure Transmitter	PMC71-RPCDRADAU	Unused	
	1	Endress-Hauser	CeraBar S Pressure Transmitter	PMC71-RBC2CBRADAU	Unused	
	2	Endress-Hauser	CeraBar S Level Transmitter with 2" 150# Flange	PMC71-SACF4FAAU	Unused	
WBA 106	3	Endress-Hauser	TMT 162 Field Transmitter	TMT162-C213AAAKA	Unused	\$
	1	Endress-Hauser	CeraBar S Pressure Transmitter with 2" 150# Flange	PMC71-SAC2FBAFMAA	Unused	
	1	Endress-Hauser	CeraBar S Pressure Transmitter with 1-1/2" 150# Flange	PMC71-RBC2CBAEDTU	Unused	
	3	Endress-Hauser	CeraBar S Pressure Transmitter with 1-1/2" 150# Flange	PMC71-58C1P6AEAAU	Unused	
WBA 107	1	Swagelok	Electric Actuator	MS-142DC	Unused	\$
	1	Parker	Pressure Regulator 1/4" Port	54012684-2	Unused	
	3	Victor	Pressure Regulator 1/4" Port	SGT500/200/4F/4F/05	Unused	
WBA 108	2	Ashcroft	Pressure Switch	B424BXFM	Unused	\$
	1	Amot	Mertal Particle Detector	MPD1RT5W2	Unused	
	1	Parker	Pneumatic Solenoid Valve	T20025H1F15	Unused	
	1	Festo	Push Button Valve	VHEF-P-M52-M-G14	Unused	
	1	Plast-O-Matic	1/2" Relief Valve	LC049H	Unused	
	1	VICI	Temperature Actuator	A60/12-90	Unused	
	1	VICI	Temperature Actuator	A60/2-94	Unused	
	1	VICI	Temperature Actuator	AT36/4-05	Unused	
	1	VICI	Temperature Actuator	A36/2-91	Unused	
	1	VICI	Temperature Actuator	AT90-103	Unused	

LOT	QTY	MFG.	DESCRIPTION	MODEL #	CONDITION	LOT BID
WBA 109	3	Fisher	Pressure Transmitter	RSE24SAP4	Unused	\$
	1	K-Tek	Level Controller 1-1/2" 300# Flange	RS85/A1/WPSS6-R153/56/X/2/FM	Used	
	1	Yokogawa	DP Hart Transmitter with Diaphragm	EJA110A	Unused	
WBA 110	1	Stonel	Quarts Valve Monitor	PQ2LC1R	Unused	\$
	1	Scott Instruments	Gas Sentinel Area Monitor	51-746B	Unused	
	1	Dwyer	Magnehelic Pressure Gage	2010	Unused	
	1	Dwyer	Magnehelic Pressure Gage	2006	Unused	
	1	Dwyer	Magnehelic Pressure Gage	2060	Unused	
	1	Dwyer	Magnehelic Pressure Gage	2000-0	Unused	
	4	Dwyer	Exp. Pressure Switch	1950G-00-B-24-NA	Unused	
	3	Dwyer	Exp. Pressure Switch	1950-00	Unused	
	1	Stonel	Quarts Valve Monitor	QN35C025RA	Unused	
	3	Asco	Temperature Switch	PA10A	Unused	
	1	Accu-Pulse	Pulsation Dampener	APIF-PVDF-V1	Unused	