



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 25-019

MRO Sale

Unused Electrical, Instrumentation, Gauges, and Much More!
Murphy, Kenco, Tronic, Micro Motion, GE, Square D,
Honeywell, Ashcroft

Sealed Bid Sale

Bidder Information

Company: _____

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
(Check One)			

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Friday, July 18th, 2025 @ 2:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 25-019 MRO Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
SF1	13	Ashcroft, Winters, Wika Temperature Gauges Size 0 - 400 F (Filled)	Unused	\$
	15	AShcroft, Winters, Wika Temperature Gauges Size 0 - 500 F (Not Filled)	Unused	
SF2	50	Wika, AB, Chemoil Pressure Gauges size 0 to 600 PSI (Filled)	Unused	\$
	10	Foxboro, McDaniel's Pressure Gauges size 0 to 100 PSI (Not filled)	Unused	
SF3	15	Wika Pressure Gauges 0-600 4 1/2 Face (Filled)	Unused	\$
	13	Wika, Ashcrott Pressure Gauge 0-300 4 1/2 F (Not Filled)	Unused	
SF4	17	Orange Research Differential Pressure Gauge 0 to 150 PSI (Not Filled) also Wika	Unused	\$
	4	Wika Differential Pressure Gauge 0 - 30 PSI (Filled)	Unused	
SF5	6	Murphy Switch Gauge Model #EL150EX	Unused	\$
	2	Murphy Vibration Switch Model #VS-2-EX	Weathered	
	1	Murphy Vibration Switch Model #VS2EXR-24	Unused	
	1	Murphy Pressure Switch Gauge Model #A25P-300EX	Unused	
SF6	4	Murphy Differential Presigauge 0-600 PSI 4-1/2 Face Model #OPLFDP-600	Unused	\$
	3	Murphy Switch Gauge (Filled) 0-1500 PSI Model #OPLFG-R-1500-BC-OS	Unused	
	1	Murphy Switch Gauge 0-400 PSI Model #OPLFG-R-400-BC-OS	Unused	
	1	Murphy Switch Gauge 0-300 PSI Model #45PEF-A-300	Unused	
	1	Murphy Switch Gauge (Filled) 0-10,000 PSI Model #OPLFG-R-10,000BCOS	Unused	
	2	Murphy Switch Gauge 0-10,000 PSI Model #OPLFC-R-10,000	Unused	
	1	Murphy Switch Gauge 0-100 PSI Model #45PEE-R-100	Unused	
	2	Murphy Switch Gauge 0-5000 PSI Model #45PEF-R-5000-BC	Unused	
SF7	4	Murphy Level Switch Model #EL-175-K1	Unused	\$
	1	Murphy Switch Gauge 0-250 F Model #25T-250-25-1/2	Unused	
	1	Murphy Switch Gauge 32-160 F Model #A25T-K-160-50-1/2	Unused	
	1	Murphy Switch Gauge 0-220 F Model #25I-220-10	Unused	
	9	Murphy Tattetal Gauge Model 169PH	Unused	
	1	Murphy Pressure Gauge 0-100 PSI Model #20PE-100	Unused	
	2	Murphy Swith Gauge 0-220 F Model #20T-220-4-1/2	Unused	
	1	Murphy Temp Switch Model #TSB-R165F-74C-1/2	Unused	
	1	Murphy Differential Pressure Switch 0-30PSI Model #	Unused	
	2	Murphy Differential Pressure Gauge 0-30 PSI Model # 20DP-30	Unused	
	4	Murphy Tattetal Gauge (Filled) Model #221-PH-OS	Unused	

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
	1	Murphy Pressure Transmitter 600 PSI Model #PXMS-600	Unused	Lot SF7
	1	Murphy Tattetal Gauge Model #761APH-30-12	Unused	
	5	Murphy Tattetal Gauge Model #274-PH	Unused	
	2	Murphy Switch Gauge 0 to 50 PSI Model #20P7-50	Unused	
	3	Murphy Switch Gauge 0 to 150 PSI Model #20BPG-150	Unused	
	2	Murphy Speed Switch Model #OS-77-1	Unused	
SF8	4	Sets of 2 in a box Kenco Liquid Gauge Valve 1/2" M x 1/2" F P/N KTV50-CS	Unused	\$
	1	Anderson Controls and Level Control Unit 2" Model #4404-1	Unused	
	1	Amot Pressure Sensing Valve Model #1672E1F1-UF	Unused	
	5	REN Oil Level Controller Model #RAB-K	Unused	
SF9	5	Kenco Oil Level Controller Valves 1/2" NPT	Unused	\$
	7	Kenco Oil Level Controller Valves 3/4" NPT	Unused	
	9	Kenco Fire Safety Valve 1/2" NPT Model #50-FS	Unused	
	1	Kenco Fire Safety Valve 3/4" NPT Model #75-FS	Unused	
	5	RexRoth Actuator Model #A-2-H	Unused	
SF10	20	Murphy 2" x 1" NPT 2000 PSI Float Chamber Model #15050697 (8 in Box 12 out of box)	Weathered	\$
SF11	4	Murphy Liquid Level Switch Model #LS200	Unused	\$
	1	Murphy Liquid Level Switch Model #LS200N	Unused	
	3	Murphy Explosion Proof Level Controller Model #LM301-EX	Unused	
	4	Murphy Gas Shut Off Valve Model #M-50-81	Unused	
SF12	5	Murphy Level SwitchGage Model #L129	Unused	\$
	1	Murphy Level Switch Gage 0-20' Model #OPLHACE-20	Unused	
SF13	3	Kenco Oil Level Controller Model #LCM-24-HP-B	Unused	\$
	1	Kenco Oil Level Controller Model #KLCE-24-FS	Unused	
SF14	1	Kenco Oil Level Controller Model #KLE-E-14-FS	Unused	\$
	1	Kenco Oil Level Controller Model #LCE-14-FS	Unused	
	1	Kenco Oil Level Controller Model #KLCE-21	Unused	
SF15	2	Kenco Oil Level Controller Model #KLC-25-FS	Unused	\$
	1	Kenco Oil Level Controller Model #KLCE-27	Unused	
	1	Kenco Oil Level Controller Model #KLCE-17	Unused	
	1	Kenco Oil Level Controller Model #LCP11	Unused	
SF16	3	Kenco Oil Level Controller Model #KLCE-25-FS	Unused	\$
	1	Kenco Oil Level Controller Model #KLCE-9	Unused	
	1	Kenco Oil Level Controller Model #K512	Unused	
SF17	5	Kenco Oil Level Controller Model #KLCE-9	Unused	\$
	1	Kenco Oil Level Controller Model #LCE-21	Unused	

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
SF18	13	Garzo Oil Level Controller Model #11F001	Unused	\$
SF19	15	Altronic Temperature Switch/Gauge Model #DPYH-1392U-K	Unused	\$
	2	Altronic Temperature Switch/Gauge Model #DPYH-1392U-J	Unused	
	4	Altronic Temperature Switch/Gauge Model #DPYH-1301F-K	Unused	
SF20	1	Asco 120/60 VDC 1/2" 2-Way Solenoid Valve Model #EF8202G1/EF8210G30	Unused	\$
	1	Parker 24 VDC 1/4" NPT Solenoid Valve Model #E2001449	Unused	
	1	Versa 3/8" NPT 3-Way Solenoid Valve Model #VSG-3421-XX-DO24	Unused	
	1	Asco 2" NPT Solenoid Valve Model #EF8215C083	Unused	
	1	Metrix Vibration Switch Model #555-0-111-33	Unused	
SF21	3	Altronic Temperature Gauge Model #DPYH-1392-DF	Unused	\$
	1	Altronic Temperature O-60 PSI Pressure Gauge Model #4PSHL	Unused	
	2	Altronic Temperature Switch/Gauge Model #DPYH-1392U-J	Unused	
	1	Altronic Annunciator Model #DD-40NT-C	Unused	
	1	Altronic Shielded Cable Assembly Model #593054-48	Unused	
SF22	2	Mag-tronic Ignition System Model #8C1221L	Used	\$
	1	Mag-tronic Ignition System Model #8C1228L	Used	
	1	Mag-tronic Ignition System Model #8C1210	Used	
	1	Mag-tronic Ignition System (missing name plate)	Used	
	2	Altronic Plates	No Tags	
	32	Trumeter Hour Meter Model #6320-1500-0000	Unused	
SF23	4	Coltec Ignition Coil Model #PPT24-77P	Unused	\$
	1	Altronic O2 Sensor Model #409-9069	Unused	
	1	Altronic CPU2000 Output Module P/N #291132-2	Unused	
	32	Trumeter Hour Meter Model #6320-1500-0000	Unused	
SF24	16	Master Pneumatics 1" NPT Lubricator Model #BL29-E8	Unused	\$
	1	Wilkerson Filter Air Dryer 1/2" NPT Model #X25-04-000	Unused	
SF25	1	Parker 1/4" Regulator Model #06R118AC	Unused	\$
	1	Parker 1/2" NPT Filter Regulator Model #06L34BE	Unused	
	1	Norriseal 1/4" NPT Air Filter Regulator Type 73-60	Unused	
	3	Victor 1/4" Bras Pressure Regulators Model #2064	Unused	
	1	Balston 1/2" NPT Filter Model #82-702A-BX	Unused	
	5	Thermoking Filter Drier P/N #66-4900	Unused	
	1	Spinner II 600 HD Oil Cleaning Centrifuge P/N #71563	Unused	
SF26	33	Altronic Ignition Coil Model #591018	Unused	\$
	1	Altronic Ignition Coil Model #291001-S	Unused	
SF27	10	Murphy Power Ignition Coil Model #IT-230FM	Unused	\$
	10	United Technologies Ignition Transformer Model #CLT10A1-S	Unused	

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
SF28	1	Standard Magneto Ignition System Model #MTC6C1310L	Used	\$
	1	Mag-tronic Ignition System Model #C8C1221L	Used	
	1	Mag-tronic Ignition System Model #C8C1228L	Used	
	1	Fairbank Morse Ignition System Model #17506112	Used	
VTC29	6	Ashcroft 5" by-metal Thermometer 0-200 F Model #30118727-1	Unused	\$
	7	Ashcroft 4 1/2" Filled Pressure Gauge 0-200 PSI Model #45-1279-SSL-04L-200	Unused	
	1	Ashcroft Bellows Gauges 0-10" H2O Model #	Unused	
VTC30	4	Moore Safety Signal Isolator Model #SSX / 4-20MA / 4-20MA / 12-42DC	Unused	\$
	4	Moore AC Current Transmitter Model #ACX / 0-120VAC / 4-20MA / 12-42BC	Unused	
	2	Honey Well I/O Cable Model #MU-KFTA10	Unused	
VTC31	1	Magnetrol Flow Switch 2 1/2" 300 #FLG Model #F10-1E68-CKB	Unused	\$
	1	Potter Flow Switch Model #IFS-1	Unused	
VTC32	13	Packs of 10 Snap it Jr. Pro Plug CS, 6 Brush, 2 Tube Cutter, 1 Pull Rod, Model #ST-JR-837-C	Unused	\$
VTC33	5	Duran Redline Guage Glass Model #1548062122	Unused	\$
SHTC34	3	Tescom Electronic Pressure Controller Model #ER3000	Used	\$
	1	Square D 4 Pole Open Type Contactor 8910DPA24	Unused	
	4	G.E. 20 AMP Molded Circuit Breaker Model # Thed 136020	Unused	
	17	Eaton Heater Pac Model #H2013B-3	Unused	
	12	WSI Fuse Terminal Model # WSI6-2/LD(Box of 25)	Unused	
SHTC35	1	Micro Motion Mass Flow Transmitter Model #2400SIA12B2EZZZ	Used	\$
SHTC36	1	Micro Motion Mass Flow Sensor Model #CMF010M323NU	Unused	\$
SHTC37	1	Micro Motion Elite Remote Flow Transmitter Model #RFT9739E48UJ	Unused	\$
SHTC38	1	Micro Motion Mass Flow Sensor Model #CMF010M323NU	Unused	\$
SHTC39	2	Riotemp By - Metal Thermometer 50-500 F Model "A"	Unused	\$
	6	Dwyer Mini Helic Pressure Gauge 0-5" WC Model #N05K	Unused	
	23	3D Instrument Pressure Gauges with Various Range 30-300 PSI	Unused	
	3	Ametek Pressure Gauges 0-160 PSI Fig #1986	Unused	
	5	USG 4-1/2" Face Pressure Gauges 150-3000 PSI	Unused	
	1	USG 4-1/2" Face Super First Frunt Pressure Gauges 15 PSI- 30VAC	Unused	
SHTC40	2	Electrolthermal Heating Tape Model #HT645S962	Unused	\$
	1	Electrolthermal Heating Tape Model #HT644S962	Unused	
	2	Brisk Heat Heating Tape Model #IFG101012	Unused	
SHTC41	4	King Instrument 5" 5GPM Flowmeter Item #75202105C08	Unused	\$
	1	Wallace and Tiernan ISCFH Purge meter Model #71D073SSXX2	Unused	

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
SHTC42	2	ShelCo 3/4" Threaded Entry Filter and Housin Model # NO TAG	Unused	\$
	1	Pall 1/2" NPT SS Filter Housing Model #MLL4463G8EH13	Unused	
	4	Norgren Lubricator Model #L13-000-MPDO	Unused	
	1	Pall 25 MM Syring Filters P/N #4502 (Pack has 1000 in sealed bag)	Unused	
SHTC43	8	Quantim by Brooks Precision Mass Flow Conroller Model #QMBC4L1B2D1A2A1CH4D7A1AA	Used	\$
	2	Quantim by Brooks Precision Mass Flow Controller Model #QMBC4G1B3D1A2A1CH47A1BA	Used	
SHTC44	7	Quantim by Brooks Precision Mass Flow Controller Model #QMACZ32	Used	\$
	5	Quantim by Brooks Precision Mass Flow Controller Model #QMACZ31	Used	
SHTC45	4	Brooks Precision Mass Flow Controller Model #SLAMF50S1BAB4K2A3	Used	\$
	2	Brooks Precision Mass Flow Controller Model #MF1XA4BN2E2BEA	Used	
	1	Brooks Precision Mass Flow Controller Model #MF5IXA4BK2D2CAA	Used	
	1	Brooks Precision Mass Flow Conroller Model #MF51XA4BN2E2BEA	Unused	
CPP46	1	PELCO Master Cam Power Supply Model #WCS 1-4	Unused	\$
	1	PELCO Spectra HQ Lower Dome Model #LDHQPB-1	Unused	
	1	PELCO Spectra 4 SE Pendant	Unused	
	1	PELCO Spectra IV SL Dome Model #DD423	Unused	
CPP47	3	Ashcroft 4 1/2" Pressure Gauge 0-10 PSI Model #45-1188-SS-04L-10#	Unused	\$
	2	Parker 3/8" NPT Regulator Model #R10-03C/M3	Unused	
	1	Bellofram 1/4" NPT Pressure Regulator Model #961-094-000	Unused	
	1	Brooks 12-100 Linear Flowmeter Model #1350EPIRCNG1A	Unused	
PBAA48	35	Spirax 3/4" NPT SS Strainer with Blow down Model #67986	Unused	\$
	2	Spirax SW SS Strainer with Blow down Model #67996	Unused	
	11	Spirax 3/4" NPT Differentialuseur Model #BF1	Unused	
	4	Spirax 3/4" SW Swivel Connector Model #66190	Unused	
	1	Spirax 1/2" NPT Sub (F) Steam Trap Model #MST21	Unused	
	3	XYLEM 1/2" NPT CS Strainer Model #415C	Unused	
PBAA49	5	G.E. Steady Transformer with green lens Cat #CR104PLG92R	Unused	\$
	5	G.E. Steady Transformer with green lens Cat #CR104PLG92G	Unused	
	1	G.E. Steady Full Votage Indicating Light with Red Lens Cat #CR104PLG22R	Unused	
	1	G.E. Steady Full Votage Indicating Light with Green Light Cat #CR104PLG22G	Unused	
	2	G.E. Yellow Indicating Lamp Cat #0209B4841G008	Unused	
	2	G.E. Red Indicating Lamp Cat #0209B4841G010	Unused	
	1	G.E. Green Indicating Lamp Cat #0209B4841G009	Unused	
	1	Blue Indicating Lamp Cat #0209B4841G017	Unused	
	2	White Indicating Lamp Cat #0209B4841G006	Unused	
	1	Tyco Current Transformer Model #5SFT-600	Unused	
	20	Ferraz Shawmut Various Class K5 Fuses 3 to 20 Amps	Unused	

LOT	QTY	DESCRIPTION	CONDITION	LOT BID
	115	Cooper Buss Fuses MDL-1/2, MDL-2, MDL-3	Unused	Lot PBAA49
	7	Siemens 2 Amp Time Delay Fuse P/N #3NW10220-OHG	Unused	
	1	Trionic 40 Amp Dual Element Time Delay Fuse Model #TR40R	Unused	
	2	Amp Trap 25 Amp Dual Element Time Delay Fuse Model #AJT25	Unused	
	10	Amp Trap 6 Amp Class J Fuse Model #A4J6	Unused	
PA50	7	Nibco Chemtrol 2" Socket CPVC Ball Valves Figure #U45TB-V	Unused	\$
	2	Nibco Chemtrol 3" Threaded CPVC Ball Valve Figure #951014	Unused	
	8	Nibco Chemtrol 1" Threaded Ball Valve Material Polypropylene Figure #T61TBV	Unused	
	4	Nibco Chemtrol 1" Threaded CPVC Valve Figure #U45BCV	Unused	
	1	Nibco Chemtrol 1" Socket CPVC Check Valve Figure #F1970	Unused	
	1	Nibco Chemtrol 3/4" Socket CPVC Check Valve Figure #U45BC-V	Unused	
	4	Nibco Chemtrol 1/2" Socket CPVC Ball Valves Figure #U45TB-V	Unused	
	3	Nibco Chemtrol 1/2" Threaded CPVC Check Valve	Unused	
PA51	2	Nibco Chemtrol 1/2" Socket Polypropylene Ball Valve	Unused	\$
	3	ASAHI 3/4" Socket CPVC Ball Check Valve Figure #NSF61	Unused	
	2	Nibco Chemtrol 1" Threaded Polypropylene Check Valve Figure #T61TBV	Unused	
	1	Nibco Chemtrol 1" Threaded Polypropylene Ball Check Valve Figure #T61TBV	Unused	
	3	ASAHI 2" PVC Butterfly Valve P/N #95B00677A	Unused	
	1	ASAHI 2" PVC Butterfly Valve P/N #97K01498F	Unused	
	2	Hayward 4" PVC Butterfly Valve	Unused	
PA52	1	Appleton 1" Conduit Outbox Series GR-EFHC	Unused	\$
	1	K-TEK 3/4" Threaded Entry Level Switch Model #A77-A-1-004-Z	Unused	
	1	Pushna Thermo Couple Model #1010PAEM with Probe	Unused	
PA53	13	Square D Secondary Surge Arrester Model #SDSA3650	Unused	\$
PA54	4	Dwyer Mag-Nehelic Liquid Level Gauge 0-20" in Water Model #NA	Unused	\$
	1	Dwyer Mag-Nehelic Liquid Level Gauge 0-15" in Water	Unused	
	2	Dwyer Mag-Nehelic 0-5 PSI Pressure Gauge Model #P45NCB-8	Unused	
	1	Pulsa Feeder Magdrive Gear Pump Model #E12ELVF-X	Used	
PA55	1	Bently Nevada Proximitor / Seismic Monitor P/N #3500/42	Unused	\$
	1	Altech Compressure Controller Model #XPRT1	Unused	
	1	Proximity Position Indicating Switch Model #12ADO	Unused	
	2	Flowsolve Automax Ultra Switch Model #XL2P000	Unused	
	1	Westlock Valve Position Monitor Model #9479	Unused	
PA 56	4	Honeywell Pneumatic Thermostat Model #TP970B20774	Unused	\$
	1	Crompton Transducer 253-TALU	Unused	
	1	Allen Bradley 1 Box of 14 Industrial Mounting Clips Model #6189V-MCLPS3	Unused	
	1	Allen Bradley Auxziliary Contact Model #190-A11-11	Unused	