



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 25-032
Electrical Sale
Eaton Crouse Hinds, Siemens, Square D, GE
Breakers, Transformers, Fuses,
Switches and Much More!

Sealed Bid Sale

Bidder Information

Company: _____

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes No
 (Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Thursday, November 6th, 2025 @ 2:00 PM

To inspect material or for additional information contact:
 Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 25-032 Electrical Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 1	1	PWPL48YF3E00X113E	Post Glover Ground Protect Plus Hrg, Low Voltage, 480Vac, Wye, Freestanding Nema 3R, Galvaneal Steel / Ansi 61, 385°C Temp Rise Resistors, Seismic Rated Enclosure, Rated Up To Ss = 3.0, Ip = 1.5 And Z/H = 1/0,	\$
IIP 2	1	ZGOK15X12-BX3XX2XX	Ats -Asco Abb	\$
IIP 3	1	11890-E48	19" Rack, Cube-It Wall-Mount Cabinet, 48"H X 19"W X "18"D, 24U, 28Lbs., Glacier White. UL Listed.	\$
IIP 4	1	260088-01-0066	DC Panel 125 Vdc, 2W, 20Ka Scrr	\$
IIP 5	3	PT7-1-150-SD03449	Pt/ITI, 38Kv Class,150Kv	\$
IIP 6	3	PT7-1-150-SD03449	Pt/ITI, 38Kv Class,150Kv	\$
IIP 7	4	V36.7-2-3452	Amran Mv Custom Potential Transformer 34,500:115, Two Bushings	\$
IIP 8	4	V36.7-2-3452	Amran Mv Custom Potential Transformer 34,500:115, Two Bushings	\$
IIP 9	3	PTW5-1-110-842F	Pt/ITI Model Ptw5	\$
IIP 10	3	PTW5-1-110-842F	Pt/ITI Model Ptw5	\$
IIP 11	3	V36.7-2-2762	Voltage Transformer, 27,600V To 115V, 60Hz, 200Kv Bil	\$
IIP 12	3	V36.7-2-2762	Voltage Transformer, 27,600V To 115V, 60Hz, 200Kv Bil	\$
IIP 13	2	87C1260G73F	Isolation Sw Kit Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard Bolt-On Fuses Including: 400A Fixed Portion Assy, Line Bolted Assy, Phase Barriers, Handle Mech Assy Main Door W/Kirk Lock, 2-Cpi Aux Contacts, Blown Fuse Indicator Option	\$
IIP 14	1	S2A316TVGCXLWEN	Siemens Breaker Wl, 1600Af	\$
IIP 15	1	LEC FGGNANNENNNNNNBDDT WNARNNNAFNNNNNN	Demo Breakers	\$
IIP 16	1	EXN45T3HBCU	Xfmr/Square D,	\$
IIP 17	1	EXN45T3HBCU	Xfmr/Square D,	\$
IIP 18	1	MEJRGHNANNNNNNNNNB NNNNNNNNAMENNNNCN NNNNA	Demo Breakers	\$
IIP 19	1	LAILGGNANNNGNNNNNNN NNNNNNWNAMCNNNACN NNNA	Demo Breakers	\$

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 20	1	MDSC083WEA06CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C08,	\$
IIP 21	1	MDSC083WEA06CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C08,	\$
IIP 22	1	MDSC083WEA06CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C08,	\$
IIP 23	1	MDSC083WEA06CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C08,	\$
IIP 24	1	MDS6083WEA08CQAWAN6 YNANAX	Circuit Breaker, Low Voltage, Eaton, Mds608, Eo/Do,	\$
IIP 25	1	MDSC323WEA32CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C32,	\$
IIP 26	1	MDSC083WEA08CXAWAN 4YHANAX	Magnum Air Circuit, Breakers, Breaker, Mds-C08,	\$
IIP 27	1	MDS6083WEA08CQAWAN6 YNANAX	Circuit Breaker, Low Voltage, Eaton, Mds608, Eo/Do,	\$
IIP 28	1	MPS6083WEA022HAWAND YMANAX	Circuit Breaker Magnum Pxr Mps608	\$
IIP 29	1	MPS6083WEA022HAWAND YMANAX	Circuit Breaker Magnum Pxr Mps608	\$
IIP 30	2	87C1260G76	Main Non-Latch Bolted-On Type Contactor 400A 7.2Kv Eaton C-H, Ng-Ampgard Type Sl, 3P, 120Vac Close.	\$
IIP 31	2	87C1260G76	Main Non-Latch Bolted-On Type Contactor 400A 7.2Kv Eaton C-H, Ng-Ampgard Type Sl, 3P, 120Vac Close.	\$
IIP 32	2	87C1260G76	Main Non-Latch Bolted-On Type Contactor 400A 7.2Kv Eaton C-H, Ng-Ampgard Type Sl, 3P, 120Vac Close.	\$
IIP 33	3	87C1260G73F	Isolation Sw Kit Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard Bolt-On Fuses Including: 400A Fixed Portion Assy, Line Bolted Assy, Phase Barriers, Handle Mech Assy Main Door W/Kirk Lock, 2-Cpi Aux Contacts, Blown Fuse Indicator Option	\$
IIP 34	2	87C1260G73F	Isolation Sw Kit Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard Bolt-On Fuses Including: 400A Fixed Portion Assy, Line Bolted Assy, Phase Barriers, Handle Mech Assy Main Door W/Kirk Lock, 2-Cpi Aux Contacts, Blown Fuse Indicator Option	\$
IIP 35	1	DTNF363	Siemens Breaker Control Switch, Trip And Close, 4-Contacts	\$
IIP 36	2	P21850	Meter Relay/Crompton, 0-300V Scale, 120Vac Aux Power, 2 Output Relays, 2 Set Points, High Relay Downscale Energize, Low Relay Upscale Energize, UI Recognized.	\$
IIP 37	1	260282-07-00-2	Exhaust Fan C1 D2 Group B, C & D	\$
IIP 38	2	HF364R	Siemens Heavy Duty Safety Switch - Fusible 3P3W 600V 200A N3R	\$
IIP 39	1	87C1260G08	Main Contactor Latched 400A 7.2Kv Eaton C-H	\$
IIP 40	1	87C1261G04	Main Contactor 800A 7.2Kv Eaton C-H	\$
IIP 41	8	PD-SR-IPDS-15	Eaton/ Ipds Integrated Partial Discharge Sensor	\$

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 42	36	CT233-122	Amran Current Transformer 600V, 1200:5A Ratio, 10Kv Bil, Class C10	\$
IIP 43	2	DH264FGK	Fusible DC Disconnect	\$
IIP 44	2	HU364	Schneider Electric Single Throw Safety Sw/	\$
IIP 45	2	HU364	Schneider Electric Single Throw Safety Sw/	\$
IIP 46	2	HU364	Schneider Electric Single Throw Safety Sw/	\$
IIP 47	2	HU364	Schneider Electric Single Throw Safety Sw/	\$
IIP 48	1	260088-01-00-1	Seq: 1: 120/240V Ac Panel, 1Ph, 3W, 60Hz, Scrr: 22Ka, Single Main: 150A/2P Qd Circuit Breaker, Bus: 225A Rated Cu, Type 1 Box: 44"H X 20"W X 5.75D, Ref Drawing: Pba707A, Per Schneider Electric Quote: Q-5145145, Qty: 1	\$
	1	259777-01-00-1	Panelboard, Siemens, Type P1, Surface Mounted/Nema 1, 250A Tin Plated Copper Main Bus, Copper Neutral, Copper Ground Bus, 100A Main Bkr (Type Bl), Horizontal Main, 208/120Vac, 3P, 4W, 42 Ckt Spaces, 22Kaic, Top Feed,	
IIP 49	1	260088-01-00-2	Seq 2: 120/240V Ac Panel, 1Ph, 3W, 60Hz, Scrr: 22Ka, Single Main: 150A/2P Qd Circuit Breaker, Bus: 225A Rated Cu, Type 1 Box: 44"H X 20"W X 5.75D, Ref Drawing: Pba707A, Per Schneider Electric Quote: Q-5145145, Qty: 1	\$
IIP 50	65	MIC-800H-B6	Cfe - A-B	\$
IIP 51	65	MIC-800H-B6	Cfe - A-B	\$
IIP 52	1	561-162	General Electric Current Transformer	\$
	3	PT104-480	Main Contactor Latched 400A 7.2Kv Eaton C-H Amran Transformer	
	13	CT230-601	Amran Current Transformer	
	3	CT230-501	Amran Current Transformer	
	3	CT230-801	Amran Current Transformer	
	1	CAT 785-402	Current Transformer	
	3	CT375-500	Amran Current Transformer	
	3	CT375-122	Amran Current Transformer	
	1	PTW-3-1-SD02657	Vacuum Breaker Test Transformer	
	11	561-162	Single Phase Current Transformer	
IIP 53	20	7022AK	Timing Rel/Agastat	LOT IIP 53
	33	PT-G503-PHR-PTP-HV	Moxa Managed Redundancy Box, (85 To 264 Vac, 88 To 300 Vdc)	
	7	7022AK	Timing Rel/Agastat	
	1	EDS-518E-MM-ST-4GTXSFP	Ethernet Switch, (Moxa), Moxa Managed Gigabit Ethernet Switch With 12 10/100Baset(X) Ports, 4 10/100/1000Baset(X) Or 100/1000Basesfp Ports, 2 100Basefx Multi-Mode Ports With St Connectors.	
	2	7014PA	Timing Rel/Agastat	
	1	7022AK	Timing Rel/Agastat	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 53	6	F2CLCSTMM-35	Cable,Commun/Data/Voice,Fiber,Fiber Optic Cable/ Jar Industries, Llc	\$
	4	7022PJ	Agastat Timer	
	1	E05-50A-3GT	Moxa Relay	
	6	PT-G503-PHR-PTP-HV	Moxa Relay	
	6	CTDB-6(120V)	Electromagnetic Industries	
	1	XM408-4C	Siemens Ethernet Switch	
	1	7012PC	Agastat Relay	
IIP 54	3	A072B2D0R0-300E	Bolted Fuse Clf 300E, 7.2Kv	\$
	12	A480R18R-1	Fuse Clf 4.8Kv 18R 390A	
	2	ATM2	Fuse,Low Voltage,,Mersen Amp-Trap Fast-Acting Midget Fuse, 600Vac/Dc, 2A Ratings, 100Ka Ir, Ul Listed File E33925, Csa No. 248.14	
	1	7BCLS-6R	Fuse,Medium Voltage,,Eaton Bcls, Bolt-In Type, 8.3Kv Max, 6R - 170A, 50Ka Sym., Size D - 3" Ferrule Diameter., Single Barrel, Lenght - 19.25", Weight - 7Lbs.	
	2	5BHLE-65E	Fuse Hle-65E 5.5Kv Bolt-In Type, Eaton C-H	
	1	A055B2D0R0-600E	Fuse Clf 5.5Kv 600E 63Ka	
	2	A051B1DHR0-2R	Mersen Fuse 2R	
IIP 55	7	08590	Mersen Large Pdb Cover	\$
	2	C273A-100	Cable,Commun/Data/Voice,Copper,Electrical Data Cable. For SEL-300/400/500/700 Series (Except SEL-321) To SEL Comm Processors (Data And Irig-B). 100Ft Long.	
	20	3UF79410AA000	Usb Pc Cable For Siemens Simocode.	
	2	C80407XXXX	Eaton/ Ipds Integrated Partial Discharge Sensor	
	1	C607-010	Cable, Communication/Data/Voice, Cat 6, SEL	
	6	C607-050	Cable, Communication/Data/Voice, Cat 5E, SEL	
	2	C607-055	Cable, Communication/Data/Voice, Cat 5E, SEL	
	3	C607-065	Cable, Communication/Data/Voice, Cat 5E, SEL	
	1	F2CLCSTMM-05	Cable,Commun/Data/Voice,Fiber,Fiber Optic Cable/ Jar Industries, Llc	
	2	F2CLCSTMM-015	62.5/125 Micron Multimode Fiber-Optic Cable Zipcord 2 Fibers Lc/St Connectors 15 Feet	
	3	F2CLCSTMM-25		
	2	F2CLCSTMM-40	Fiber Optic Cable/ Jar Industries, Llc	
	4	F2CLCSTMM-45	Cable,Commun/Data/Voice,Fiber,Fiber Optic Cable/ Jar Industries, Llc	
	17	C80405XXXX	Cable, SEL-C804 Multimode Arc-Flash Detection (Afd) Fiber-Optic Sensor, 5 Meter Point Sensor Fiber Length	
	1	FCSM2LCLC-90	Duplex Zipcord, Single Mode Pvc Jacket With Lc Connectors At Both Ends, 90Ft Length.	
	2	FCSM2LCST-015	Duplex Zipcord, Single Mode Pvc Jacket With St Connector At One End And Lc Connector At The Other, 15Ft Length	
	2	17405-8-B1	Cable,Portable Cord,,Volex 6Ft Cord W Grd./	
1	CA0021306	Gps Antenna Cable.Arbitr Systems Inc		
1	C962-030	Cable,Commun/Data/Voice,Copper,Comm Cable Type C962, 30Ft Length, Rg-58 Coaxial With 1-Bnc At One End And Tin, Leads (2) At The Other End; For Gps Clock		
1	C962-060	Cable,Commun/Data/Voice,Copper,SEL Type C962 For Irig-B Clock Signal. Bnc Male Connector At One End And 2 Tin Breakouts On Other End, 60Ft Long.		

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
	1	F2CSTSTMM-060	Cable,Commun/Data/Voice,Fiber,Fiber Optic Cable/ Jar Industries, Llc, Duplex Zipcord, Multi Mode Pvc Jacket With St Connectors At Both Ends, 62.5/125 60Ft Length.	LOT IIP 55
	2	C808Z020SSX0005	Fiber Cable Com/Data	
	4	C808Z020SSX0008	Fiber Cable Com/Data	
	1	C80403XXXXX	Fiber Optic Cable	
	2	C273A-080	Cable, Com/Data/Voice	
	2	C246-015	Cable, Com/Data/Voice	
IIP 56	1	007-05FA-LSSJ-C7	Meter,Single Function,Analog,0-600A, 0-5A Rms Input, 50/60Hz, Ansi C39.1, Class 1 Accuracy, 240Deg Long Scale	\$
	3	239-304a-rxrx-ac	50/60 Hz Transformer Relay Voltage Meter	
	1	FT-098	Ethernet Switch, (Moxa), Moxa Managed Gigabit Ethernet Switch With 12 10/100Baset(X) Ports, 4 10/100/1000Baset(X) Or 100/1000Basesfp Ports, 2 100Basefx Multi-Mode Ports With St Connectors. Ge Test Switch 10 Poles	
	1	3VA5130-4ED11-0AA0\	Siemens Cb 480V Ip 125A	
	2	H600A1014	Humidistat, Honeywell	
	12	632A305W	E-Max, White LED Indicating Light, 48Vdc, 200 Milli- Second Time Delay With Spdt Contacts.	
	530	AC05000008201JAC00	Resistor; Manufactured By Vishay; Wirewound; 8.2 Kilohms; 5W; 5%; Axial; Ceramic Core; Supplied Via Allied Electronics Stock Number: 70122924	
	1	007-05FA-LSRL-C7	Meter,Single Function,Analog,0-200A, 0-5A Rms Input, 50/60Hz, Ansi C39.1, Class 1 Accuracy, 240Deg Long Scale	
	1	007-05FA-LSSJ-C7	Meter,Single Function,Analog,0-600A, 0-5A Rms Input, 50/60Hz, Ansi C39.1, Class 1 Accuracy, 240Deg Long Scale	
	30	V275LA20A	Var, Mov, 275V, 75 Joules	
	1	WLGSGSW6	Wl Breaker Position	
	1	MDR-20-24	Power Supply.	
	7	DNF14-188FIB-M	Panduit Female Disconnect Fork Lug Size 0.188 14 Awg	
	38	293150	Resistor,150 Xicon, 1/2	
	5	2GL54-73	Carling Switch	
	4	PT02A-10-98S	Conn Rcpt Fmale 6Pos Solder Cup	
	2	012-75AA-LSTE-C7-B3	2.5" Saxon Panel Ac Ammeter, 0-5 Amp Ac Input, 0-1.6 Kiloamp Ac Scale, 3 Mounting Studs, Ansi C39.1 Ul	
	1	40793P01	Secondary Disconnect Male Plug	
	1	SRPG400A250	General Electric Rating Plug 250A For	
	1	UTS14	Test Switch	
	1	BM2303020964	Siemens Type A Curr Term	
	1	QUINT-PS-100-240AC/24DX1S	Phoenix Contact Quint Power	
	1	1606-XLS80E	A-B Power Supply	
	1	007-05GA-PZUL-C7	Crompton Meter Analog	
	2	HGA111J9	Aux Rel 120Vac, 60 Hz	
	3	6GK5992-1AM00-8AA0	Siemens Accessory Terminal	
	1	AEM-2020	Basler Electric Control Power	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
	8	T675A1565	Honeywell Remote Bulb Temperature Control	LOT IIP 56
	5	007-05FA-LSPZ-C7	Meter, Single Function Analog	
	4	007-05FA-LSRX-C7	Meter, Single Function Analog	
	3	KUEP-11D15-125	Potter & Brumfield Relay	
	4	FN-50-50	Crompton 50 Millivolts Dc Ammeter Shunt, For 50A Dc Ammeter	IIP 57
	1	2320144	Phoenix Quint Dc/Dc Converter For Din Rail Mounting With Sfb (Selective Fuse Breaking) Technology, Input: 48 V Dc, Output: 24 V Dc/5 A	
	15	97-3106A-28-20P	Amphenol Industrial 97-3106A-28-20P Circular Connector Plug Size 28, 14 Position, Cable	
	1	S06DA15FC	Surge Suppressor	
	28	E/UK	Phoenix Terminal Strip End Bracket	
	5	VS-36MB120A	Bridge Rectifier Single Phase; Vmax= 1200V, Imax= 35A, Bridge Rectifier Modules, Single Phase, 35A 1.2Kv, Qc; No. Of Phases:Single Phase; Repetitive Reverse Voltage Vrrm Max:1.2Kv; Forward Current If(Av):35A;	
	6	RLU120LA-PLLAR	Electrical Component,Other,,Control Concepts LED Indicating Light C3 Control 30Mm	
	1	21254	Leviton 4-In-1 Receptacle	
	4	CCH-CP12-19T	Raceway,Conduit Fitting,Non-Hazardous,Panel, Connector, Cch, 12 Fo Sm,St,Os2	
	3	LGYN12515	Schneider, Neutral Terminal Strip, 15 Connection Capacity, 1X ?0.37", 3X?0.33", 11X?0.26".	
	1	985.781OL	Motor,,,3/8" Sq Shaft	
	14	16-S1	Secondary Contact Block/	
	2	BR1C3UC	3A One Pole, Weidmuller Miniature, Branch Circuit Breaker UI 489, Din Rail Mounted, 240Vac 10Ka, C Curve, UI Listed E359964	
	3	MAR1341305	Marathon Power Distribution Block, 600V, 350A, 1 Pole, Line: (2) #2/0 - #14Awg, Load: (2) #2/0 - #14Awg, Thermoplastic, Aluminum, Tin Plated Connector & Terminal Set Screws, Zinc Plated Mounting Connector Screws	
	1	2-1319F-50	Durham Testswitch	
	3	RM25030-3SR	Bussmann/Cooper Type Fuse Block	
	2	BR1C25UC	Weidmuller Miniature Circuit Breaker 1-Pole, 25A, 125Vdc/480Y/277Vac, 50/60Hz 10Ka, C Curve, Branch Circuit Breaker UI 489 Din Rail Mounted	
	1	MPDB62193	Terminal Block,Power, Power Distribution Block, 600V, 175A, 3 Pole, Copper,	
	3	BCLL11	C2000 Aux Contact Blk 1No-1Nc, Side Mounted	
	1	GSF20	Appleton/Egs Slipfitter	
	6	CR151B61AF	Terminal Block,Power,,6 Pole, 30A Head Screw Both Sides With White Marking Strip And Plastic Cover	
	4	TL387-ND	Digikey, Modular Connection Coupler Rj-45 To Rj-45, Cat5E	
	8	YA26	Burndy Cu Comp Lug, #2/0, 3/8	
	1	YA28	Burndy Type Ya 4/0 Compression	
	1	QC2050	West Mc/Cb 2P 50A Quick Lag.	
	120	PV10-10R-D	Ring Tongue-Vinyl Insulated Terminal Lug, Wire Range 12-10, Stud Size #10	
	1	MPDB62190	Terminal Block,Power, Power Distribution Block, 600V, 175A, Added, Copper,	
	3	TGL2	Equipment Ground Kit For	
	1	PDG23M0015TFF1	Eaton Circuit Breaker	
	4	BR1C630C	Weidmuller Circuit Breaker	
	6	BR1C20UC	Weidmuller Circuit Breaker	
	2	THQC2150	Circuit Breaker	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 58	1	9253C03H04	Transformer,Current,Single Phase,Neutral Sensor/C-H 400A	\$
	2	ICT92A06	Ct, Ict92 Mr, 2000/5A, 10 Kv Bil, 60 Hz, Multi Ratio, Relay Class: C400	
	11	1-OCP-100	Open Circuit Protector,	
	1	21-101	Transformer, Current, Single Phase, General Electric/ITI Model 21, Single Ratio, Ratio 100:5A, Frequency 50-400Hz, Insulation Level 0.6Kv, Bil 10Kv, Relay Class C10,	
	1	21-201	Ct/ITI 200/5A, C20	
	1	110-601	Ct/ITI 600/5A 25-400Hz	
	1	SCT-1250-400	Magnelab,0-400A Split Core Cts, 600V Class, 8' Wire Length, 1.25" Ct Opening Size.	
	1	F2HDJ62.5STST-005	62.5/125 Micron Multimode Fiber-Optic Cable Heavy Duty Jacket 2 Fibers St Connectors Both Ends, 5 Feet Long	
	5	P21854	Snc Mfg Transformer	
	6	561-801	Current Transformer	
	3	ECT230422277	400A Transformer Sensor	
	1	CT377-122	Amran Current Transformer	
IIP 59	10	MBL2230B2GLG	Light,Hazardous,Outdoor,Killark, 22W LED Fixture, 120/277V, Wall Mount ,Globe W/ Guard, Class 1, Div2, Groups A,B,C,D	\$
IIP 60	2	2725#BGG9	Computer,Hardware,Ethernet Switch,2 Fiber Optic Ports, 3 Electrical Ports, 125/250 Vdc Or Vac, 100Base-Fx Fiber Interface, Lc Connector, Multimode Fiber.	\$
	1	2505332XX	SEL 2502 Remote I/O Module	
	1	751A#2H4D	P/N: 751A01A6X1A72850200, Relay, Protection, Multifunction, SEL-751A Feeder Protection Relay	
	1	451#JCGH	SEL 451-5 Relay, P/N 0451561Exc0X4H3B4Xxxx, 125Vdc Control Voltage, Mounted On The Door. Firmware As Per "Dominion Special Specification At SEL".	
	4	751#6D97	Relay,Protection,Distribution,SEL-751 Part #751401Aba1A70851Dc1 Reclosing And Directional Advance Features 2X16 Lcd With 4 Pushbuttons	
	1	751#9BMF	SEL-751 (751001Acaba7085Bcc0) Feeder Protection Relay	
	2	487V#MW2Y	SEL Protection Relay	
IIP 61	9	CT355-500	Amran Current Transformer 600V, 50:5A Ratio, 10Kv Bil, Class C20, 7.31" Dia. Window	\$
IIP 62	4	HID-3-2	Relay,Protection,Load Measuring,High Inpedance	\$
	1	845EP5H5G5HNNALAGMPF CSENNBN1	General Electric Multilin 845 Transformer Protection System	
	1	HID-3-2	Relay,Protection,Load Measuring,High Inpedance	
IIP 63	3	26264P00000866	Filler Riser Bus Support Block	\$
	6	26264P00000867	Retainer Riser Support 2000A Filler	
	6	17373P01554929	Neoprene Adhesive Back Gasket 1/4" X 3/4" X 15.114"	
	4	1704142	Barrier.Isolation...Phase Barrier, Contactor, 800A	
	16	0329B8022P001	Supt*G*	
	10	90265P01	Bracket Glastic Bus Support Porcelain	
	1	1591258	Element.... Transition, Bus Support	
	1	1591257	Bus Support, Transition	
	12		Red Cover Isolator	
	4	0346A9238P00L	Red Cover Pull To Trip Button	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 64	150	C774B430G18	Switch/Pushbutton,Test,,Abb Ft-1 Test Switch, Consisting Of 6 Current & 4 Potential Poles With Clear Cover.	\$
	1	FT4A14T06CN4263	Switch/Pushbutton,Test,,Abb Ft-14 Style, Clear Cover, Screw Terminals,Standard Depth, 8C/6P,	
	10	C129A529G01	Switch/Pushbutton,Test,,Abb Type Ft Test Switch 10 Pole, 10 Current	
	2	CT40100	Test Switch, Mps, Uts14 Style, Clear Cover, Screw Terminals, Arrangement P P P P P P P P P P P P P P P P	
	9	C129A529G01B	Abb Ft1 Switch	
	2	CT855	Test Switch	
IIP 65a	1	AEAB3036DS	Disconnect Switch, 480V, 3Ph, Non Fused, 30A, Class 1, Div 2	\$
	6	87C1260G85	Line Connector Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard For Non-Main W/O Iso-Sw Bolted-On Type SI Contactor.	
	9	87C1260G86	Load Connector Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard For Bolted-On Type SI Contactor.	
IIP 65b	1	87C1260G85	Line Connector Bolted-On Type 400A 7.2Kv Eaton C-H, Ng-Ampgard For Non-Main W/O Iso-Sw Bolted-On Type SI Contactor.	\$
IIP 66	8	70001	5 Kv Porc Stand-Off Insul	\$
	3	402902A01	Piedmont Porcelain Main	
	1	UNS06040B0D0A1A	Surge Arrestor Distribution Class, Polymer, 5.1Kv Mcov, Stud Mounted	
	1	UNS06040B0D0A1A	Mov Arrestor 6Kv 5.1 Mcov	
IIP 67	15	931N-C141	Allen Bradley Analog Signal Converter-Input Loop, 1 Channel, 4...20Ma, 0...23Ma Current Input; 1 Channel, 0...20Ma,4...20Ma, 0...23Ma Current Output. 0.24"W X 4.43"H X 4.5"D.	\$
	5	700-P400A1	Rel/Ab Type 700-P 4No Contacts 115/120Vac 60Hz	
	3	QBHW2060H	Eaton Cb 60A, 22 Kaic, Two-Pole, 240 V, Qbhw,	
	2	QBHW1020H08	Eaton Breaker Qbhw1020,1Pole ,20A, 120 Vac	
	4	H2007B-3	C-H C306 Class 20 O/L	
	2	H2024-3	C-H C306 Class 20 O/L	
	2	H2012B-3	C-H C306 Class 20 O/L	
	2	700-PB40	A-B Type Pk	
IIP 68	18	MOD-CF3PB	Fiberglass Reinforced Polyester, 8 X 4 X 4, Push Button Enclosure With Hole For 1/2" Conduit Fitting.	\$
	1	51038P03	Box, Control	
	1	10323	Hhc Spinner	
	3	51702G93	Secondary Disc 32-Pin -4 Breaker Cell 80" Cable Uncut	
	1	1UHH1	Thermostat. Dayton. 30 To 110 Deg Adj	
IIP 69	2	2641d	Transformer, Potential, 600V Rated, Ratio 4:1, 480V Primary, 120V Secondary, 150Va@30C (Unfused) Electro Switch Braker Control	\$
	1	5522091-REVISION-B	Interposing Relay Block/	
	2	78PBWXAX15D	Electroswitch Lor, W/Manual Reset , 125Vdc, 15 Deck, 30No+30Nc, W/Amber LED For Trip Ind, V=125Vdc, White LED For Reset	
	34	219XDXP-24VDC	Relay, S-D 24Vdc, 4Pdt,	
	1	74203D	Double Throw Switch,	
	6	219XDXP-120VAC	Aux Rly, S & D, 120Vac,	
	2	010B-1B-18A	Escutcheon, Electroswitch	
	11	0346A9457P003	P9Cpnavg Standard Pb Pulsante Normale	
2	2636D	Breaker Control Switch, Trip Only, 2-Contacts		

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
	1	KRPA-14AY-120	P & B General Purpose Relay, Krpa Series, 3 Form C Contacts, 120Vac Coil Voltage, 50/60Hz, Ag Contact Material	LOT IIP 69
	1	RR2BA-US-DC110V	With No Indicator Lamp, Relay, Idec 110Vdc	
	1	053B-2C16GC	Nameplate, Engraved, For Electroswitch 20Kb-2256D4 , For 43Co, Engraved: (Title = 43Co, 10:30 = Cutout, 1:30 = Normal)	
IIP 70	17	751A#Y25C	Relay,Protection,Multifunction,SEL-751A, Feeder Protection Relay,	\$
	7	751A#Y25C	Relay,Protection,Multifunction,SEL-751A, Feeder Protection Relay,	
	10	94815A107	½-10 Acme Hex Nut	LOT IIP 71
	8	12291-701	Chatsworth 10 Inch Deep Shelf; 19"W X 2.19"H X 1"D; Black; Single; Non-Vented	
	3	0209B4489P001	Rod	
	45	52AAGM	Push Button Metal Guard.	
	8	50676P04	Unit.Breaker...Plunger	
	34	92210A623	3/8-16 X 7/8" Long Flat Head Socket Screw 18-8 Stainless Steel	
	5	77360P04	Bar Handle	
	4	93750A315	T-Handle With Lanyard Quick Release Pin 1/4" Diameter 2" Usable Length	
	2	N1P1616	Enclosure,Indoor,Wall Mount,Wiegmann N1P Series Back Panel, 13"H X 14.5"W, 14 Gauge Steel, White	
	7	660	Raco 660 Convenience Outlet/Receptacle Box	
	1	150003P055	Adjustment Nut, Adjustment Arm, Left Side, Lift Truck	
	2	150039P1527	Sd Switch Ps	
	2	5UX74	Hardware,Fastener,Standard,Swivel Caster W/ Brake, Light To Medium Duty, Wheel Dia 5 In, Load Rating 280 Lb,	
	4	3043T15	U-Bolt 1/4 X 1-1/8 X 2	
	6	50703P02	Comp Spring, 1.687 Od X	
	5	213-0403	Subassembly,Mechanical,,Tube - Pull Handle	
	4	61750P21	Moc Drive Pin	
	6	90572A400	18-8 Ss Weld Nut, Narrow Base, 1/4-20 Thread	
	2	65189P01	Stop Racking Arm	
	2	NTE5324	Bridge Rectifier Single Phase; Vmax= 1200V, Imax= 35A. Package / Case: D-34, Peak Reverse Voltage: 400V, Foward Voltage: 1.11V, Max Surge Amps: 420A	
	3	23231P00000651	Tie Bar	
	1	0282A2109P001	Adj Seismic	
	22	PQC-1342	Hold-Down Clip For Eaton 24Vdc Rl Plug-In Relay	
	1	50703P40	Compression Spring	
	6	50269P01	Contact Spring Yoke Casting	
	8	61701P75	Stop Pin	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID	
IIP 71	2	60713P04	Racking Shaft Key, Slimvac 27 Ers "B"	\$	
	3	77147P23	Nd Ers Racking Shaft Sleeve (Ers Design)		
	1	8494T13	Black Oxide Steel Screw-Pin Shackle McMaster-Carr #8494T13		
	1	66253P03	Push To Trip Rod		
	5	91166A210	Zinc-Plated Steel Washer For M3 Screw Size, 3.2 Mm Id, 7 Mm Od		
	13	700-HN114	Retainer Clip For Cat. Nos. 700-Hn103, -Hn104, -Hn128 Sockets With 700-Hc Relays		
	5	23232P80010001	Shutter Interlock Shaft		
	4	61236P01	Moc Operator Pin		
	2	150003P028	Rail Stop, Lift Truck		
	6	50712P24	Spring Pin .0625 X .4375, McMaster-Carr 98296A025		
	2	63195K71	Hardware,Fastener,Standard,Ball Joint Bearing, Qa1 Precision Products P/N Com8		
	20	0282A2982P001	Pin;Sign		
	1	DRP-03	Din Rail Mounting Plate Accessory		
	21	92505A624	3/8-16 X 1 Extended Point Set Screw		
	2	65197P01	Spacer Limit Sleeve		
	12	50214P02	Secondary Trip Prop Spacer		
	7	1AW03	Subassembly,Mechanical,,1/2" Drive Extension W/		
	4	09095P00000226	Push Rod Body		
	5	QCBCLIP	Clamp Accessory For Eaton Qc Type Breaker, Panel Mount Base.		
	1	91280A224	M5 X 0.8 Mm Thread, 12 Mm Long, Medium-Strength Class 8.8 Steel Hex Head Screw, Zinc-Plated		
	8	94500A223	M3 X 0.5Mm Thread, 10Mm Long, 316 Stainless Steel Button Head Hex Drive Screw		
	50	94105A830	10-32X3/4 Long, Set Screw, McMaster-Carr 94105A830		
	2	49492P00000701	Racking Pin		
	8	91202A230	Zinc-Plated Steel Split Lock Washer For M5 Screw Size, 5.4 Mm Id, 9.2 Mm Od		
	14	91292A110	M3 X 0.5 Mm Thread, 5 Mm Long, 18-8 Stainless Steel Socket Head Screw		
	500	91100A140	Zinc-Plated Steel Oversized Washer For M5 Screw Size, 5.3 Mm Id, 15 Mm Od		
	500	94500A227	316 Stainless Steel Button Head Hex Drive Screws, M4 X 0.7Mm Thread, 10Mm Long		
	22	77331P02	Spacer Front Moc Shaft		
	75	0201605	Phoenix Cross Connection Bar		
	3	63195K10	Steel Ball Swivel Bearing		
	2	FNM-1-1/2	Bussmann/Copper Fuse 1 1/2 Amp, 250V		LOT IIP 72
	9	ATMR2-1/2	Pri Fu 2-1/2 Amp R General Electric		
	8	H25030-2S	Fuse Block/Usd 30A,250V,		
	7	TRS25RID	Fuse/Shawmut, 600Vac, Dc		
	4	LPS-RK-45SP	Bussmann/Cooper Fuse 45A 600V, 300Vdc, Ac: 300,000A Rms Sym., Dc: 100,000A Rms Sym. Dual-Element, Time-Delay – 10 Seconds (Minimum) At 500% Rated Current Current-Limiting.		
	1	L225J500E	Power Resistor		
6	FRS-R-175	Bussmann/Cooper Fuse, 175 Amp, 600Vac, 300Vdc, 200Ka Vac Rms Sym., 20Ka Vdc.			
1	F30A2S	Marathon 2P/30A 250V Fuse			
12	FNQ-R-6	Fuse, Control, 6A, 600V.,			
2	0116B6708G5	Lamp/Et-16 Swbd Pnl			
6	LPS-RK-20SP	Bussmann/Cooper Fuse, 20A,			

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
IIP 72	10	FNM-15	Bussmann/Cooper Fuse 250V 15A	\$
	6	LPJ-25SP	Bussmann/Cooper Fuse, 25A, 600V,	
	6	TRM1/2	Shawmut-1/2A 250V Fu-Mcc	
	2	OT35	Gould-Shawmut Fuse	
	10	OT15	Fuse,Low Voltage,,15A 250Vac, 50Ka I.R., 250Vdc, 20Ka I.R., UI Listed	
	5	RM25030-1SR	Bussmann/Cooper Fuse Block, Bussman,	
	1	TRM3	Shawmut-3A 250V Fu-Mcc	
	2	LPJ-10SP	Bussmann/Cooper Fuse,10A Clf,	
	4	OTM25	Fuse,Low Voltage,,Fuse, 25A	
	6	FRS-R-60	Bussmann/Cooper Fuse, 60 Amp, 600Vac, 250Vdc, 200Ka Vac Rms Sym., 20Ka Vdc.	
	2	U71006	Fuse Holder, Mersen,	
	2	FRS-R-3	Bussmann/Cooper Fuse, 3 Amp, 600Vac, 300Vdc, 200Ka Vac Rms Sym., 20Ka Vdc.	
	4	LPS-RK-10SP	Bussmann/Cooper Fuse 10A 600V, 300Vdc, Ac: 300,000A Rms Sym., Dc: 100,000A Rms Sym. Dual-Element, Time-Delay – 10 Seconds (Minimum) At 500% Rated Current Current-Limiting.	
	4	MPDBC6667	Marsen Cover	
IIP 73	3	1187342	Element...Size 3 Plexiglas Small L Shaped 1.75 X .125	\$
	5	29246	Carrier,Tag,Scht 5, 44.5Lx19.5Mmw	
	8	255426-04-00-12	Terminal Strip Markers	
	10	1050000000	Wap2.5-10 - End Plate/Partition	
	5	0800307	Phoenix	
	8	473560001	Weidmuller Marking Tags, Type Dek5Fs,	
	IIP	256171-05-00-752	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): S4Ot, S4Bf, S4Fs, S352B, S452B, Mbf, 19, 20, 21, 22, 23, 24	
	24	256171-05-00-750	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Rfb, Rfc, 86B, Xfr, 17,18, 19, 20, 21, 22, 23, 24	
	24	256171-05-00-751	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Tr, Cl, Rfa, Rfb, Rfc, 86B, 19, 20, 21, 22, 23, 24	
	23	256171-05-00-741	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Asl/R, Sn, Tr, Cl, Sn2, Exfr, Dxfr, Cm3, 21, 22, 23, 24	
	23	256171-05-00-749	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): S3Ot, S1Bf, S2Bf, S3Bf, Lrs, S1Ot, S2Ot, S1Fs, S2Fs, S3Fs, S152B, S252B	
	24	256171-05-00-742	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Sp, S, Cm1, Toc, 50Falm, Cm2, 86Bt3, Cm3, Rft, L/R, 86P, Sn	
	24	256171-05-00-744	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Sp, S, Cm1, Toc, 50Falm, Cm2, L/R, 86P, Sn, Tr, Cl, Rfa	
	23	256171-05-00-748	Concentric Devices Id Strip Used For Tb 30Tb12, Custom Marked (Commas Not To Be Included In Id Strip): Cl, Cb1-Tr, Cb1-Cl, Cb2-Tr, Cb2-Cl, Cb3-Tr, Cb3-Cl, Cb4-Tr, Cb4-Cl, 22, 23, 24	
	18	9540K52	Non Metallic Part,Plastic / Rubber,Divider,Rubber Bumper, 5/8" Dia	
	45	14295	Dust Cap Connex 14295	
	10	4714A47H01	Eaton/C-H Gray Gasketing For Lvmcc	
	7	468760051	Tags/Weidmuller	
	59	1527970000	Weidmueller Terminal Jumper Zqv 4N/4, Qty 1 = 60 Pieces	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
	6	1051032:011-020	Zack Marker Strip, Strip, White, Labeled, Can Be Labeled With: Cms-P1-Plotter, Printed Horizontally, Numbered Consecutively 11-20	LOT IIP 73
	69	102010	Terminal Block, Wdu4, 6.1Mmw	
	500	FIT221-1/4X5/8	Heat Shrink Tubing-Black	
	3	1528130000	Weidmueller Terminal Jumper Zqv 4N/50, Qty 1 = 5 Pieces	
	6	1095-05	Emka Polyamide Handle	
	2	105000	End Plate, Term Blk, Wap 2.5-10, 1.5Mmw	
	46	2051680000	Weidmuller Push In Terminal Block End Plate, 2 Clamping Points (Aep 2C 4)	
	7	1SNK900001R0000	Abb End Stop, Rgw2.5 Series,	
	48	0495160000	Ewk 1Ah End Bracket	
	2	0468760201	Marking System	
	20	0473560051	Marking System	
	4	0468760101	Marking System	
	8	0279520000	Ap End Section For Sak 2.5	
	6	6MF2862-2AA00	Siemens Sicam A8000 - Ps-8622 - Power Supply 24-60Vdc, 12W	
	1	RLU120LR-PLLRD	Light, Non Hazardous, Indoor, C3 Controls Indicating Light, Resistor Type, 120V Ac/Dc, Red LED, Black Polyester Clamp Ring, Lens Color Red.	
	2	SNAP-12ST-SM	Enclosure, Indoor, Wall Mount, Fiber Patch Panel, 3 Sm St Connectors (12 Sm St Fiber Connectors)	
	12	RLPTT12SDLW-IPBCWE	Indicating Light C3 Control	
	12	VS-26MB40A	Bridge Rectifier Single Phase; Vmax= 1200V, Imax= 35A. Package / Case: D-34, Peak Reverse Voltage: 400V, Forward Voltage: 1.11V, Max Surge Amps: 420A	
	3	SROLRC-SHWE	3/Spring Return, L & R To C....Handle Type Standard (Sh), Handle Insert Color White (We)	
	5	IN5624	Diode D2-4, D5-7, D2-8	
	2	61765-1	Lug, Control Cable < 14,, 250 Faston Tab Adaptor	
	64	1N4004G	Diode, 400Vrrm, 1A, 3.7 I2T Rating For Fusing	
	3	70-464-1	Magnecraft Relay Socket	
	6	0346A9457P005	P9B20Vn	
IIP 75	20	PN4060L1200C	Siemens Main Lug Load Center 200A	\$
IIP 76	1	WCH-12P	Fiber Optic Patch Panel	\$
IIP 77	9	THN3363R	Nema 3R Safety Switch	\$
IIP 78	48	2658D	Shalloco Series 26 Circuit Breaker Control	\$
IIP 79	2	20399	Light, Halco, LED, Linear Vaportight Fixture, 4 Ft, 120-277Vac, 50/60Hz, 40W, 5000K, 5416 Lumens, With Emergency Backup (1.5Hr @8W), Ip66, Non-Dimmable, Polycarbonate Gray Body, 135Lm/W,	\$
IIP 80	1	01104050	Eyewash	\$
SBBT 81	6	7624-95-3-RJS-17GX	3M Cold Shrink for 500 kcmil	\$
	4		Cases of 12 Electrical Joint Compound	
	2		Cases of 10 - 3M Electrical Coating FD	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	LOT BID
SBBT 82	16	GUAT36 TB16	Eaton Crouse Hinds Electrical Fittings	\$
	11	GUAL1 TB16	Eaton Crouse Hinds Electrical Fittings	
	12	GUAC16 D1N13	Eaton Crouse Hinds Electrical Fittings	
	2	RE 96	Eaton Crouse Hinds Electrical Fittings - Couping	
	1	EYSX61	Eaton Crouse Hinds Electrical Fittings	
	2	EFS2184	Eaton Crouse Hinds Electrical Fittings	
SBBT 83	10	LL107	Eaton Crouse Hinds Condulet Electrical Fittings	\$
	10	LR107	Eaton Crouse Hinds Condulet Electrical Fittings	
	1	BUB6	Eaton Crouse Hinds Condulet Electrical Fittings	
VAM 84	2	12HFA51A2F	General Electrical Relay	\$
VTC 85	2	FMVMY1000/MT76	Cooper Crouse Hinds Champ Fixture	\$
CBT 86	1		Hevi-Duty Transformer 20 KVA	\$
SBBT 87	Lot		Eaton Crouse Hinds - Condulet Explosion Proof Fittings and Cable Fittings	\$
SBBT 88	1		1-1/2" 50 ft. Long Gray Liquid-Tight Flexible Conduit	\$
SBBT 89	100	B-71	Nipples for Fittings and more	\$
	Lot	GFC1	Fuses, Lugs SS Bolts	
SBBT 90	20	ENRB21201M4	Eaton Crouse Hinds Delayed Action Circuit Breaking Receptacle	\$
SBBT 91	8		3/4" Eaton Crouse Hinds Condulet	\$
	27		1" Eaton Crouse Hinds Condulet	
	24		1" Appleton Condulet	
	7		3/4" Killark T27	
A D D E D L O T S				
VPA 92	Lot	T8-12-48G-8CCT-HYB	4 ft. LED Tube Light	\$
VPA 93	5	FMBA13LCY-UNB1-76	Eaton Crouse Hinds LED Marine Electric Fixture	\$
	2	TFMA15LCY-UNB34-76	Eaton Crouse Hinds LED	
SHTC 94	Lot		Swedging Tools	\$
PA 95	1		U-Line Cart with Wheels	\$
PA 96	1		Rolling Utility Cart	\$
PSP 97	Lot	V65H-HC	Eaton Crouse-Hinds Telescoping Light Pole - Aluminum	\$