



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 26-014**  
**Electrical Sale**  
**Eaton, Siemens, Mersen, GE, Amran, ABB**  
**Switchgear, Circuit Breakers, Fuses,**  
**Transformers, Panelboards and more!**

**Sealed Bid Sale**

**Bidder Information**

Company: \_\_\_\_\_

---

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes  No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.  
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**BID DUE: Thursday, June 25th, 2026 @ 2:00 PM**

*Please submit bids to: Rosa Corona, rosa@slevysurplus.com*

To inspect material or for additional information contact:  
 Steven Levy Enterprises, Inc. (713) 910-4337  
 Inspection Time 7:30 - 2:00 M-F  
 Available for inspection Immediately thru Bid Close  
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.



**Company:** \_\_\_\_\_  
**Bidder:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_

## SLE 26-014 Electrical Sale

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID
IIP 1	1	S2A320UVGCXLWEN	Circuit Breaker,Low Voltage,,Breaker/Siemens WI 2000Af,	Unused	\$
IIP 2	1	S2A320UVGCXLWEN	Circuit Breaker,Low Voltage,,Breaker/Siemens WI 2000Af,	Unused	\$
IIP 3	1	MPS6083WEA062HAW ANDYMANAX	Circuit Breaker,Low Voltage,,Breaker/Eaton Magnum Pxr,Mps608,Eo/Do,	Unused	\$
IIP 4	1	MPS6323WEA322HAW ANWYMANAX	Circuit Breaker,Low Voltage,,Breaker/Eaton Magnum Pxr,Mps632,Eo/Do,	Unused	\$
IIP 5	1	CPT3-60-25-242B	Transformer,Control Power,Cast Coil,Iti Control Power Xfmr	Unused	\$
IIP 6	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 7	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 8	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 9	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 10	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 11	1	V21.1-2-722FFW2	Transformer,Potential, Two Bushing, Ratio - 60:1, Voltage - 7200:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 12	1	V21.1-2-12471FFW2	Transformer,Potential, Two Bushing, Ratio - 120:1, Voltage - 12470:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 13	1	V21.1-2-12471FFW2	Transformer,Potential, Two Bushing, Ratio - 120:1, Voltage - 12470:120, 60Hz, 15.5Kv Rating, 110Kv Bil With (2) Primary Fuses	Unused	\$
IIP 14	1	256832-01-00-06	Voltage Transformer, Indoor, Ptw4-1-75-Sd02013Fd, Ratio: 4200:120 & 69.28V, 60Hz, 0.3Z & 0.3Y, 750 & 750Va, 75Kv Bil, Single Phase, Single Bushing, W/5.5Kv Class Fuse, C/W Factory Certified Test Reports	Unused	\$
IIP 15	1	256832-01-00-06	Voltage Transformer, Indoor, Ptw4-1-75-Sd02013Fd, Ratio: 4200:120 & 69.28V, 60Hz, 0.3Z & 0.3Y, 750 & 750Va, 75Kv Bil, Single Phase, Single Bushing, W/5.5Kv Class Fuse, C/W Factory Certified Test Reports	Unused	\$
IIP 16	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 17	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 18	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 19	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 20	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 21	1	V22.6-243	Transformer,Potential, One Bushing, Ratio - 200:1, Voltage - 24000:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 22	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 23	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 24	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 25	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 26	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
IIP 27	1	V22.6-1442	Transformer,Potential, One Bushing, Ratio - 120:1, Voltage - 14400:120, 60Hz, 25.5Kv Rating, 125Kv Bil	Unused	\$
	3	CT103-751	Amran Model Ct103 Single Ratio Current Transformer, 6.5" Window Diameter, Single Phase, 600V, 750:5A Ratio, 10Kv Bil, Frequency 50-400Hz, Relay Class C200, Approximate Weight 59Lbs.	Unused	LOT IIP 28
	3	CT355-601MR	Amran Current Transformer 600V, 600:5A Multi Ratio, 10Kv Bil, Class C200. Ansi Metering Class @ 60Hz 0.3B1.8	Unused	

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID
IIP 28	6	CT101-501	Amran Model Ct101 Single Ratio Current Transformer, 6.5" Window Diameter, Single Phase, 600V, 500:5A Ratio, 10Kv Bil, Frequency 50-400Hz, Relay Class C50, Approximate Weight 30Lbs.	Unused	\$
	5	CT103-101	Amran Model Ct103 Single Ratio Current Transformer, 6.5" Window Diameter, Single Phase, 600V, 100:5A Ratio, 10Kv Bil, Frequency 50-400Hz, Relay Class C20, Approximate Weight 59Lbs.	Unused	
IIP 29	9	9L11XPE039AS	Station Class Surge Arrestor, 39Kv Rated Voltage, 31.5Kv Mcov, Underhung Mounting, With Eyebolt Terminal On The Bottom	Unused	\$
IIP 30	3	AS1475-004	Non Metallic Part, Porcelain, Porc Bushing 27Kv 3000A H-J 150Kv Bil. 2-1/4"-12 2.5" Threaded Stud On Top. 1.25 X 4.00 Nema 4-Hole Pad On The Bottom.	Unused	\$
IIP 31	6	AS1424-001	Non Metallic Part, Porcelain, Porc Bushing 15Kv 2000A	Unused	\$
IIP 32	3	N1A36249	Enclosure	Unused	\$
IIP 33	1	SM100MB3P3W4265	Panelboard, Siemens, Type P2, Surface Mounted/Nema 1, 250A Tin Plated Copper Main Bus, Copper Neutral, Copper Ground Bus, 100A Main Bkr (Type 3Va52), Horizontal Main, 480Vac, 3P, 3W, 42 Ckt Spaces, 65Kaic, Top Feed,	Unused	\$
IIP 34	1	DT224UGK	Double Throw Manual Xfer	Unused	\$
IIP 35	1	3VAE6001S	Siemens Nema 1 400A Cb Enclosure	Unused	\$
IIP 36	1	A60H36FLP	Enclosure, Gray Painted Steel, Hoffman, Nema 4. Size: Height 60 (1524 Mm) X Width 36 (914 Mm) X Depth 16 (406 Mm),	Unused	\$
IIP 37	1	CP3630	C-P3630 Hoffman Backpan	Unused	\$
	1	CSD363008	Hoffman, Concept Single-Door Enclosure, 36.00X30.00X8.00, Gray, Steel	Unused	
IIP 38a	1	PWPL48YK0000XXX1E-PLM025	480V Wye Hrg Components Kit With Two Form C Contacts	Unused	\$
IIP 38b	1	PWPL48YK0000XXXXE-PLM143	Powell Ground Protect Plus, Oem Kit, 480V L-L, Wye, 2-10A, 60Hz, 25Ft Harness, Form C Contacts	Unused	\$
IIP 39	1	AMLGL7CG7BU	C1 D2 110W Led Floodlight (Replaces 400W Mh)	Unused	\$
	2	LTD3C4M2P	Led Light Fixture, Dialight, 4 Ft, Class I, Div 2, Group D	Unused	
IIP 40	3029	27200P01	Insulation Hook	Unused	\$
	2	45451A27420P07	10 15/16, 1 1/4 X 3/16 Bearing Bar, 7" Std Hole Spacing, 2 1/2" Side Plate, 48" Long	Unused	
IIP 41	2	A072B2DAR0-32R	Fuse Clf 32R 7.2Kv Ferraz Shawmut, Amp-Trap, 50Ka Sym At 7200V, Bolt-In Type, 2 Barrel	Unused	\$
	5	A055B2DOR0-450E	Mersen Fuse	Unused	
	6	0282A3506P003	Electrical Component, Other, Fuse Clip 9F61 Bww460	Unused	
	97	ATM35	35A Clf Class J Fu Ferraz-Shawmut Fuse 35A 600Vac/Vdc	Unused	
	3	F200NCLLEE	Fuse Live Parts/ Ch, Cle2	Unused	
	2	TE1000B68RJ	Wire Wound Resistor, 1000W, 68 Ohm, 5% Tolerance With Mounting Bracket.	Unused	
IIP 42	2	FRXH499499036	Abb Type Ft-19R Test Switch Assembly, 3 - 10 Pole Test Switches, 3Ru Lo Mounting Panel, Position A Arrangement: Y Y Y Y Y Y Y Y Y Y, Position B Arrangement: Y Y Y Y Y Y Y Y Y Y, Position C Arrangement: T T T T T T T T T T	Unused	\$
	2	FRXH832832832	Abb Type Ft-19R Test Switch Assembly, 3 - 10 Pole Test Switches, 3Ru Lo Mounting Panel, Position A Arrangement: W W W 9-C 9-C 9-C W, Position B Arrangement: W W W 9-C 9-C 9-C W, Position C Arrangement: W W W 9-C 9-C 9-C W	Unused	
	12	FT4A14T08CN4067	Flexitest Sw/Abb, 14-Pole, 6C/8P	Unused	
	2	C991AB75G01	Test Switch, Abb, Ft-1 Style, 10 Poles 8C/2P, Clear Cover,	Unused	
	21	C774B430G18	Switch/Pushbutton, Test, Abb Ft-1 Test Switch, Consisting Of 6 Current & 4 Potential Poles With Clear Cover.	Unused	
IIP 43	2	CA0021330	Cable, Commun/Data/Voice, Copper, Arbitr	Unused	\$
	2	FN-CABLE-SFP+3	Fortinet Cable. 10Ge Sfp+ Passive Direct Attach Cable, 3 Meter. For System With Sfp/Sfp+ Slot.	Unused	
	27	C804#BFMK	C80418Xxxxx, Sel-C804 Multimode Arc Flash Detection Fiber-Optic Cable	Unused	
	3	98700009	Power Cord/Southwire, Nema 5-15P, 6Ft Long, 12 Ga. 3 Conducts, Spt-3, Right Angle.	Unused	
	6	C607-065	Cable, Communication/Data/Voice, Cat 5E, Sel	Unused	
	2	F2HDJOM3LCLC-5FT	50/125 Micron Multimode Fiber-Optic Cable Heavy Duty Jacket 2 Fibers Lc Connectors Both Ends, 5 Feet Long	Unused	
	1	N320-10M	Cable	Unused	
	5	8S-AFS-32	Arc Flash Point Sensor For 8 Series Multilin Relays, 32 Ft	Unused	
	16	N302-15M	Cable, Fiber-Optic, 15M, Duplex, Multimode, St/St, Orange	Unused	
	8	N302-30M	Cable, Fiber-Optic, 30M, Duplex, Multimode, St/St, Orange	Unused	
4	N302-23M	Cable, Fiber-Optic, 23M, Duplex, Multimode, St/St, Orange, 75Ft	Unused		

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID		
IIP 44	1	24A110	Potter Brumfield Mounting	Unused	\$		
	3	2A1912-5	Lockout Kit (3M Pnaelsafe), Bussman Type, For 42 Position Branch Panel On Quik-Spec Coordination Panel	Unused			
	2	5GH0000009292	Frame, Multi-Cable Transit, Roxtec, Gh 6X3 Aisi316, Bolted	Unused			
	2	5GH0000012961	Frame, Multi-Cable Transit, Roxtec, Gh 4X3 Aisi316,	Unused			
	10	BQDHT2	Siemens/Padlocking	Unused			
	1	N1P1216	Enclosure,Indoor,Wall Mount,N1P Series, Back Panel, 14.25"H X 10.25"W, 14 Gauge, White, Weigmann	Unused			
	3	S006000000112	S Frame, S 6X1 Primed, Mild Steel, 9.370 (238 Mm) X 5.551 (141 Mm), Fire Rated	Unused			
	1	TGL3	Equipment Ground Kit For	Unused			
	1	CSP1612	Hoffman Swing Out Panel, Left Hing	Unused			
	1	CMFKSS	Enclosure,Indoor,Wall Mount,Hoffman Wall Mount Hardware Kit For Enclosure Csd482412	Unused			
	1	CAM84	Adjustable Depth Mounting Kit, 8" For Hoffman Swing Out Panel	Unused			
	1	CWHPTO	Handle,Hoffman	Unused			
	1	CP1612	Backpan,Hoffman	Unused			
	16	65198P01	Worm Gear Racking Shaft	Unused			
	4	43696P24	Pv38, 3000Amp Secondary Disconnect Guide Bearing Breaker	Unused			
	1	77147P20	Nd Ers Drive Shaft Tubing (Ers Design)	Unused			
	11	8863T818	Mcmaster Loop Clamp 8863T818	Unused			
	113	23231P01852201	Baffle Racking Access W/ Set Screw Hole	Unused			
	1	NP1212C	Enclosure,Outdoor,,Wiegmann Np Series, Back Panel, 10.2"H X 10.2"W, White	Unused			
	12	45451A27760P05	Bushing Flange, 8.000 O.D., 5.750 I.D., .500 5052 Alum., 15Kv 3000 Amp	Unused			
	2	41418PMSG50050-005	Joiner Strip, 33 Nom	Unused			
	1	46039G02	Contactory Tray W/ Locking Mechanism	Unused			
	10	60704P04	Locking Bar Pivot Lever	Unused			
	30	150039P1545	Sd Switch Transducer Block	Unused			
	60	40501010	Nut, Hex, 3/8-16, 18-8 Stnls Stl	Unused			
	IIP 45	2	33-14109	Meltric, Dc Receptacle, 2 Pin + Ground Female, Dsdc1 130V/20A		Unused	\$
		1	SBS-H2	Pcr,Fire,Detector Hydrogen,110/220Vac Or 12-48Vdc, Audible Alarm @2%		Unused	
		5	FSR-112D-POE	Fortinet Switch Rigged Ehternet		Unused	
300		PT 2.5 PE	Feed-Through Pe Terminal Block, Cross Section: 0.14 Mm² - 4 Mm², Awg 26 - 12, Width: 5.2 Mm, Color: Gray, Mounting Type: Ns 35/7,5, Ns 35/15	Unused			
2		RSPM20-4T14T1SZ9HHS9	Rspm Media Module, Power Rail Switch, 8 X 10/100Bse-Tx Rj45 Ports, 0 To 60 Degree C For Use With Hirschmann Rspe Switches.	Unused			
3		915900241	Terminal Block,Jumper Bridge,,Jumper Comb For Sel-2411, 2414, 2440 And 2523 Iinput Terminal Blocks (100/Pk)	Unused			
3		MRL48DLR-MPLLRD	Indicating Light C3 Controls	Unused			
3		MRL48DLG-MPLLGN	Indicating Light C3 Controls	Unused			
1		MRL48DLA-MPLLAR	Indicating Light C3 Controls	Unused			
7		M-25012	Terminal Block,Control Cable,,States Type Nt Terminal Block, M - White Marker Strip With Black Center For Engraving, 250 - Sliding Link/With Stainless Steel Screw, 12 - 12-Pole, Front-Connected Potential, 50A/600V Ratings For 250 Series.	Unused			
47		1051029:0031	Marking Strip,Term Block,Zb6,Vrt,31-40	Unused			
7		1051029-0041	Terminal Block,Marking Strip,,Terminal Marking Strip	Unused			
10		PRD-11DY0-125	Relay,Discrete,Control,125Vdc Coil, Screw Terminals, 2 Form C Contacts Rated 25A @ 240Vac	Unused			
96		92492A728	Black Nylon Pan Head Phillips Screws M4 X 0.70 Mm Thread, 12Mm	Unused			
53		790417	Terminal Block,Marking Strip,,End Cover For D-Otta 6 Type Terminal Block	Unused			
2		KOSS2KA-NO-NO	30Mm Keyed Selector Switch 2 Position Maintained 2No Contacts	Unused			
9		0468760001	Marking System/	Unused			
3		293B254A20	Relay,Discrete,Control,Sg Type, 125 Volts Dc, 2 Form C Contacts, Solid Cover And Base, Front Connected	Unused			
3		AS0044600	Gps Antenna Mounting Kit.Arbitr Systems, Inc	Unused			
1		9524A	Antenna, Gps/Gnss, Female Tnc Connector, 50 Ohm	Unused			

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID
	40	R-1VL003	Electrical Component,Voltage Indicator,,Medium Voltage Power Warning Alert, 2Kv To 15Kv (Low), 3 Units, 1/2" Bolt Hole Mounting	Unused	LOT IIP 45
IIP 46	1	LCFPP-SL01-24SC	L-Com. Fiber Enclosure 19" Rack Mount 1U (1.75"); Sliding Tray Design. 24 Simplex Sc/Upc Adapters And 24 Sc/Upc 0.9Mm Pigtails.	Unused	\$
	2	700BT#K9MR	0700Bt1A1Ada7181A691, Sel-700Bt Motor Bus Transfer Relay	Unused	
	1	2242S1X1	2242#N86T, Sel-2240, Chassis/Backplane, Horizontal Surface Mount 5U, 10 Slot, 19 Inch Rack Width, Conformal Coated.	Unused	
	1	WA2244101XXX	Electrical Component,Other,,Sel-Wa2244, Din Rail Adapter And Wiring Harness.	Unused	
	1	2242#Y0NY	Sel-2242 Chassis/Backplane For Sel-2240 Axion Line. Horizontal 19 Rackmount, 5U High, 10 Slot, With Conformal Coat.	Unused	
	1	3620#GMHQ	Gateway,Ethernet Security, Part# 3620X3A2Xxx0, Hor 1U Panel Mount,125/250Vdc,120/240Vac,2X 100Base-Fx Mm Enet,Conformal Coat: No	Unused	
	2	787#BR7E	Transformer Protection Relay Sel-787 (0787Ex1Acaca75850830)	Unused	
IIP 47	2	2730M#4B6H	Computer Hardware	Unused	\$
	1	A-1102	Knife Sw, Filnor, 30A, 2P	Unused	
	9	RM 120 WOC	Roxtec Module, 120Mm X 120Mm (H X W) Art. No. Rm00001201000	Unused	
	3	RM00120401000	Roxtec, Rm 20W40 Sealing Module, 20 Mm X 40 Mm X 60 Mm, 0.138 (3.5 Mm) Min - 0.650 (16.5 Mm) Max	Unused	
	6	41418PBSP00005	Boot, Porcelain Post Support, 6.00 Bar (2 Per Phase)	Unused	
	10	26264P00000358	Support Structure.Bracket.Mounting..Runback Bus Support 800A	Unused	
	5	26264P00000359	Support Structure.Bracket.Mounting..Runback Bus Support 800A	Unused	
IIP 48	9	1099290201P254	1/2 X 3 Spacer For 4 In. Tray Bus Support	Unused	\$
	1	9082	Battery,Accessory,Eyewash,Bacteriostatic Preservative/Haws For Eyewash	Unused	
	1	32-001050-0000	Battery,Accessory,Eyewash,Eye Wash Fluid, Fendall Eyesaline Fluid For Use With Pureflow- 1000 Eyewash #1000-Fen (2) Cartridges	Unused	
	1	6PH1	Handle, 1", Dr - 100A, Meltric	Unused	
	2	R6334-2	Red-White 12" X 24" X	Unused	
IIP 49	1	25-001784	Hardigg Case	Unused	\$
	4	HF361SS	Siemens Heavy Duty Safety Switch - Fusible 3P3W 600V 30A N4X 316	Unused	
	1	CSD161210WSS	Hoffman, Stainless Steel Nema 4X	Unused	
IIP 50	11	282260	20 X 12 H&C Rhf45Lf Return Air Filter Grill, Use For Bard 1.5 - 2 Ton Units	Unused	\$
IIP 52a	1	89003LGG0V02C	Square D Lighting Contactor	Unused	\$
IIP 52b	51	9L20FXX010XH5	Ge Tranquell, Distribution Class, Polymer, 8.4Kv Mcov, Stud Mounted	Unused	\$
IIP 51	2	7T1F0N07	Meltric, Metal Box For Dsdc1, 3/4"	Unused	\$
	4	EDS175-F2	Appleton, Tumbler Light Switch, Class 1 Div 1 Group Bcd, 120/277Vac, 20A, Factory Sealed, ¾ Hub, Dead-End	Unused	
	1	EDS175-F4W	Appleton, 4-Way, Tumbler Light Switch, Class 1 Div 1 Group Bcd, 120/277Vac, 20A, Factory Sealed, ?	Unused	
	1	EDSC2129	Crouse-Hinds/Cooper Snap Switch	Unused	
	6	EF5175-2023	Appleton/Egs Receptacle, 125V	Unused	
	1	PB1	Enclosure Accessory;Wiegmann Pushbutton Enclosure, 1 Hole, 30Mm, Nema 4/12/13, 4 X 3 X 3In (Hxwx), Wall Mount, Carbon Steel,	Unused	
	2	ECC001	C3 Controls 30Mm 1 Unit Emergency Stop Polyester Station	Unused	
	2	EFSR-2023	Appleton Explosion Proof, Dust-Ignition Proof, Standard: UL, 3P, 2W, 20A, 125V, 1Hp, Malleable Iron	Unused	
IIP 52	1	8903LG20V02C	Sq-D Lighting Contactor,Type L, 30A, 2-Pole, 600 V 110/120 Vac 50/60 Hz Coil	Unused	\$
IIP 53	1	CCP2B-3-50CF	Eaton Bussman Series Ccpb U198 Fusible Disconnect, 50A, 3 Pole, 60Hz, Cubefuse	Unused	\$
	1	HFDDC2050	Circuit Brkr/Cutler-	Unused	
	17	1489-AMRA3	Auxiliary Contact For 1489-M Circuit Breakers, UI 489, Din Rail Mounted	Unused	
	3	THQC1115WL	Circuit Breaker,Molded Case Ac,Pan Mount,Ge/Mc/Cb 15A 1-Pole	Unused	
	2	TEB122040	Cb-Mc/Ge E150-Line 2P 40A	Unused	
	9	MCOVC	Circuit Breaker,Low Voltage,,Metal Frame, Padlockable Pushbutton Cover (Padlocks Not Included), Blocks Open And Close Buttons.	Unused	
IIP 54a	8	M-3-6GXYZ	Impact Recorder, Impact-	Unused	\$
IIP 54b	9	7022AA	Timing Rel/Agastat	Unused	\$

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID
IIP 55a	9	780I-202-1-CERT	Transformer,Current,Single Phase,Ct/Iti 2000/1A Iec Rated	Unused	\$
IIP 55b	12	BHDSF70-005TP	Stud Diameter/Thread 3"-12 Thread Stud To Nema-4 Holes,1/2" X 4" X 4" Pad, 1-3/4" Holes Center. Bronze Cda 84400 Tin Plated.	Unused	\$
IIP 56	6	5BHLE-350E	Fuse Hle-350E 5.5Kv Bolt-In Type, Eaton C-H	Unused	\$
	3	5ACLS-18R	Fuse/Cls-18R,C-H,5Kv,390A	Unused	
	3	5ACLS-9R	Fuse/Cls-9R,C-H,5Kv,200A, Size D,3"Dia,15.91"Length 50Ka Sym Int.	Unused	
IIP 57	2	78PB05D	Aux Rly H-Rst 125Vdc,	Unused	\$
	3	26206B	Rotary Switch, 6-Decks, T-Handle, 15A/600 Vac	Unused	
	1	24308B	Electroswitch Series 24 Selector Switch, Rotary Tap (Assemblage 3), 2-7 Throw (Stop Screw Adjustable) With Off, 8 Decks, Oval Handle, Panel Mount	Unused	
	3	78PA05D	Relay,Discrete,Control,Electro Switch Auxiliary Relay Lor With Hand Rest Type 78Pa, 5 Decks (10N.O. & 10N.C. Contacts) W/ Amber Indicating Light.	Unused	
	16	2657D	Breaker Control Switch, Trip, Close W/Sc	Unused	
	1	24206B	Electro Switch	Unused	
IIP 58	11	C9669A43G01	Test Switch, Abb, Ft-1 Style, 10 Poles 6C/4P,Clear Cover,Arrangement 9-9 9-9 9-9 P P P P	Unused	\$
	5	CT556	Test Switch, Mps, Uts1 Style, Clear Cover, Screw Terminals, Arrangement C-C C-C C-C T T T T	Unused	
	1	FT4A14T08CN4946	Abb Test Switch 14 Pole (Ft-14) , C E C E C E P P P P P P P P , Clear Cover W/Screw Terminals, Handle Color Black( Poles 1-4), Green (Poles 5-8) Red (Poles 9-12) Blue (Poles 13-16) White (17-28)	Unused	
	1	FT4A14T12CN4546	Switch/Pushbutton,Test,,Abb Test Switch.	Unused	
	2	FT4A14T00CN5275	Abb Test Switch 14 Pole (Ft-14) , C E C E C E C E C E C E C E , Clear Cover W/Screw Terminals, Handle Color Black( Poles 1-4, 17-20), Green (Poles 5-8, 21-24) Red (Poles 9-12, 25-28) White (13-16)	Unused	
	9	FT-085	Switch/Pushbutton,Test,,Iti, 10P Test Switch, 8C, 2P	Unused	
IIP 59	15	7625-T-110	Termination Kit/3M,	Unused	\$
IIP 60	1	260974-01-00-1	Panelboard, Siemens, Type P1, Surface Mounted/Nema 1, 250A Tin Plated Copper Main Bus, Copper Neutral, Copper Ground Bus, 100A Main Bkr (Type BI), Horizontal Main, 208/120Vac, 3P, 4W, 42 Ckt Spaces, 22Kaic, Top Feed,	Unused	\$
IIP 61	1	256573-01-00-2	125Vdc Panelboard P2. P2O54Fx150Fts, 125/250V Dc 2 Pole Branch Only, Ir @ 10,000 Aic, Top Feed, Surface Mount, Bus Rating: 250A,	Unused	\$
IIP 62a	1	256573-01-00-1	120/240V Ac -Panelboard P1. P1A54Va200Ctst, 120/240 1? 3W Gnd Neutral Ac, Ir @ 22,000 Aic, Top Feed, Surface Mount, Bus Rating:	Unused	\$
IIP 62b	1	256573-01-00-1	120/240V Ac -Panelboard P1. P1A54Va200Ctst, 120/240 1? 3W Gnd Neutral Ac, Ir @ 22,000 Aic, Top Feed, Surface Mount, Bus Rating:	Unused	\$
IIP 63	2	R9120-500	Leviton - Modhopper Wireless Modbus/Pulse Transceiver	Unused	\$
	71	450XBX40C69LV-24VDC	Struthers-Dunn 450 Series Heavy Duty Power Relay 24Vdc, 2 Form C, 40A Silver Alloy Contact, W/Cover Blowout Magnet, Led Indicator, Coil Suppression Diode, Din Rail	Unused	
	4	C3H4-240-4XM	Psp- Category 3 Hurricane-Type 1 Surge Protector	Unused	
	13	69915K54	Subassembly,Mechanical,,Strain Relief Bushing	Unused	
	33	7320K3	Ac/Dc Dpst Toggle Switch	Unused	
	34	5	Resister,Low Voltage,,Mounting Bracket/Ohmite	Unused	
IIP 64	2	8440-2222	Relay, Breaker Control & Protection, Ls-612Xt-P1 (1A/5A) (12/24Vdc), No Display Configurable Leds On Faceplate, 3-Phase + Neutral, 12 X Discrete Inputs 12 X Relay Outputs, 1 X Can Interface, 1 X Rs-485 Interface, Metal Housing	Unused	\$
	2	2505434XX	Relay,Protection,Transmission,Sel-2505	Unused	
IIP 65	10	282262	28 X 14 H&C Rhf45Lf Return Air Filter Grill, Use For Bard 2.5 - 3 Ton Units	Unused	\$
IIP 66	9	282262	28 X 14 H&C Rhf45Lf Return Air Filter Grill, Use For Bard 2.5 - 3 Ton Units	Unused	\$
IIP 67	4	RMB42CDLBUHWG	60W Led Light With 90 Min. Emergency	Unused	\$
IIP 68	3	EPL-EMG-48-2L-LED	Explosion Proof Led, 11.25" X 52" X 8.5", 56W Input Power, (2) Bulb, 120-277V Universal Voltage,	Unused	\$
POGT 69	5		Santana High Voltage Power Capacitors 125 BIL, 16010V, KVAR 584	Unused	\$
POGT 70	5		Santana High Voltage Power Capacitors 125 BIL, 16010V, KVAR 584	Unused	\$

LOT	QTY	PART NUMBER	PRODUCT DESCRIPTION	CONDITION	LOT BID
POGT 71	3	Q021MA017A	ABB Surge Arrester	Unused	\$
POGT 72	1	THHN-THWN	6 AW6 19 Strand 500 ft. Black	Unused	\$
VSC 73	1	37F0524467	GE Capacitor KVAR600 Volt 4160	Unused	\$
VSC 74	1	60900G04	Vacuum Integrity Tester	Unused	\$
VAO 75	4	LL48-60W-765/-F-IN	Cooper Crouse-Hinds Luminaire for Hazardous Locations	Unused	\$
VAO 76	1	MLL2/UNVI 5903	Crouse-Hinds LED Fixture	Unused	\$
VAO 77	1	EDSC2129	Eaton Crouse-Hinds Explosion Proof	Unused	\$
	1	DP1050MTL	Eaton Crouse-Hinds Ceiling Swivel Mount	Unused	
VAO 78	1	1204VNTC	Spool DWC 12 AWG 4/C 600V VNTC	Unused	\$
VAO 79	1	EJB161608	Cooper Crouse-Hinds Junction Box	Unused	\$
VAO 80	1	91704660C	Eaton Power Supply Tower Chassis	Unused	\$
VAO 81	1	15PV500-3	Powel Industries Vacuum Circuit Breaker	Unused	\$
SHTC 82	Lot		50 pcs. plus More - Appleton / OZ Gedney 1/2" - 3" Conduit Fittings	Unused	\$