



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

[Click here to submit via email](#)

Steven Levy Enterprises, Inc., is accepting bids on behalf of our clients for the following material:

SLE 26-022

Large MRO Sale

**Instrumentation, Electrical, Refrigeration,
Metering and Much More! Over 150 Lots!**

**MicroMotion, Foxboro, Honeywell, Swagelok, Allen Bradley,
Square D, Westinghouse, Eaton, Siemens, Johnson Controls,
Parker, Vega, Bentley Nevada, ASCO**

Sealed Bid Sale

Bidder Information

Company: _____

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes ☐	No ☐	
(Check One)			

Subject material to be sold on "AS IS / WHERE IS" basis.

Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Tuesday, September 29th, 2026 @ 2:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
Inspection Time 7:30 - 2:00 M-F
Available for inspection Immediately thru Bid Close
We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

The seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless the resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 26-022 Large MRO Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 1	1	Seametrics	Dual Power Converter Model #PC42	Unused	\$
	1	Acopian	Linear Regulated Power Supply Model #B10TN100	Unused	
PA 2	7	International Power	Power Supply Part #IHA24-0.5 Output: 24 - 28 VDC @ 0.5 AMP	Unused	\$
	1	Digital Power	Power Supply Model #USS70-312	Unused	
	1	Traco Power	300W Industrial Power Supply Model #TIS-300-124 SIG	Unused	
PA 3	1	Agastat	.1-1 Second Timing Relay Model #7012BA	Unused	\$
	1	Gemu	Electrical Position Indicator Model 1201000ZA001013001104	Unused	
	6	Potter Brumfield	TE 120V Relay Model #KUP-17A19-120	Unused	
PA 4	1	GF	Signet Rotor-X Flow Sensor Model #P51530V0, Code #198801623	Unused	\$
	1	IFM Electronic	IP67 Flow Switch Model #S12200 SIS30ABBFPKG/US	Unused	
	2	Malema	1/8" NPT Sensors Explosion Proof Flow Switch P/N #M-50X-S13-00-055	Unused	
	1	W.E. Anderson	1/2" NPT Broze Flotect Flow Switch Model #V6EPBBS1B	Unused	
PA 5	3	Athena	0 to 1400°F Temperature Controller Model #6075-T-T	Unused	\$
	2	Precision Digital	Loop-Powered Process Meter Model #PD662-0L0-00	Unused	
	1	SKF	Eddy Probe Driver Model #CMS600	Unused	
	1	Moore Industries	ECT DIN Signal Isolator & Converter Model #ECT/4-40MA/4-20MA/12-42DC [DIN]	Unused	
	1	Moore Industries	SPA2 Site Programmable Alarm Model #SPA2/HLPRG/2PRG/24DC [DIN]	Unused	
	1	Monarch Instrument	Tachometer Model #ACT-1B	Unused	
	1	Control Technology	Dry Contact Module Model # DCM-4400	Unused	
PA 6	20	TopWorx	Leverless Limit Switch Model #11-32528-DBA	Unused	\$
PA 7	14	TopWorx	Leverless Limit Switch Model #11-32528-DBA	Unused	\$
	1	TopWorx	Limit Switch Sensor Model #7G-23528-A2	Unused	
	4	TopWorx	GO Leverless Limit Switch Model #11-12540-00	Unused	
PA 8	20	TopWorx	Leverless Limit Switch Model #11-32528-DBA	Unused	\$
PA 9	1	Barksdale	Explosion Proof Pressure Switch Model #HB1X-AA32SS-UL	Unused	\$
	1	Barksdale	Econ-O-Trol Pressure Actuated Switch Model #E1H-G90-Q44	Unused	
	1	Barksdale	Explosion Proof Gold Line Temperature Switch Model #T1X-251S-25-A	Unused	
	1	SOR	Static-O-Ring Pressure Switch, 3 to 50 PSI, Model #4BA-KB5-M2-C1A-TT	Unused	
PA 10	1	GO	Pressure Regulator, 0 - 10 PSIG, 3600 PSIG Max Inlet Model #C2-2F1C11110001A3A3	Unused	\$
	2	Parker	Veriflo Regulator, Part 54016774, Model #MIR70030S4P03X4	Unused	
	1	Murphy	300 PSIG Pressure Switch Part #PXT-300	Unused	
	1	Murphy	1000 PSIG Pressure Transmitter Part #PXT-1000	Unused	
	1	Neon Controls	0 to 250 PSI Regulator Stainless Model #85-255B2-2AFA-2AF1	Unused	
	1	Neon Controls	0 - 100 PSI Regulator Stainless Model #85-245B2-2AFA-2AF1	Unused	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 11	1	Krohne	DK32/RE Variable Area Flow Meter with Differential Pressure Regulator	Unused	\$
	1	Krohne	DK32/RE Variable Area Flow Meter with Differential Pressure Regulator	Unused	
	1	UGSI	ChemFeed Armored Flowmeter Model #5520M02103XDXUX	Unused	
	2	ABB	Stainless Steel Flowmeter Assembly Model #10A6131NB2B1A0	Unused	
	1	Parker	Metal Tube Variable Area Flowmeter 0-120 SCFH Air Part# P1001341011A	Unused	
PA 12	1	US Filter	Wallace Tiernan Direct View Flowmeter Model #5510A02107XXEX	Unused	\$
	1	Wallace and Tiernan	GPM Armored Purge Meter Model #5120M12311XXL, 1/2" NPT, Range: 0 to 6.0 GPH H2O	Unused	
	1	Wallace and Tiernan	GPM Armored Purge Meter Model #5120M12332XXLX, 3/4" NPT, Range: 0 to 2.0 GPM H2O	Unused	
	1	Wallace and Tiernan	GPM Armored Purge Meter Model #5120M12333XXL, 3/4" NPT, Range: 0 to 5.0 GPM H2O	Unused	
	1	Max Machinery	3/4" 300# Stainless Steel Piston Flow Meter Model #214-417 with Transmitter Model #276525	Unused	
PA 13	5	RCM Industries	.5 to 60 GPM Flo-Gage Flowmeter, Bronze Model #1 1/2-71-R-60	Unused	\$
PA 14	1	United Electric	3 to 30 PSI Pressure Switch Model #J120-S51B	Unused	\$
	1	United Electric	5 to 30 PSI Pressure Switch Model #J120-190	Unused	
	1	United Electric	30 to 250°F Pressure Switch Model #E122-2BSB	Unused	
	1	United Electric	0 to 250°F Temperature Switch Model #F120-6BS	Unused	
	1	United Electric	30 to 3"HgVac Pressure Switch Model #J120-550	Unused	
PA 15	1	United Electric	120 to 100°F - 117 Series Temperature Switch Model #E117-2BSA	Unused	\$
	5	United Electric	5 to 30 PSI Pressure Switch Model #H100-565	Unused	
	1	United Electric	30 to 250°F Temperature Switch Model #E117-2BSB	Unused	
	1	United Electric	0-18 PSI Pressure Switch, Range Proof 25 PSI Model #J6-142	Unused	
PA 16	3	ITT	Neo-Dyn Adjustable Temperature Switch Model #100TC5NCC610	Unused	\$
	1	ITT	Neo-Dyn Adjustable Pressure Switch Model #110P14C6	Unused	
	1	ITT	Neo-Dyn Adjustable Pressure Switch Model #112P82CC6263	Unused	
PA 17	1	Ashcroft	Temperature Switch Model #T7124TS040 XK3	Unused	\$
	1	Ashcroft	Temperature Switch Model #T424T05060	Unused	
	1	Ashcroft	Controller Model #B731S XCHCKFSFTNHTM with Capillary & Attached Diaphragm	Unused	
	1	Ashcroft	Pressure Switch Model #B420S XFM	Unused	
	2	Ashcroft	Pressure Switch Model #B420V XFMFS with 3" Stainless Diaphragm Model #PW2.5J.3680	Unused	
	4	Ashcroft	Pressure Snubbers Model #1/2"-1112	Unused	
PA 18	1	Mercoïd	Explosion Proof Pressure Switch Model #DAH-41-153-GE	Unused	\$
	1	Mercoïd	Control Pressure Switch Model #DAH-41-152-9E	Unused	
	1	Mercoïd	Control Pressure Switch Model #DRH-21	Unused	
	1	Mercoïd	Control Pressure Switch Model #DAH-531-3-3A	Unused	
	1	Mercoïd	Bourdon Tube Pressure Switch Model #DAH-7031-153-4	Unused	
PA 19	3	Mercoïd	Control Gas & Differential Pressure Switch Model #PGW-2-P2	Unused	\$
	1	Mercoïd	Temperature Controller Switch Model #DAW-38-153-3	Unused	
PA 20	1	Dwyer	Capsuhelic Differential Pressure Gage Model #4003 C, Range 0-3" Water	Unused	\$
	1	Dwyer	Capsuhelic Differential Pressure Gage Model #4210, 0-10 lbs. Per Sq. Inch	Unused	
	1	Dwyer	Differential Pressure Switch Model #1824-40-WP	Unused	
	2	Orange Research	0 - 200 PSID Differential Pressure Gauge Model #1303-P99319-1	Unused	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 21	2	Foxboro	Pressure Transmitter Model #IGP10-V24G1F	Unused	\$
	1	Foxboro	0 - 200 IN H2O Pressure Transmitter Model #IDP10-D20B21F-M1L1	Unused	
PA 22	1	Foxboro	0 - 1500 PSI Pressure Transmitter Model #11GM-DS2	Unused	\$
	1	Foxboro	Electronic Transmitter Model #823DP-I3S1NM2	Unused	
PA 23	1	Foxboro	Indicating Controller Model #130M-N4	Unused	\$
	1	Foxboro	I/A Series Control Processor Model #P0961BC CP40B	Unused	
	1	Moore	Digital Controller Model #352EA21NNF-C	Unused	
PA 24	1	Foxboro	Vortex Flowmeter Model #84F-T04Y3SSRJF-G, Size 4" 600# 316SS with Transmitter	Unused	\$
PA 25	1	Foxboro	Temperature Transmitter Model #12A	Unused	\$
PA 26	1	Honeywell	Dual Industrial Flame Safeguard Control Model #R4075E1000	Unused	\$
	1	Honeywell	Burner Control Model #RM7840L1018	Unused	
	1	Honeywell	Keyboard Display Module Model #S7800A1001 Interface with 7800 Series Burner Controls	Unused	
	1	Honeywell	30 Second Purge Timer Model #ST7800 A 1039	Unused	
	1	Honeywell	60 Second Purge Timer Model #ST7800 A 1054	Unused	
PA 27	3	Honeywell	Smart Temperature Transmitter Model #STT350-0-EP00-0000-MB00000-000-0000-1J	Unused	\$
PA 28	1	Honeywell	Pressure Transmitter Model #STG730-L1GC6A-1-A-AHC-11S-B-10 A0-00-0000	Unused	\$
PA 29	1	Allen Bradley	PowerFlex 700 Adjustable Frequency AC Drive Cat. #20BD3P4A3AYNACC0	Unused	\$
PA 30	1	Allen Bradley	1336 Constant Torque 3-Phase AC Drive Model #1336-B030-EAF-S1	Unused	\$
PA 31	2	Allen Bradley	Flex Remote I/O Adapter Model #1794-ASB	Unused	\$
	1	Allen Bradley	Flexbus I/O Terminal Base Cat. #1794-TB3S	Unused	
	1	Allen Bradley	Flex I/O ControlNet Redundant Media Adapter Cat. #1794-ACNR15	Unused	
	1	Allen Bradley	Communication Card Cat. #1784PCMK Part #92412871 and 92412881 *Factory Sealed*	Unused	
	1	Allen Bradley	Communication Card Cat. #1784PCMK Part #92412871 *Card Only*	Unused	
	2	Allen Bradley	Communication Card Cable Cart #1370075-2 Floppy Disk #1784-PCC Part #96330473	Unused	
	1	Bonitron	GV3000 AC Interface Card 3402R1C1	Unused	
	1	Yaskawa	Circuit Board Code #ETC619290-S2017	Unused	
PA 32	8	Allen Bradley	SLC 500 Analog Output Module Cat. #1746-NO4I	Unused	\$
PA 33	8	Allen Bradley	SLC 500 Analog Output Module Cat. #1746-NO4I	Unused	\$
PA 34	7	Allen Bradley	SLC 500 Analog Output Module Cat. #1746-NO4I	Unused	\$
PA 35	1	Brooks	3809 Armored Variable Area Flowmeter, 1/2" Flanged Model #3809GKA08CGAB1A00000	Unused	\$
	2	Brooks	1" NPT Glass Tube Variable Area Flow Meter Model #1303AZ01	Unused	
	1	Brooks	MT 3809 1" 150# Flanged Variable Area Flowmeter Model #3809EBBBAHQAGA1	Unused	
	1	Brooks	3/8" Flow Meter Model #1358F1E2FC2B1A	Unused	
	2	Brooks	Sho-Rate Variable Area Flowmeter Model #1358F1B2FC2A1A	Unused	
PA 36	4	Swagelok	3/4" NPT Variable Area Flowmeter Model #VAF-M3-2-1-3422-0	Unused	\$
	1	Swagelok	Metal Tube Variable Area Flowmeter 0.3 to 3.0 L/H Water Model #VAF-M2-A1M-1-0	Unused	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 37	1	ABB	Electro-Magnetic Flowmeter 3" 600# A105 Teflon Model #10DX3111EDE14R1A2BK12321/NS	Unused	\$
	1	ABB	Module Bus Modem ID #3BSE013246R1 Type #TB820V1	Unused	
PA 38	1	ABB	2600T Series Pressure Transmitter S264WHBADFSBHS1NNN, 264HRQRR1 E6B1N2	Unused	\$
	1	ABB	Kent-Taylor 500T Series Electronic Transmitter 524TB01243A0102-1000-61943	Unused	
PA 39	1	Bently Nevada	Probe Probe Proximity Cable #21502-06	Unused	\$
	2	Bently Nevada	Probe Proximity Cable #21504-000-012-10-02	Unused	
	4	Bently Nevada	Proximity Sensor Extension Cable #21747-045-00	Unused	
	2	Bently Nevada	Proximitior Probe Sensor #21504-000-016-10-02	Unused	
PA 40	4	Bently Nevada	3300 XL 8mm Extension Cable #330130-045-00-00	Unused	\$
	5	Bently Nevada	Proximity Probe #30000-00-28-30-02	Unused	
	1	Bently Nevada	Probe Probe Proximity Cable #21502-06	Unused	
PA 41	2	Bently Nevada	Proximity Sensor Probe #21504-00-52-05-02	Unused	\$
	2	Bently Nevada	Proximity Sensor Probe #19000-00-22-18-02	Unused	
	3	Bently Nevada	Proximity Sensor Extension Cable #18622-010-00	Unused	
	3	Bently Nevada	7200 Series Proximity Probe #21502-02	Unused	
	2	Bently Nevada	Probe Proximity Cable #21500-12-32-10-02	Unused	
PA 42	1	Allen Bradley	Vector Control Cassette Part #E20BVECTBC0/B * Factory Sealed*	Unused	\$
	2	Bently Nevada	Keyphasor Module Part #3500/25 #126398-01H	Unused	
	2	Bently Nevada	Isolated Keyphasor #125800-02 Part #3500/25	Unused	
	1	GE	Circuit Board #DS200VPBLG1AFF	Unused	
	1	Bently Nevada	I/O Module PN #126648-01	Unused	
	1	Honeywell	UCIO Jumper Card PN #51305437-100	Unused	
	1	Honeywell	Remote Peripheral Inner Face Assy PN #51305478-100/B	Unused	
	1	ABB	PC Board Assembly #352608-1	Unused	
PA 43	9	Bently Nevada	Thermocouple Sensor Cable Assembly #200125-01-09-00	Unused	\$
PA 44	9	Bently Nevada	Thermocouple Sensor Cable Assembly #200125-01-09-00	Unused	\$
PA 45	9	Bently Nevada	Thermocouple Sensor Cable Assembly #200125-01-09-00	Unused	\$
PA 46	1	Siemens	Sitrans P Pressure Transmitter Model #7MF4035-3CY10-1NC7-Z	Unused	\$
	1	Siemens	Sitrans P Pressure Transmitter Model #7MF4335-3FC22-1NC6-Z	Unused	
PA 47	1	N-Tron	24-Port Rack Mount Ethernet Switch Model #526FXE2-A-SC-15	Unused	\$
	1	Hima	Analog Input Module Part #98 4621402 Type #F 6214 *Factory Sealed*	Unused	
	4	Pro-Face	7.0" Interactive Touch Screen Operator Interface Model #PFXGP4401WADW	Unused	
PA 48	1	Vektron	Multi-Variable Trip Switch Model #MTS-102	Unused	\$
	1	Pepperl Fuchs	Fieldbus Power Hub Type #HD2-FBPS-1.500 Part# 130139	Unused	
	1	Pepperl Fuchs	Switch Amplifier Type #KFA5-SR2-Ex1.W Part #103371S	Unused	
	3	Pepperl Fuchs	Type Y or Z Pressurization Purging System Model #1001A-WPS-CI	Unused	
PA 49	3	Corning	ICH-06P Fiber Connector Housing Enclosure 20" x 16" x 6"	Unused	\$
PA 50	1	Dynalco	Temperature Transmitter Alarm 0-150 Celcius Type #TC6112	Unused	\$

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 51	1	AE	Techron Amplifier Model #TECHRON8524	Unused	\$
PA 52	1	Gai-Tronics	Speaker Amplifier Page Party System 751-001 with Enclosure 733-001	Unused	\$
	2	Honeywell	Dynamic Self-Check Rectification UV Amplifier Model #R7247C1001	Unused	
PA 53	1	Acromag	Isolator Model #16EI-20-I-20-1	Unused	\$
	1	Magnetek	Mod7 Current Controller Model #53SHD000-0001	Unused	
	3	Vickers	Sealtron Tedeco Debris Magnetic Sensor Monitor Model #3Q7200-1C, 3N7199	Unused	
PA 54	1	Magnetrol	Actuated External Cage Displacer Liquid Level Switch Model #C74-1P40-BNG	Unused	\$
PA 55	1	Magnetrol	Ultrasonic Level Controller Model #911-A1A0-E10/581-1AFF-010	Unused	\$
	1	Magnetrol	Ultrasonic Level Controller Model #911-A1AO-E10.581-1AFF-018	Unused	
PA 56	1	Magnetrol	Eclipse Transmitter Model #705-510A-310/7EA-A632-065	Unused	\$
PA 57	1	MTS	Temposonics G-Series Linear Position Sensor Part #GHT025UR052A0	Unused	\$
	2	Dynisco	Food Sanitary Extrusion Transducer Model #PT415-1.5M-12-B314	Unused	
	1	Airpax	Tachometer Transducer T79850-103-1418	Unused	
PA 58	3	BW	Controls Liquid Level Control 1500-C-L1-S3	Unused	\$
	12	SEL	IRIG-B Transmitter with EIA-232 Full Duplex Fiber-Optic Transceiver Model #SEL-2810MT	Unused	
	1	Jo-Bell	External Liquid Level Control R153	Unused	
	1	Fluid Components	Flow Switch Monitor FR72LL/1"/2.625" U/3/WD/V/5181-X/T	Unused	
PA 59	2	Vega	Level Sensor DIS61.UFAND Model #VEGADIS 61	Unused	\$
	6	Vega	Vegadis 61 Level Sensor DIS61.UFAND 1/2" NPT	Unused	
PA 60	2	Vega	Vegadis 61 Level Sensor DIS61.UFAND 1/2" NPT	Unused	\$
	1	Vega	Vegadis 61 Level Sensor DIS61.UFANB Type 4X IP66	Unused	
	2	Vega	Vegadis 61 Level Sensor DIS61.UFANB 1/2" NPT Type 4X IP66	Unused	
	1	Vega	Vegapuls 63 Level Sensor Part #PS63.UXNAIHKXNAX with 3" 150# Stainless Steel Flange	Unused	
PA 61	1	Siemens	Simatic TIWAY 1 Peerlink Module Model #500-5053	Unused	\$
PA 62	4	Anderson Greenwood	1/2" x 3/4" Multiport Gauge Valves SS Model #M5AHSS46BL / 7000001390	Unused	\$
	1	Anderson Greenwood	Manifold Valve 316SS 6000 PSI Type #M4AHIS	Unused	
	5	Rosemount	Integral Manifold Part #C305111124-0300 Model #0305RC22B11SG	Unused	
	1	Precision Instrument	Manifolds 2" 300# RF Stainless Steel Part #PF2/16BUSXGV2XL-Q	Unused	
PA 63	1	Texas Sampling	Sampler System #MDS-B-32-XX-FLG-XX-PS-XXX with 1" 150# SS Flange	Unused	\$
	1	Stanmar	Corrosion Probe High Pressure Injection Quills Model #SM-12-CP30-W40CS	Unused	
	2	Metal Samples	Electrical Resistance Probe Part #ER45221012437503	Unused	
	1	Perma	Pure Stainless Steel Dryer Tube Part #PD-1000-24SS	Unused	
PA 64	1	AccuRa Flow Products	FS 9000 Flow Sensor 9300/D/1/1/048/1/0	Unused	\$
	1	KayRay Sensall Control	Liquid Level Switch w/ 2" 150# 316SS Flange Part #RC307SSE12F2S	Unused	
PA 65	1	Thermo Sapphire	TM Level Sensor #FGOGST0015F30S with 3" 150# Stainless Flange	Unused	\$
	1	Thermo Sapphire	TM Liquid Level Sensor #FGOGST0120F20S with 2" 150# 316SS Flange	Unused	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 66	1	Mobrey	Level Switch Type #S441DA/F84	Unused	\$
	3	Milton Roy	Linc Level Control Switch Model #NF265-11-01	Unused	
	12	Ruelco	30C2 Liquid Level Switch (Hexagon Shape)	Unused	
	5	Ruelco	30C2 Liquid Level Switch (Round Shape)	Unused	
PA 67	1	Pepperl Fuchs	Purge Control System 2002-STD-CI Type X	Unused	\$
PA 68	2	Flowserve	Gas Barrier Control Panel Code #WSA2890533	Unused	\$
PA 69	2	Honeywell	Sensotec 41A Load Cell 060-M054-0-01	Unused	\$
PA 70	10	FuelTrax	Marine FAS Submersible Transducer Model #575SB0006	Unused	\$
PA 71	1	IMO Gems Sensor	Piston-Type Flow Switch Type #FS-925, 72516, Brass	Unused	\$
	1	Gems Sensor	Delaval Flow Switch, Type FS-10798, Part #25364	Unused	
	4	Provib Tech	TR4102 / 2-Wire Position Transmitter	Unused	
	3	Provib Tech	Seismic Vibration Transmitter Model #TM016-151-140-00-0	Unused	
PA 72	3	MTS Tempsonics	LDT Position Sensing System #310300000	Unused	\$
	1	Westlock	Series 7700 Network Control Monitor 7744NBY1U2HES00D2V3000024	Unused	
PA 73	1	Hanna Instruments	pH Electrode HI #1006-32	Unused	\$
	1	VICI Valco	A 60 Low Temperature Actuator #AC6WEY	Unused	
	2	Mettler Toledo	pH 2100 e Transmitter pH #2100/2H	Unused	
PA 74	1	Fisher Scientific	National DC5-163 Digital Microscope #DMB2-223	Unused	\$
	5	Northern	1/2.7" - 3 Megapixel Auto Iris, 2.8~12mm Varifocal IR Lens #VF2812IRMP3	Unused	
PA 75	4	M & C	Peristaltic Pump SR25.1 with Crouzet 5 RPM Motor	Unused	\$
PA 76	1	Thermo Fisher	Polysonics Hydra SX40 Dedicated Dual Doppler Flowmeter	Unused	\$
PA 77	2	BW Technologies	Plant Rat Cl2 Chlorine Gas Transmitter #ISPR2-DC1	Unused	\$
PA 78	1	MSA	Ultima IR Methane Gas Sensor A-ULTX-SENS-38-2-0 & XE MONITOR A-ULTIMAX-XP-E	Unused	\$
PA 79	1	Drager	Polytron 8200 Combustible Gas and Vapor Transmitter 4544448 - Alum Housing	Unused	\$
	2	Drager	Polytron 8200 Combustible Gas and Vapor Transmitter 4544448 - 316SS Housing	Unused	
	1	Drager	3/4" Dual Condulet Assembly 2.2 - 3.0 VDC, .825W	Unused	
PA 80	1	Totaline	Semi-Hermetic Compressor 6E175TL-360-T	Reconditioned / Unused	\$
PA 81	1	Totaline	Semi-Hermetic Compressor 6E275TL-360-TR	Reconditioned / Unused	\$
PA 82	2	Dialight	Vigilant LED High Bay Light, 144W, HEGMC4KNSNG	Unused	\$
PA 83	2	Dialight	Vigilant LED High Bay Light, 144W, HEGMC4KNSNG	Unused	\$
PA 84	1	Hubbell	Killark Low-Bay & High-Bay 47W LED Light Fixture #VM4LB630-LSP with Guard	Unused	\$
	1	Hubbell	Killark Low-Bay & High-Bay 47W LED Light Fixture #VM4LB630-LSP	Unused	
PA 85	1	E2S	Warning Signals LED Beacon #D2XB1LD2AC115MN1A1G/R	Unused	\$
	1	Hubbell	Killark Low-Bay & High-Bay 47W LED Light Fixture #VM4LB630	Unused	
	1	Tomar	Power Strobe Model #3200	Screw Missing on Side	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 86	14	Schneider Electric	Harmony Selector Switch Part #9007KS43B	Unused	\$
	4	Cooper Crouse-Hinds	Push Button Switch #EMP019	Unused	
	3	ABB	Emergency Stop Button PN #2TA030051R0000	Unused	
	1	ASSA ABLOY	PB2 Series 2 Push Button PN #PB2E	Unused	
	2	Eaton	Green LED Indicating Light PN #10250T181LGP06	Unused	
PA 87	1	Dymac	Power Supply 105/135 VAC, 50-400Hz, 230W, #M734-000	Unused	\$
PA 88	3	Reotemp	Sanitary Temperature Assembly RL3020AT20T	Unused	\$
	5	Reotemp	Sanitary RTD Temperature Sensor Assembly RL3020DT75T	Unused	
PA 89	1	Meltric	DSN60 60A Inlet Plug 63-68043-T253 w/ Junction Box & Angle MA3-T253	Unused	\$
	Lot	Meltric	Parts 63-34043-972-843-E1010, 63-38043-972, 2238043972, 61-3A013	Unused	
PA 90	1	Appleton	AreaMaster 400W LED Flood High Bay Luminaire Light AMLED77YBU1FN	Unused	\$
	1	Appleton	AreaMaster 750W LED Flood High Bay Luminaire Light AMLED87YBU1	Unused	
PA 91	1	Clark Reliance	Durastar LED Illuminator RDS5000-191H-1	Unused	\$
PA 92	2	Eaton Crouse-Hinds	Champ 94W LED Luminaire Light Fixture VMV7L/UNV1 with Cover APM2	Unused	\$
PA 93	1	Westinghouse	Dyna-Vac Capacitor Style #1N02200A10A	Unused	\$
PA 94	1	Allied Moulded	Nema 4X Wall Mount Control Panel Enclosure Cat #AM1086RT	Unused	\$
	2	Cooper Crouse Hinds	Explosion-Proof Enclosure EMH521 20200	Unused	
PA 95	1	General Signal	Hevi-Duty General Purpose Transformer Cat #HS20F500A	Unused	\$
	1	EGS SOLA	Hevi-Duty Buck Boost Transformer HS20F500B	Unused	
	1	Sola CVS	Constant Voltage Transformer 23-22-112-2	Unused	
VMT 96	2	Dialight	PN #ALD55BC26DZDCNNGN	Unused	\$
	1	Advance Digital	Spool Cable 12 Wag PN #1361882	Unused	
	1	Belden	Spool 50' 2/0 Awg High Voltage Lead Wire PN #37500010	Unused	
	1	MC-AL	Roll 10/2 MC-AL Solid THHN/THWN-2Y Encoure Wire	Unused	
VMT 97	20	Holophane	Universal Mount PN #P3US-35-CRDGXD	Unused	\$
VMT 98	12	Gayesco	Temperature Sensor Assy. PN #TE-738C	Unused	\$
PA 99	2	Honeywell	Pilot Valve Assembly 30354548-001	Unused	\$
	1	Honeywell	Skinner 1/2" NPT 3-Way Solenoid Valve, Brass XL6LB4150	Unused	
	16	Honeywell	Skinner 1/8" 2-Way Solenoid Valve V52DA1100	Unused	
PA 100	2	Comoso Parker	Solenoid Valve Normally Open Trip Block 807J949G04	Unused	\$
	1	Peter Paul	1/4" NPT 12 Volt Solenoid Valve 26Z0224NCM	Unused	
	20	Peter Paul	1/16" x 3/32" 3-Way Solenoid Valve 23JK9DCV	Unused	
PA 101	2	ASCO	3/8" 4-Way Dual Solenoid Valve Brass, 8344B060 & 80033	Unused	\$
	2	ASCO	1/4" 4-Way Brass Solenoid Valve F444B000K	Unused	
	1	ASCO	Tri-Point Pressure Switch SA31A, TD30A11B	Unused	
	1	ASCO	3/8" 2-Way Solenoid Valve, Cat# 8211B33 & 80143	Unused	
	1	Plast-O-Matic	1" PVDF Valve EASM6V22G58-PF-480 with ASCO Solenoid HBX20488609800	Unused	

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 102	4	Herion	3827 Solenoid with Norgren 1/2" NPT Brass Valve 8241200EP	Unused	\$
	4	Burkert	1/2" NPT 2-Way Bronze Solenoid Piston Valve 6038 A 7/16 EF BZ, 00459063	Unused	
	2	Whitman	Pressure Switch Model #P119G-5H-F12L50X	Unused	
	2	LDI	2-Way Bass Solienoid Valve Type 727-1	Unused	
PA 103	2	GE	Industrial 100 Amp Circuit Breaker TED136100	Unused	\$
	1	Westinghouse	EB2020 Circuit Breaker, 20A, 2-Pole, 240 VAC, 125/250 VDC	Unused	
	2	ABB	32 Amp 3 Pole Circuit Breaker PN #SU203MC32A	Unused	
PA 104	1	Panametrics	2pc Set of Moisture Probes 110581-PR and 108670-PR	Unused	\$
	1	Panametrics	M22W Moisture Sensor with Plastic Case	Unused	
	2	GE Panametrics	Moisture Probe M21R	Unused	
	1	GE Panametrics	MIS Aluminum Oxide Moisture Probe Analyzer MISP-2R-T20	Unused	
	1	Panametrics	Moisture Probe #211498-PR	Unused	
PA 105	2	Thermon	58961 Kit, DP Terminator and FAK-1 Bulkhead	Unused	\$
	1	Raychem	Single Entry Power Connection with Junction Box JBS-100-A	Unused	
PA 106	5	Alco	Block Type Filter Dryer PN #H-100	Unused	\$
PA 107	1	Square D	Heavy Duty Foot Switch 3/4" NPT	Unused	\$
	1		Push Button Eclosure Selector Switch	Unused	
	1	Emerson	1/2 HP Electric Motor PN #K55HXGBE-0280	Unused	
PA 108	2	GE	AB40 Varmeter 50-103742AJLE1BCD CW216.48	Unused	\$
	1	Mitsubishi	System Control Interface PN #MAC-333IF-E	Unused	
	1		Electrical Surge Protector Model #LS-120	Unused	
PA 109	2	GE	AC Undervoltage Relay 12NGV13A11A	Unused	\$
PA 110	1	Square D	General Purpose Transformer 7S1F, 7.5 KVA, Phase 1	Unused	\$
PA 111	1	Westinghouse	SPB 65 System Pow-R Circuit Breaker, 3-Pole, 1,600 Amp	Unused	\$
PA 112	1	Twin City	24" Tubeaxial Fan, Size 24B3, Type TCTS w/ 1.5 HP Motor, 230/460V	Unused	\$
PA 113	2	Parker	Refrigerating H3 Safety Relief Valve 3/4" x 1-1/4", 225 PSIG Set	Unused	\$
	2	Parker	Refrigerating H3 Safety Relief Valve 3/4" x 1-1/4", 300 PSIG Set	Unused	
	2	Rego	1-1/2" 400 WOG Refrigeration Globe Valve, Ductile Iron, A7511FP	Unused	
PA 114	6	Johnson Controls	Temperature Control A19ABC-4C	Unused	\$
	2	Parker	Refrigeration 3/4" x 1-1/4" Safety Relief Valve, Type H3, 170 PSIG	Unused	
	1	Sporlan	Discharge Bypass Valve Adjustable Model ADRHE-6	Unused	
	2	Johnson	Temperature Controller PN# A19ABA-4C	Unused	
PA 115	3	Tecumseh	Compressor AG145RT-001-P21, AGA5562CXT	Used	\$
PA 116	5	Penberthy	3/4" Plain Style Sight Flow Indicator #SH 3/4 FA STL	Unused	\$
	1	Jacoby Tarbox	1-1/2" Flanged Sight Flow Indicator, Drip Style, Hast C, 910-11/2B	Unused	
	1	Wasino	1/2" Flanged Sight Glass Valve w/ Flapper, Stainless Steel Model #GKF13F	Unused	
PA 117	6	John C. Ernst	3/4" NPT Sight Flow Indicator, 200PSI, Carbon Steel, #021	Unused	\$
	5	Penberthy	3/4" Plain Style Sight Flow Indicator #SH 3/4 FA STL	Unused	
PA 118	1	Moyno	L-Frame Series Pump 2L4 CDQ 3AAA, Part# 3904012002 with GE 1.5 HP Motor	Unused	\$

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
PA 119	1	Micro Motion	Mass Flow Sensor M# 025SB04CC44EZ1ZZ	Unused	\$
	1	Micro Motion	Mass Flow Sensor M# F100H530CAAEZ1ZZ	Unused	
PA 120	1	Cleveland	Wormgear Speed Reducer M#40AE	Weathered	\$
PA 121	1	Parker	Hydraulic Pump PN #DA-0574-3	Unused	\$
PA 122	1	Ashcroft	Portable Gauge Tester 10,000 PSI	Unused	\$
	1	Ashcroft	1305-BH Dead Weight Tester, 14pc Set, Range 10,000#	Unused	
	1	Ashcroft	1305-BH Portable Dead Weight Tester, 17pc Set, Range 10,000#	Unused	
PA 123	1	Ashcroft	1305-B Portable Dead Weight Gauge Tester 10,000 PSI	Unused	\$
	1	Ashcroft	1305-BH Dead Weight Tester, 10pc Set, Range 10,000#	Unused	
PA 124	1	Ashcroft	1327-DG Portable Gauge Tester Pump 10,000 PSI	Unused	\$
	1	Ashcroft	1305-BH Portable Dead Weight Tester, 13pc Set, Range 10,000#	Unused	
CBT 125	1	Allen Bradley	Stratix 8000 Ethernet Managed Switch 1783-MS10T	Unused	\$
CBT 126	1	Siemens	Logo Control Modulal PN# 6ED1055-1M000-0BA2	Unused	\$
CCB 127	4	Magnetrol	Hart Replacement Model PN# Z31-2849-001	Unused	\$
	1	Applied Automation	Detector Assy Kit PN# 202014801	Unused	
	1	Ametek	Main Processor PCB Assy PN# 8000-119-SE	Unused	
	1	Ametek	Furnace Assy PN# 7000-719-SE	Unused	
	1	Pheonix Contact	F1 Switch PN# 2891152	Unused	
VSC 128	1	RTD	Combustible Detection Kit PN# 7000-815-TE	Unused	\$
	1	WBG-V	Replacement Kit for O2 Cell PN# 7000-839-TE	Unused	
	1	WBG-V	Methane Dectector Gas Kit PN# 7000-814-TE	Unused	
	1	Siemens	UOP USDMS Discrete I/O Module UPSDM024DCCBN, 16101-201/2	Unused	
VSC129	4	Curtis Wright	Pop-A-Plug Tube Plug PN# V-837-S	Unused	\$
	2	Curtis Wright	Pop-A-Plug Tube Plug PN# PA837	Unused	
VSC 130	4	Pheonix Contact	10KA Mini Breaker M# TMC71CO8A	Unused	\$
	2	Schnider	Electric Overload Relay M# LRD16-B	Unused	
	1	Eaton	Motor Starter M# AMN14KNO	Weathered	
VSC 131	16	Foxboro	3 Pin Pow Distribution Cable M# RH100DY	Unused	\$
VSC 132	1	Sola	Hevi-Duty Shielded General Purpose Transformer, Rainproof HTS1F30ASCU	Unused	\$
VAM 133	1	Daily Thermetrics	Temperature Probe M# A07675-SE-TW	Unused	\$
VAM 134	3	Nash	Gland Packing Kit M# S872112	Unused	\$
	2	3M	Motor Lead Pigtail Kit Splice Kit PN# 53232	Unused	
VPA 135	1	Eaton Cutler-Hammer	RotoTract Remote Racking CHFG-RRS W/Conductix Wampfler 34211	Unused	\$
VPA 136	3	Dwyer	0-50CC/Min Purge Meter Cat# RMA-151-SSV	Unused	\$
	1	Dwyer	0-60 Purge Meter Cat# VA10U3	Unused	
	1	Nogren	Pressure Regulator 1/4" M# R73G2AKRMG	Unused	
VPA 137	1	Magnetrol	Horizon Guided Wave Radar Level Transmitter 704-5011-540 with Probe	Unused	\$

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
VPA 138	1	Magnetrol	Horizon Guided Wave Radar Level Transmitter 704-5011-540 with Probe	Unused	\$
SHTC 139	1	Carbo Tech	Carbon Dioxide Gauge #CR30751-C-1	Unused	\$
	1	Dwyer	Photohelic Press Switch Gauge M# A3005	Unused	
	2	Swagelok	2-1/2" Dial 0-60 PSI PN# PGZ-63C-PG60-LAQX	Unused	
SHTC 140	1	Allen Bradley	12" 0 per. Interface Panel #1200P	Unused	\$
SHTC 141	8	Crouse Hinds	1-1/2" Conduit Fitting Type C57	Unused	\$
	1	Crouse Hinds	2" Conduit Fitting Type C67	Unused	
	3	Crouse Hinds	3/4" Conduit Fitting Type T27	Unused	
	2	Eaton	Heavy Duty Pin Receptacle #NRC42	Weathered	
SHTC 142	13	Packard/Tesumse	Varies Sizes of Capacitor	Unused	\$
	1	Johnson	Control Imersion Sensor Mounting #TE-6001-3	Unused	
	1	Siemens	Open Air Actuator #GCA126.1U	Unused	
SHTC 143	100	Swagelok	VCR Nut 1/4" #SS-4-VCR-1	Unused	\$
	25	Swagelok	1/4" Male Elbow #SS-4-VCR-9	Unused	
	2	Swagelok	1/4" Tube Brass Needle Valve #B-1VS4	Unused	
	1	Veriflo	Air Eiverter Valve #1671004-104	Unused	
	2	Worcester	1/2" NPT SS Ball Valve #CN4468PMSE	Unused	
SHTC 144	2	KMP	1-1/8" OD Vibration Absorber #VZB-9	Unused	\$
	2	Packless	7-1/8" OD Vibration Absorber # VAF-8	Unused	
	1	Anaconda	3/4" Vibration Elemator #3458FX	Unused	
SHTC 145	3	Honeywell	Universal Curcuit Breaker Trans. #AT150F1030	Unused	\$
	4	Eaton	Definite Purpose Contact #C25ANB1257	Unused	
	1	Packard	Transformer #EF42440	Unused	
	1	Siemens	Curcuit Breaker / Motor Protector #3RV1011-0K10	Unused	
RSE 146	1	Siemens	Simatic S5 Power Supply 6ES5951-7LD21	Unused	\$
	1	Siemens	Simatic S5 Adaption Casing 6ES5491-0LB11 **Sealed in Box**	Unused	
	1	Siemens	Simatic S5 Subrack CR2 #6ES5 700-2LA12	Unused	
SBBH 147	45	Eaton	3/4" Aluminum Conduit Fitting Type #LB29	Unused	\$
	8	Eaton	1" Aluminum Conduit Fitting Type #LB39	Unused	
	2	Eaton	1-1/2" Aluminum Conduit Fitting Type #TB59	Unused	
SBBH 148	100		Various Sizes Covers, Connectors of Conduit Fittings	Unused	\$

LOT	QTY	MFG.	DESCRIPTION	CONDITION	LOT BID
SBBH 149	1	Hoffman	Invent 316SS 42" x 36" x 8" Wall Mount Enclosure PN# A42H3608SS6LP	Unused	\$
SBBH 150	1	Hoffman	Invent 316SS 42" x 36" x 8" Wall Mount Enclosure PN# A42H3608SS6LP	Unused	\$
SBBH 151	1	Hoffman	Invent 316SS 42" x 36" x 8" Wall Mount Enclosure PN# A42H3608SS6LP	Unused	\$
PLG 152	1	Eaton	200AMP General Duty Safety Switch PN# DJ224URK	Unused	\$
	1	Eaton	60AMP General Duty Saefty Switch PN# DG222URB	Unused	
PLG 153	11		Aluminum Perforated Angle 20'	Unused	\$
PLG 154	30		1/2" x 20' Instrumentation Tubing	Unused	\$
	4		1/2" OD x 10" Instrumentation Tubing	Unused	
	1		1/2" OD x 16' Instrumentation Tubing	Unused	
	1		3/4" OD x 16' Instrumentation Tubing	Unused	
SHTC 155	1	Eaton	Safety Swtich with (2) Enclosures	Used	\$